SprintNXT · Execution report — Login

2026-10-15_16-52-16_login · 15 Oct 2026, 16:52:16 · Local run

FAILED

Browser **chromium 145.0.7632.6** Environment **UAT** Build **local** Executed by **Office**

Started **15 Oct 2026, 16:52:16** `https://uat.sprintnxt.in/NexGenV4Front`

Pass percentage

0%


0 of 13 executed tests passed

Total tests	Passed	Failed	Blocked
13	**0**	**12**	**1**
0 retried tests			setup / precondition

Skipped	Duration	Modules
0	**4m 30s**	**1**
	test time 4m 30s	Login

Result distribution

13 tests in this run



Passed	0	0%
Failed	12	92.3%
Blocked	1	7.7%
Skipped	0	0%

Module-wise results

1 module executed

Passed Failed Blocked Skipped

Login — 0/13 passed


Failure categories

Failed + blocked tests by root-cause category

Element Not Found / Not Actionable	12
Precondition Not Met	1

Pass-rate trend

Last 8 run(s) · pass rate excludes skipped



Test cases

Showing 13 of 13 matching · 13 total

Login

0 passed · 12 failed · 1 blocked · 0 skipped

LOGIN-002 | ✕ Failed | **Wrong password is rejected** | 20.3 s

Login › Merchant login — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON

ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	LOGIN-002
Status	✕ Failed
Module	Login
Feature / flow	Merchant login
Type	Negative, Security
Started	15 Oct 2026, 16:52:29
Finished	15 Oct 2026, 16:52:49
Duration	20.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	tests\test_login.py:32
Node ID	tests/test_login.py::test_login_wrong_password[chromium]

STEPS EXECUTED

✓ 1. Open the login page — 984 ms, +762 ms


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login — +960 ms

✗ 2. **Log in as 'qa.auto+1792063351266903@gmail.com'** — 15.0 s, +1.75 s

`email="qa.auto+1792063351266903@gmail.com", password="WrongPass@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-002_a1_2.webm` Open

Playwright trace traces/login-002_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-002_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4D2F8E10>
config = <config.Config object at 0x000001FF4CF0A850>

    @pytest.mark.negative
    @tc("LOGIN-002", "Wrong password is rejected", feature="Merchant login",
        types=["Negative", "Security"], preconditions=[LOGIN_OPEN], expected="User stays off the
dashboard")
    def test_login_wrong_password(login, config):
        email = config.merchant_email or unique_email()
>       login.login(email, "WrongPass@123")

tests\test_login.py:37:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
```

```
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4D721760>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	75 ms	+1.82 s

CONSOLE ERRORS

WARNING	+2.79 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-002
tests/test_login.py::test_login_wrong_password[chromium]
```

LOGIN-003 | ✕ Failed | **Unregistered email is rejected** | 22.0 s

Login › Merchant login — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON

ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	LOGIN-003
Status	✕ Failed
Module	Login
Feature / flow	Merchant login
Type	Negative, Security
Started	15 Oct 2026, 16:52:49
Finished	15 Oct 2026, 16:53:11
Duration	22.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	tests\test_login.py:41
Node ID	tests/test_login.py::test_login_unregistered_email[chromium]

STEPS EXECUTED

✓ 1. Open the login page — 2.82 s (+1.01 s)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+1.21 s)


✗ 2. **Log in as 'qa.auto+1792063373652900@gmail.com'** — 15.0 s (+3.83 s)

`email="qa.auto+1792063373652900@gmail.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.91 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-003_a1_2.webm` Open

Playwright trace traces/login-003_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-003_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4D2FBB10>

    @pytest.mark.negative
    @tc("LOGIN-003", "Unregistered email is rejected", feature="Merchant login",
        types=["Negative", "Security"], preconditions=[LOGIN_OPEN], expected="User stays off the
dashboard")
    def test_login_unregistered_email(login):
>       login.login(unique_email(), "Whatever@123")

tests\test_login.py:45:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
```

```
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4D66AF20>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	75 ms	+3.89 s

CONSOLE ERRORS

WARNING	+5.08 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-003
tests/test_login.py::test_login_unregistered_email[chromium]
```

LOGIN-004[d… ✕ Failed **Malformed email cannot log in [double-at]** Login › Input validation — `TimeoutError: Locator.fill: Time…` 20.3 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@@domain.com
reason	double-at

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[double-at]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:55:00
Finished	15 Oct 2026, 16:55:20
Duration	20.3 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-double-at]`

STEPS EXECUTED

✓ 1. Open the login page — 1.31 s (+848 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+1.29 s)

✕ 2. **Log in as 'user@@domain.com'** — 15.0 s (+2.16 s)

`email="user@@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-double-at_a1_2.webm` Open

Playwright trace traces/login-004-double-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-double-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4F934C50>
email = 'user@@domain.com', reason = 'double-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4F453060>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	126 ms	+2.28 s

CONSOLE ERRORS

WARNING	+5.52 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[double-at]
tests/test_login.py::test_login_invalid_email_format[chromium-double-at]
```

LOGIN-004[e… | ✕ Failed | **Malformed email cannot log in [empty]** | Login › Input validation — `TimeoutError: Locator.fill: Time…` | 21.7 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

`email`	`""` (empty)
`reason`	`empty`

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[empty]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:56:24
Finished	15 Oct 2026, 16:56:46
Duration	21.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-empty]`

STEPS EXECUTED

✓ 1. Open the login page — 2.28 s (+642 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+819 ms)


✕ 2. **Log in as ''** — 15.0 s (+2.93 s)

`email="", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.08 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-empty_a1_2.webm` Open

Playwright trace traces/login-004-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF502CDD30>, email = ''
reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF50294D60>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	108 ms	+3.04 s

CONSOLE ERRORS

WARNING	+4.06 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[empty]
tests/test_login.py::test_login_invalid_email_format[chromium-empty]
```

LOGIN-004[i… | ✕ Failed | **Malformed email cannot log in [illegal-chars]** | Login › Input validation — `TimeoutError: Locator.fill: Time…` | 23.4 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user!#@domain.com
reason	illegal-chars

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[illegal-chars]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:55:41
Finished	15 Oct 2026, 16:56:04
Duration	23.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-illegal-chars]`

STEPS EXECUTED

✓ 1. Open the login page — 4.18 s (+798 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+1.02 s)


✕ 2. **Log in as 'user!#@domain.com'** — 15.0 s (+4.98 s)

`email="user!#@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+5.13 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-illegal-chars_a1_2.webm` Open

Playwright trace traces/login-004-illegal-chars_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-illegal-chars_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4FA026C0>
email = 'user!#@domain.com', reason = 'illegal-chars'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF506FEA20>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	125 ms	+5.12 s

CONSOLE ERRORS

WARNING	+8.02 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[illegal-chars]
tests/test_login.py::test_login_invalid_email_format[chromium-illegal-chars]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-at]** 19.8 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	missingatsign.com
reason	missing-at

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-at]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:53:54
Finished	15 Oct 2026, 16:54:14
Duration	19.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-at]`

STEPS EXECUTED

✓ 1. Open the login page — 1.05 s (+643 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login — +846 ms

✕ 2. **Log in as 'missingatsign.com'** — 15.0 s (+1.70 s)

`email="missingatsign.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-at_a1_2.webm` Open

Playwright trace traces/login-004-missing-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-missing-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4D0B1490>
email = 'missingatsign.com', reason = 'missing-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4DA43240>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	85 ms	+1.77 s

CONSOLE ERRORS

WARNING	+2.52 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[missing-at]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-at]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-domain]**
Login › Input validation — `TimeoutError: Locator.fill: Time…` 24.4 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@
reason	missing-domain

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-domain]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:54:14
Finished	15 Oct 2026, 16:54:38
Duration	24.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-domain]`

STEPS EXECUTED

✓ 1. Open the login page — 5.09 s (+604 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+787 ms)


✕ 2. **Log in as 'user@'** — 15.0 s (+5.70 s)

`email="user@", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+5.86 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-domain_a1_2.webm` Open

Playwright trace traces/login-004-missing-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-missing-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4F72A690>
email = 'user@', reason = 'missing-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4F7C1300>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	93 ms	+5.80 s

CONSOLE ERRORS

WARNING	+6.69 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[missing-domain]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-domain]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-local]** 20.1 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	@nouser.com
reason	missing-local

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-local]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:56:04
Finished	15 Oct 2026, 16:56:24
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-local]`

STEPS EXECUTED

✓ 1. Open the login page — 1.13 s (+791 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+979 ms)

✕ 2. **Log in as '@nouser.com'** — 15.0 s (+1.92 s)

`email="@nouser.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-local_a1_2.webm` Open

Playwright trace traces/login-004-missing-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-missing-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF50638B90>
email = '@nouser.com', reason = 'missing-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF5061B880>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	101 ms	+2.03 s

CONSOLE ERRORS

WARNING	+2.97 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[missing-local]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-local]
```

LOGIN-004[m… ✕ Failed **Malformed email cannot log in [missing-tld]** 21.2 s

Login › Input validation — `TimeoutError: Locator.fill: Time…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user@domain
reason	missing-tld

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[missing-tld]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:54:38
Finished	15 Oct 2026, 16:55:00
Duration	21.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-missing-tld]`

STEPS EXECUTED

✓ 1. Open the login page — 1.64 s (+599 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login — +1.25 s

✕ 2. **Log in as 'user@domain'** — 15.0 s (+2.24 s)

`email="user@domain", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-missing-tld_a1_2.webm` Open

Playwright trace traces/login-004-missing-tld_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-missing-tld_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4F9C87C0>
email = 'user@domain', reason = 'missing-tld'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4F9CD300>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	139 ms	+2.64 s

CONSOLE ERRORS

WARNING	+5.87 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[missing-tld]
tests/test_login.py::test_login_invalid_email_format[chromium-missing-tld]
```

LOGIN-004[n… ✕ Failed **Malformed email cannot log in [no-at-or-domain]** Login › Input validation — `TimeoutError: Locator.fill: Time…` 20.1 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	plainaddress
reason	no-at-or-domain

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[no-at-or-domain]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:53:11
Finished	15 Oct 2026, 16:53:31
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-no-at-or-domain]`

STEPS EXECUTED

✓ 1. Open the login page — 1.09 s (+765 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+948 ms)

✕ 2. **Log in as 'plainaddress'** — 15.0 s (+1.85 s)

`email="plainaddress", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-no-at-or-domain_a1_2.webm` Open

Playwright trace traces/login-004-no-at-or-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-no-at-or-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4CE27A80>
email = 'plainaddress', reason = 'no-at-or-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4D62E020>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)
```

```
        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	93 ms	+1.94 s

CONSOLE ERRORS

WARNING	+2.92 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[no-at-or-domain]
tests/test_login.py::test_login_invalid_email_format[chromium-no-at-or-domain]
```

LOGIN-004[s… ✕ Failed **Malformed email cannot log in [space-in-local]** Login › Input validation — `TimeoutError: Locator.fill: Time…` 21.0 s

PRECONDITIONS

1. Login page is open

TEST DATA USED

email	user name@domain.com
reason	space-in-local

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.fill: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-004[space-in-local]`
Status	✕ **Failed**
Module	Login
Feature / flow	Input validation
Type	Negative · Validation
Started	15 Oct 2026, 16:55:20
Finished	15 Oct 2026, 16:55:41
Duration	21.0 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login · negative
Location	`tests\test_login.py:49`
Node ID	`tests/test_login.py::test_login_invalid_email_format[chromium-space-in-local]`

STEPS EXECUTED

✓ 1. Open the login page — 1.02 s (+659 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+854 ms)


✕ 2. **Log in as 'user name@domain.com'** — 15.0 s (+1.68 s)

`email="user name@domain.com", password="Whatever@123"`

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login (+3.58 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-004-space-in-local_a1_2.webm` Open

Playwright trace traces/login-004-space-in-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-004-space-in-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4F937050>
email = 'user name@domain.com', reason = 'space-in-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    @tc("LOGIN-004", "Malformed email cannot log in", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_invalid_email_format(login, email, reason):
>       login.login(email, "Whatever@123")

tests\test_login.py:54:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\login_page.py:21: in login
    self._email().fill(email)
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15983: in fill
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:215: in fill
    return await self._frame.fill(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:607:
in fill
    await self._fill(**locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:619:
in _fill
    await self._channel.send("fill", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4F16C180>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
```

```
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.fill: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_placeholder(re.compile(r"email", re.IGNORECASE))

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	1.07 s	+2.76 s

CONSOLE ERRORS

WARNING	+4.95 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-004[space-in-local]
tests/test_login.py::test_login_invalid_email_format[chromium-space-in-local]
```

LOGIN-005 ✕ Failed **Empty login form cannot be submitted** 22.7 s

Login › Input validation — `TimeoutError: Locator.click: Tim…`

PRECONDITIONS

1. Login page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

User stays off the dashboard

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`LOGIN-005`
Status	✕ Failed
Module	Login
Feature / flow	Input validation
Type	Negative, Validation
Started	15 Oct 2026, 16:53:31
Finished	15 Oct 2026, 16:53:54
Duration	22.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, negative
Location	`tests\test_login.py:58`
Node ID	`tests/test_login.py::test_login_empty[chromium]`


STEPS EXECUTED

✓ 1. Open the login page 4.26 s
+630 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+809 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+5.03 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/login-005_a1_2.webm` Open

Playwright trace traces/login-005_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-52-16_login/traces/login-005_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
login = <pages.login_page.LoginPage object at 0x000001FF4D8548A0>

    @pytest.mark.negative
    @tc("LOGIN-005", "Empty login form cannot be submitted", feature="Input validation",
        types=["Negative", "Validation"], preconditions=[LOGIN_OPEN], expected="User stays off
the dashboard")
    def test_login_empty(login):
>       login._login_btn().click()

tests\test_login.py:62:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
```

```
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x000001FF4CED2900>
cb = <function Channel.send.<locals>.<lambda> at 0x000001FF4D91D800>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"log\s*in|sign\s*in",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 login-btn"> Sign In </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	80 ms	+4.97 s

CONSOLE ERRORS

WARNING +5.82 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-005
tests/test_login.py::test_login_empty[chromium]
```

LOGIN-001 ⊘ Blocked **Activated merchant logs in with valid credentials**
Login › Merchant login — `Set SNXT_MERCHANT_EMAIL and SNXT…` 12.7 s

PRECONDITIONS

1. Login page is open
2. Seeded merchant is activated

TEST DATA USED

No test data recorded

EXPECTED RESULT

Merchant lands on the dashboard

ACTUAL RESULT

Not executed (blocked): Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test

FAILURE REASON PRECONDITION NOT MET

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test
```

EXECUTION

Test case ID	`LOGIN-001`
Status	⊘ Blocked
Module	Login
Feature / flow	Merchant login
Type	Functional, Smoke
Started	15 Oct 2026, 16:52:16
Finished	15 Oct 2026, 16:52:29
Duration	12.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	login, positive, smoke
Location	`tests\test_login.py:19`
Node ID	`tests/test_login.py::test_login_valid[chromium]`

STEPS EXECUTED

✓ 1. Open the login page 4.03 s
+5.08 s

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+5.32 s

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/login
+9.26 s

API CALLS

POST	200	/usermanagement/site-settings	88 ms	+9.20 s

CONSOLE ERRORS

WARNING +10.2 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   LOGIN-001
tests/test_login.py::test_login_valid[chromium]
```

Failure summary

13 test(s) need attention: 12 failed, 1 blocked. Most affected modules: **Login** (13).


Element Not Found / Not Actionable 12

✕ Failed LOGIN-002

Wrong password is rejected

Login › Merchant login · 20.3 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-003`

Unregistered email is rejected

Login › Merchant login · 22.0 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-004[no-at-or-domain]`

Malformed email cannot log in [no-at-or-domain]

Login › Input validation · 20.1 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-005`

Empty login form cannot be submitted

Login › Input validation · 22.7 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-004[missing-at]`

Malformed email cannot log in [missing-at]

Login › Input validation · 19.8 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-004[missing-domain]`

Malformed email cannot log in [missing-domain]

Login › Input validation · 24.4 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ **Failed** `LOGIN-004[missing-tld]`

Malformed email cannot log in [missing-tld]

Login › Input validation · 21.2 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ Failed `LOGIN-004[double-at]`

Malformed email cannot log in [double-at]

Login › Input validation · 20.3 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ Failed `LOGIN-004[space-in-local]`

Malformed email cannot log in [space-in-local]

Login › Input validation · 21.0 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ Failed `LOGIN-004[illegal-chars]`

Malformed email cannot log in [illegal-chars]

Login › Input validation · 23.4 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ Failed `LOGIN-004[missing-local]`

Malformed email cannot log in [missing-local]

Login › Input validation · 20.1 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```




✕ Failed `LOGIN-004[empty]`

Malformed email cannot log in [empty]

Login › Input validation · 21.7 s

```
TimeoutError: Locator.fill: Timeout 15000ms exceeded.
```



Precondition Not Met 1

⊘ Blocked `LOGIN-001`

Activated merchant logs in with valid credentials

Login › Merchant login · 12.7 s

```
Set SNXT_MERCHANT_EMAIL and SNXT_MERCHANT_PASS for the positive login test
```

Run details

Execution

Run ID	`2026-10-15_16-52-16_login`
Run name	Login
Started	15 Oct 2026, 16:52:16
Finished	15 Oct 2026, 16:56:46
Duration	4m 30s
Workers	1
pytest exit status	1
Marker filter	`login`
Command	`pytest -m login --report-name Login --headed -p no:cacheprovider`
Run folder	`reports/runs/2026-10-15_16-52-16_login`

Environment

Environment	UAT
Application URL	https://uat.sprintnxt.in/NexGenV4Front
Browser	chromium 145.0.7632.6
Build / release	local
Executed by	Office
CI	Local
Host	DESKTOP-0EGM1TC
Platform	Windows 10 (AMD64)
Python	3.13.3
pytest	9.0.2
Playwright	1.58.0

Generated 15 Oct 2026, 16:56:46 · pytest 9.0.2 · Playwright 1.58.0 · Python 3.13.3 · Windows 10 (AMD64)