SprintNXT · Execution report — Forgot Password

2026-10-15_16-57-09_forgot-password · 15 Oct 2026, 16:57:09 · Local run

FAILED

Browser **chromium 145.0.7632.6** Environment **UAT** Build **local** Executed by **Office**

Started **15 Oct 2026, 16:57:09** `https://uat.sprintnxt.in/NexGenV4Front`

Pass percentage

8.3%


1 of 12 executed tests passed

Total tests	Passed	Failed	Blocked
12	1	11	0
0 retried tests			setup / precondition

Skipped	Duration	Modules
0	3m 48s	1
	test time 3m 47s	Forgot Password

Result distribution

12 tests in this run



Passed	1	8.3%
Failed	11	91.7%
Blocked	0	0%
Skipped	0	0%

Module-wise results


1 module executed

Passed Failed Blocked Skipped

Forgot Password 1/12 passed

Failure categories

Failed + blocked tests by root-cause category



Pass-rate trend

Last 9 run(s) · pass rate excludes skipped



Test cases

Showing 12 of 12 matching · 12 total

Forgot Password

1 passed · 11 failed · 0 blocked · 0 skipped

FPW-7AA29[d… ✕ Failed **Forgot invalid email format [double-at]** 19.4 s

Forgot Password › Forgot password — `TimeoutError: Locator…`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@@domain.com
reason	double-at

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[double-at]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:59:13
Finished	15 Oct 2026, 16:59:33
Duration	19.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-double-at]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.16 s (+588 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+779 ms)

✕ 2. **Request a reset link for 'user@@domain.com'** — 15.5 s (+1.75 s)

`email="user@@domain.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-double-at_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-double-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-double-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BE1E7570>
email = 'user@@domain.com', reason = 'double-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BC9787C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	82 ms	+1.84 s

CONSOLE ERRORS

WARNING	+2.85 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[double-at]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-double-at]
```

FPW-7AA29[e… ✕ Failed **Forgot invalid email format [empty]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 20.5 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	"" (empty)
reason	empty

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[empty]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 17:00:37
Finished	15 Oct 2026, 17:00:57
Duration	20.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-empty]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.07 s (+705 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+882 ms)

✕ 2. **Request a reset link for ''** — 15.4 s (+1.77 s)

`email=""`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-empty_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-empty_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-empty_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BE7F66C0>
email = '', reason = 'empty'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BF487880>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	97 ms	+1.88 s

CONSOLE ERRORS

WARNING	+2.84 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[empty]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-empty]
```

FPW-7AA29[i… ✕ Failed **Forgot invalid email format [illegal-chars]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 20.1 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user!#@domain.com
reason	illegal-chars

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[illegal-chars]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:59:54
Finished	15 Oct 2026, 17:00:14
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-illegal-chars]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.61 s (+657 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+850 ms)

✕ 2. **Request a reset link for 'user!#@domain.com'** — 15.4 s (+2.27 s)

`email="user!#@domain.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-illegal-chars_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-illegal-chars_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-illegal-chars_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BEE33350>
email = 'user!#@domain.com', reason = 'illegal-chars'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BF2E25C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	86 ms	+2.36 s

CONSOLE ERRORS

WARNING	+3.33 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[illegal-chars]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-illegal-chars]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-at]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 22.4 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	missingatsign.com
reason	missing-at

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-at]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:58:12
Finished	15 Oct 2026, 16:58:34
Duration	22.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-at]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.06 s (+570 ms)

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+768 ms)


✕ 2. **Request a reset link for 'missingatsign.com'** — 17.5 s (+1.64 s)

`email="missingatsign.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+3.84 s)

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-at_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-at_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-missing-at_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BC7F8050>
email = 'missingatsign.com', reason = 'missing-at'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BCD139C0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
```

```
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	713 ms	+2.35 s

CONSOLE ERRORS

WARNING	+4.96 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[missing-at]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-at]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-domain]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 19.8 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@
reason	missing-domain

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-domain]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:58:34
Finished	15 Oct 2026, 16:58:54
Duration	19.8 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-domain]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.30 s (+654 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+869 ms)

✕ 2. **Request a reset link for 'user@'** — 15.4 s (+1.96 s)

`email="user@"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-domain_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-missing-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BC86A0F0>
email = 'user@', reason = 'missing-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BC679440>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	80 ms	+2.04 s

CONSOLE ERRORS

WARNING	+3.08 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[missing-domain]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-domain]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-local]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 22.2 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	@nouser.com
reason	missing-local

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-local]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 17:00:14
Finished	15 Oct 2026, 17:00:37
Duration	22.2 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-local]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 3.90 s
+594 ms


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+772 ms

✕ 2. **Request a reset link for '@nouser.com'** — 15.4 s
`email="@nouser.com"` +4.49 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+4.58 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-local_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-missing-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BECAD5E0>
email = '@nouser.com', reason = 'missing-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BF6DF1A0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
```

```
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	75 ms	+4.55 s

CONSOLE ERRORS

WARNING	+5.44 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[missing-local]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-local]
```

FPW-7AA29[m… ✕ Failed **Forgot invalid email format [missing-tld]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 19.5 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user@domain
reason	missing-tld

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[missing-tld]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:58:54
Finished	15 Oct 2026, 16:59:13
Duration	19.5 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-tld]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.07 s (+623 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+795 ms)

✕ 2. **Request a reset link for 'user@domain'** — 15.5 s (+1.70 s)

`email="user@domain"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-missing-tld_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-missing-tld_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-missing-tld_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BCA5CE20>
email = 'user@domain', reason = 'missing-tld'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BCA0BF60>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	80 ms	+1.78 s

CONSOLE ERRORS

WARNING +2.74 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[missing-tld]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-missing-tld]
```

FPW-7AA29[n… ✕ Failed **Forgot invalid email format [no-at-or-domain]**
Forgot Password › Forgot password — `TimeoutError: Locator…` 20.1 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	plainaddress
reason	no-at-or-domain

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[no-at-or-domain]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:57:21
Finished	15 Oct 2026, 16:57:41
Duration	20.1 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-no-at-or-domain]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 1.07 s (+805 ms)


→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password (+994 ms)

✕ 2. **Request a reset link for 'plainaddress'** — 15.4 s (+1.88 s)

`email="plainaddress"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-no-at-or-domain_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-no-at-or-domain_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-no-at-or-domain_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BC579D10>
email = 'plainaddress', reason = 'no-at-or-domain'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BC97ACA0>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
```

```
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               27 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	78 ms	+1.97 s

CONSOLE ERRORS

WARNING +2.88 s NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912
https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[no-at-or-domain]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-no-at-or-domain]
```

FPW-7AA29[s... ✕ Failed **Forgot invalid email format [space-in-local]** Forgot Password › Forgot password — `TimeoutError: Locator...` 21.4 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

email	user name@domain.com
reason	space-in-local

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION

Test case ID	`FPW-7AA29[space-in-local]`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative · Validation
Started	15 Oct 2026, 16:59:33
Finished	15 Oct 2026, 16:59:54
Duration	21.4 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password · negative
Location	`tests\test_forgot_password.py:22`
Node ID	`tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-space-in-local]`

STEPS EXECUTED

✓ 1. Open Forgot Password — 3.02 s, +615 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +792 ms


✕ 2. **Request a reset link for 'user name@domain.com'** — 15.4 s, +3.64 s

`email="user name@domain.com"`

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +3.75 s

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-7aa29-space-in-local_a1_2.webm` Open

Playwright trace traces/fpw-7aa29-space-in-local_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-7aa29-space-in-local_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BEE31750>
email = 'user name@domain.com', reason = 'space-in-local'

    @pytest.mark.negative
    @pytest.mark.parametrize("email,reason", INVALID_EMAILS, ids=[r for _, r in INVALID_EMAILS])
    def test_forgot_invalid_email_format(fp, email, reason):
>       fp.request_reset(email)

tests\test_forgot_password.py:25:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
reporting\collector.py:235: in wrapper
    result = func(*args, **kwargs)
             ^^^^^^^^^^^^^^^^^^^^
pages\forgot_password_page.py:21: in request_reset
    self._submit().click()
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BE2C8540>
is_internal = False, title = None

    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
```

```
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	79 ms	+3.72 s

CONSOLE ERRORS

WARNING	+4.87 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-7AA29[space-in-local]
tests/test_forgot_password.py::test_forgot_invalid_email_format[chromium-space-in-local]
```

FPW-46640 | ✕ Failed | **Forgot empty** | 19.9 s

Forgot Password › Forgot password — `TimeoutError: Locator...`

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: TimeoutError: Locator.click: Timeout 15000ms exceeded.

FAILURE REASON

ELEMENT NOT FOUND / NOT ACTIONABLE

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```

EXECUTION


Test case ID	FPW-46640
Status	✕ Failed
Module	Forgot Password
Feature / flow	Forgot password
Type	Negative, Validation
Started	15 Oct 2026, 16:57:41
Finished	15 Oct 2026, 16:58:01
Duration	19.9 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password, negative
Location	tests\test_forgot_password.py:30
Node ID	tests/test_forgot_password.py::test_forgot_empty[chromium]

STEPS EXECUTED

✓ 1. Open Forgot Password 1.07 s
+602 ms

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password
+756 ms

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-46640_a1_2.webm` Open

Playwright trace traces/fpw-46640_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-46640_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BC5782D0>

    @pytest.mark.negative
    def test_forgot_empty(fp):
>       fp._submit().click()

tests\test_forgot_password.py:32:
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\sync_api\_generated.py:15631: in click
    self._sync(
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_locator.py:162: in click
    return await self._frame._click(self._selector, strict=True, **params)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
..\..\AppData\Local\Programs\Python\Python313\Lib\site-packages\playwright\_impl\_frame.py:566:
in _click
    await self._channel.send("click", self._timeout, locals_to_params(locals()))
..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:69: in send
    return await self._connection.wrap_api_call(
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _

self = <playwright._impl._connection.Connection object at 0x00000283BC182900>
cb = <function Channel.send.<locals>.<lambda> at 0x00000283BC6587C0>
is_internal = False, title = None
```

```
    async def wrap_api_call(
        self, cb: Callable[[], Any], is_internal: bool = False, title: str = None
    ) -> Any:
        if self._api_zone.get():
            return await cb()
        task = asyncio.current_task(self._loop)
        st: List[inspect.FrameInfo] = getattr(
            task, "__pw_stack__", None
        ) or inspect.stack(0)

        parsed_st = _extract_stack_trace_information_from_stack(st, is_internal, title)
        self._api_zone.set(parsed_st)
        try:
            return await cb()
        except Exception as error:
>           raise rewrite_error(error, f"{parsed_st['apiName']}: {error}") from None
E           playwright._impl._errors.TimeoutError: Locator.click: Timeout 15000ms exceeded.
E           Call log:
E             - waiting for get_by_role("button", name=re.compile(r"reset\s*password",
re.IGNORECASE))
E               - locator resolved to <button disabled type="submit" class="btn btn-primary w-
100 mt-5"> Reset Password </button>
E             - attempting click action
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E               - waiting 20ms
E               2 × waiting for element to be visible, enabled and stable
E                 - element is not enabled
E               - retrying click action
E                 - waiting 100ms
E               28 × waiting for element to be visible, enabled and stable
E                  - element is not enabled
E                - retrying click action
E                  - waiting 500ms

..\..\AppData\Local\Programs\Python\Python313\Lib\site-
packages\playwright\_impl\_connection.py:559: TimeoutError
```

API CALLS

POST	200	/usermanagement/site-settings	67 ms	+1.75 s

CONSOLE ERRORS

WARNING	+2.75 s	NG0912: Component ID generation collision detected. Components '_BulkBatchReportComponent' and '_BulkBeneBatchReportComponent' with selector 'app-bulk-batch-report' generated the same component ID. To fix this, you can change the selector of one of those components or add an extra host attribute to force a different ID. Find more at https://v20.angular.dev/errors/NG0912 https://uat.sprintnxt.in/NexGenV4Front/chunk-CGKUL63J.js:14705

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-46640
tests/test_forgot_password.py::test_forgot_empty[chromium]
```

FPW-FD211 ✕ Failed **Forgot valid email**
Forgot Password › Forgot password — `assert 'error' not in...` 10.7 s

PRECONDITIONS

1. Browser launched with a fresh context (geolocation granted)
2. Forgot-password page is open

TEST DATA USED

No test data recorded

EXPECTED RESULT

All assertions in the test pass

ACTUAL RESULT

Not as expected: assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here: error the provided information is not valid!

FAILURE REASON ASSERTION FAILURE

```
assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here: error the provided information is not valid!
```

EXECUTION

Test case ID	`FPW-FD211`
Status	✕ **Failed**
Module	Forgot Password
Feature / flow	Forgot password
Type	Functional
Started	15 Oct 2026, 16:57:10
Finished	15 Oct 2026, 16:57:21
Duration	10.7 s
Browser	chromium 145.0.7632.6
Environment	UAT
Executed by	Office
Build	local
Attempts	1
Worker	main
Markers	forgot_password positive
Location	`tests\test_forgot_password.py:14`
Node ID	`tests/test_forgot_password.py::test_forgot_valid_email[chromium]`

STEPS EXECUTED


✓ 1. Open Forgot Password — 1.11 s, +5.48 s

→ Navigated to https://uat.sprintnxt.in/NexGenV4Front/#/auth/forget-password — +5.73 s

✓ 2. Request a reset link for 'qa.auto+1792063637141739@gmail.com' — 549 ms, +6.59 s

`email="qa.auto+1792063637141739@gmail.com"`

SCREENSHOTS & MEDIA



Failure screenshot

Video recording `videos/fpw-fd211_a1_2.webm` Open

Playwright trace traces/fpw-fd211_a1_1.zip trace.playwright.dev

Open with `playwright show-trace "reports/runs/2026-10-15_16-57-09_forgot-password/traces/fpw-fd211_a1_1.zip"`, or drop the .zip on trace.playwright.dev (runs locally in your browser).

STACK TRACE

```
fp = <pages.forgot_password_page.ForgotPasswordPage object at 0x00000283BC2DDFD0>
config = <config.Config object at 0x00000283BC1BA850>

    @pytest.mark.positive
    def test_forgot_valid_email(fp, config):
        email = config.merchant_email or unique_email()
        fp.request_reset(email)
        # expect a success / under-review message, not an error (tune to the real toast text)
>       assert "error" not in fp.result().lower()
E       AssertionError: assert 'error' not in 'error\nthe ...s not valid!'
E
E         'error' is contained here:
E           error
E           the provided information is not valid!

tests\test_forgot_password.py:19: AssertionError
```

API CALLS

POST	200	/usermanagement/site-settings	88 ms	+6.70 s
POST	201	/usermanagement/auth/sendOtp	1.15 s	+8.31 s

CAPTURED OUTPUT

```
----- Captured log setup -----
INFO     reporting:plugin.py:210 START   FPW-FD211
tests/test_forgot_password.py::test_forgot_valid_email[chromium]
```

FPW-0182C ✓ Passed **Reset for an unregistered email must not reveal that the account ...** 10.9 s

Forgot Password › Forgot password

Failure summary

11 test(s) need attention: 11 failed, 0 blocked. Most affected modules: **Forgot Password** (11).


Element Not Found / Not Actionable 10

✕ Failed FPW-7AA29[no-at-or-domain]

Forgot invalid email format [no-at-or-domain]

Forgot Password › Forgot password · 20.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-46640

Forgot empty

Forgot Password › Forgot password · 19.9 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[missing-at]

Forgot invalid email format [missing-at]

Forgot Password › Forgot password · 22.4 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[missing-domain]

Forgot invalid email format [missing-domain]

Forgot Password › Forgot password · 19.8 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[missing-tld]

Forgot invalid email format [missing-tld]

Forgot Password › Forgot password · 19.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[double-at]

Forgot invalid email format [double-at]

Forgot Password › Forgot password · 19.4 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[space-in-local]

Forgot invalid email format [space-in-local]

Forgot Password › Forgot password · 21.4 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[illegal-chars]

Forgot invalid email format [illegal-chars]

Forgot Password › Forgot password · 20.1 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[missing-local]

Forgot invalid email format [missing-local]

Forgot Password › Forgot password · 22.2 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




✕ Failed FPW-7AA29[empty]

Forgot invalid email format [empty]

Forgot Password › Forgot password · 20.5 s

```
TimeoutError: Locator.click: Timeout 15000ms exceeded.
```




Assertion Failure 1

✕ Failed FPW-FD211

Forgot valid email

Forgot Password › Forgot password · 10.7 s

```
assert 'error' not in 'error\nthe ...s not valid!' 'error' is contained here:
error the provided information is not valid!
```



Run details

Execution

Run ID	`2026-10-15_16-57-09_forgot-password`
Run name	Forgot Password
Started	15 Oct 2026, 16:57:09
Finished	15 Oct 2026, 17:00:57
Duration	3m 48s
Workers	1
pytest exit status	1
Marker filter	`forgot_password`
Command	`pytest -m forgot_password --report-name Forgot Password --headed -p no:cacheprovider`
Run folder	`reports/runs/2026-10-15_16-57-09_forgot-password`

Environment

Environment	UAT
Application URL	https://uat.sprintnxt.in/NexGenV4Front
Browser	chromium 145.0.7632.6
Build / release	local
Executed by	Office
CI	Local
Host	DESKTOP-0EGM1TC
Platform	Windows 10 (AMD64)
Python	3.13.3
pytest	9.0.2
Playwright	1.58.0

Generated 15 Oct 2026, 17:00:57 · pytest 9.0.2 · Playwright 1.58.0 · Python 3.13.3 · Windows 10 (AMD64)