Status	Finished
Started	Friday, 16 October 2026, 3:19 PM
Completed	Friday, 16 October 2026, 3:22 PM
Duration	3 mins 21 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓

b. All of the above

c. ii

d. iii

Question **2**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. del.sampleSet("ECE")

b. sampleSet.discard("ECE") ✓

c. remove.sampleSet("ECE")

d. sampleSet.delete("ECE")

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. ii,iv

b. i,iii ✓

c. i,ii

d. iii,iv

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {0,9} ✓

b. {0,0,9}

c. It will throw an error as there are two 0 while creating the set.

d. {9}

Question **5**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [2, 3, 9]

c. [1, 2, 4, 3, 8, 9]

d. (1, 4, 8)

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. (36, 25, 14) ✓
- b. (58,47,36,25)
- c. (3,14,25)
- d. Error

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. [11,11,11,3,3,3]
- b. (11, 3, 11, 3, 11, 3) ✓
- c. (11,3,11,11,3,11,11,11,3)
- d. (11,3)(11,3)(11,3)

Question **8**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- a. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}
- b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓
- c. Name Error
- d. TypeError: update() doesn't allow list as a argument.

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {2}

c. {1,3,4}

d. {4} ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. Error

c. False ✓

d. True

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. False
False

b. True
False

c. False
True

d. True ✓
True

Question **12**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain both integers and strings as its elements. ✓

b. In Python, a tuple can contain either string or integer but not both at a time.

c. In Python, a tuple can contain only integers as its elements.

d. In Python, a tuple can contain only strings as its elements.

Question **13**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. Error

b. (25,19,18,17)

c. (16,17,18)

d. (16,17,18,19) ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. 5

b. 1

c. Error ✓

d. 2

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {1, 2, 3, 4, 5}
set2 = {6, 7, 1, 3, 4, 8, 2, 5}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✓
True

b. False
False

c. True
False

d. False
True