

Initiating legacy licensing module

LICENSE SYSTEM [202676 9:16:34] Next license update check is after
2026-02-21T12:48:39

Built from 'HEAD' branch; Version is '2019.2.23f1 (87f4fccf3219) revision 8910076';
Using compiler version '191627012'
OS: 'Windows 10 (10.0.0) 64bit' Language: 'en' Physical Memory: 16205 MB
BatchMode: 0, IsHumanControllingUs: 1, StartBugReporterOnCrash: 1, Is64bit: 1,
IsPro: 0
[Package Manager] Server::Start -- Port 55833 was selected

COMMAND LINE ARGUMENTS:
C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Unity.exe
-projectpath
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler
-acceptSoftwareTermsForThisRunOnly
-useHub
-hubIPC
-cloudEnvironment
production
-licensingIpc
LicenseClient-91701
-hubSessionId
ec372e3d-f684-4f66-8f29-b0bb9d917e21
-accessToken
t_vK5tbkSTAH87JRuI334aq07RPD5yiPv0ci6vqvNOI008f
Successfully changed project path to:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler
C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler
Using Asset Import Pipeline V1.
Loading GUID <-> Path mappings...0.001104 seconds
Loading Asset Database...0.078674 seconds
AssetDatabase consistency checks...0.056709 seconds
[Package Manager] Done resolving packages in 1.21s seconds
[Package Manager]
Registered 44 packages:
Packages from [https://packages.unity.com]:
com.unity.collab-proxy@1.2.16 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.collab-proxy@1.2.16)
com.unity.ext.nunit@1.0.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0)
com.unity.ide.rider@1.1.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.rider@1.1.0)

com.unity.ide.vscode@1.1.3 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.vscode@1.1.3)

com.unity.test-framework@1.0.13 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.test-framework@1.0.13)

com.unity.textmeshpro@2.0.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.textmeshpro@2.0.1)

com.unity.render-pipelines.core@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.render-pipelines.core@6.9.1)

com.unity.shadergraph@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.shadergraph@6.9.1)

com.unity.visualeffectgraph@6.9.1-preview (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.visualeffectgraph@6.9.1-preview)

Built-in packages:

com.unity.package-manager-ui@2.2.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.package-manager-ui)

com.unity.timeline@1.1.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.timeline)

com.unity.ugui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.ugui)

com.unity.modules.ai@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ai)

com.unity.modules.androidjni@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.androidjni)

com.unity.modules.animation@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.animation)

com.unity.modules.assetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.assetbundle)

com.unity.modules.audio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.audio)

com.unity.modules.cloth@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.cloth)

com.unity.modules.director@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.director)

com.unity.modules.imageconversion@1.0.0 (location: C:\Program

Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.imageconversion)
 com.unity.modules.imgui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.imgui)
 com.unity.modules.jsonserialize@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.jsonserialize)
 com.unity.modules.particlesystem@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.particlesystem)
 com.unity.modules.physics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics)
 com.unity.modules.physics2d@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics2d)
 com.unity.modules.screencapture@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.screencapture)
 com.unity.modules.terrain@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrain)
 com.unity.modules.terrainphysics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrainphysics)
 com.unity.modules.tilemap@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.tilemap)
 com.unity.modules.ui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ui)
 com.unity.modules.uielements@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.uielements)
 com.unity.modules.umbra@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.umbra)
 com.unity.modules.unityanalytics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unityanalytics)
 com.unity.modules.unitywebrequest@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequest)
 com.unity.modules.unitywebrequestassetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestassetbundle)
 com.unity.modules.unitywebrequestaudio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestaudio)

com.unity.modules.unitywebrequesttexture@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequesttexture)
com.unity.modules.unitywebrequestwww@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequestwww)
com.unity.modules.vehicles@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vehicles)
com.unity.modules.video@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.video)
com.unity.modules.vr@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vr)
com.unity.modules.wind@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.wind)
com.unity.modules.xr@1.0.0 (location: C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.xr)
Local packages:

com.unity.render-pipelines.high-definition@file:C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition (location: C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition)

[XR] No new subsystems found in resolved package list.
[Package Manager] Done registering packages in 0.05s seconds
Refreshing native plugins compatible for Editor in 1311.68 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
IsTimeToCheckForNewEditor: Update time 1783089012 current 1783322200
Initialize engine version: 2019.2.23f1 (87f4fccf3219)
[XR] Discovering subsystems at path C:/Program Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Resources/UnitySubsystems
[XR] Discovering subsystems at path C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler/Assets
GfxDevice: creating device client; threaded=1
Direct3D:
Version: Direct3D 11.0 [level 11.1]
Renderer: NVIDIA GeForce RTX 3050 Laptop GPU (ID=0x25a2)
Vendor:
VRAM: 3962 MB
Driver: 32.0.15.9186
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader

WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
[EnlightenBakeManager] m_Clear = false;
Initialize mono
Mono path[0] = 'C:/Program Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Managed'
Mono path[1] = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/lib/mono/unityjit'
Mono config path = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/etc'
Using monoOptions
--debugger-agent=transport=dt_socket,embedding=1,server=y,suspend=n,address=127.0.0
.1:56960
Begin MonoManager ReloadAssembly
Registering precompiled unity dll's ...
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WindowsStandaloneSup
port/UnityEditor.WindowsStandalone.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WebGLSupport/UnityEd
itor.WebGL.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/MetroSupport/UnityEd
itor.UWP.Extensions.dll
Registered in 0.704761 seconds.
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 0.45 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 8.425 seconds
Registering precompiled user dll's ...
Registered in 0.254906 seconds.
Platform modules already initialized, skipping
Begin MonoManager ReloadAssembly
Symbol file data-0000028481812020 doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisio
nStepperJuggler\Library\ScriptAssemblies\Assembly-CSharp.dll
Symbol file LoadedFromMemory is not a mono symbol file
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisio
nStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\n
unit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 0.51 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 5.992 seconds

Platform modules already initialized, skipping

Validating Project structure ... 0.009158 seconds.

Refresh: detecting if any assets need to be imported or removed ...

Hashing assets (21 files)... 0.193 seconds

file read: 0.001 seconds (0.160 MB)

wait for write: 0.000 seconds (I/O thread blocked by consumer, aka CPU bound)

wait for read: 0.192 seconds (CPUT thread waiting for I/O thread, aka disk bound)

hash: 0.000 seconds

----- Compute hash(es) for 21 asset(s).

----- Asset named Assets/HighPrecisionStepperJuggler/Scripts/MachineController.cs is skipped as no actual change.

----- Asset named Assets/HighPrecisionStepperJuggler/Scripts/RealMachine.cs is skipped as no actual change.

----- Asset named Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs is skipped as no actual change.

----- Asset named Assets/HighPrecisionStepperJuggler/Scripts/UVCCamera/UVCCameraPlugin.cs is skipped as no actual change.

Refreshing native plugins compatible for Editor in 0.46 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Refresh: detecting if any assets need to be imported or removed ...

Hashing assets (17 files)... 0.004 seconds

file read: 0.000 seconds (0.130 MB)

wait for write: 0.000 seconds (I/O thread blocked by consumer, aka CPU bound)

wait for read: 0.003 seconds (CPUT thread waiting for I/O thread, aka disk bound)

hash: 0.000 seconds

----- Compute hash(es) for 17 asset(s).

Updating

Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GraphGrid/GraphGrid

Dotted Horizontal Top.mat - GUID: 0a35a86bdf3bc5643a25ed168f59af2b...

Launched and connected shader compiler UnityShaderCompiler.exe after 0.10 seconds done. [Time: 6224.824000 ms]

Unloading 2930 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 442.6 MB.

System memory in use after: 442.2 MB.

Unloading 89 unused Assets to reduce memory usage. Loaded Objects now: 3629.

Total: 4.974000 ms (FindLiveObjects: 0.638800 ms CreateObjectMapping: 0.206300 ms

MarkObjects: 4.036500 ms DeleteObjects: 0.091600 ms)

Updating

Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GraphGrid/GraphGrid

Dotted Vertical.mat - GUID: 0f0be003017d2004499699575172baae...
done. [Time: 77.618900 ms]
Updating Assets/HighPrecisionStepperJuggler/Materials/Target Cross.mat - GUID: 288595f6260107341bdcb7b74a565c31...
done. [Time: 71.978000 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentDataPointX.mat - GUID: 2f0110b9902dfe7408579eede0ece7e7...
done. [Time: 48.557600 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentViewLineZ.mat - GUID: 3e735176b39bbcd4e90d01127e2ef18d...
done. [Time: 32.148800 ms]
Updating Assets/HighPrecisionStepperJuggler/Materials/Current Position Cross.mat - GUID: 4cd5abb034835d34ab00c1f609d44f81...
done. [Time: 38.147000 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentDataPointZ.mat - GUID: 5a34bcc9fa5475d4e9448797075f005d...
done. [Time: 32.135900 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentViewLineY.mat - GUID: 5e025214f88fc95438b34d14e5cbd818...
done. [Time: 27.863200 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentViewLineX.mat - GUID: 5e88753175217cd4aab78ebe9a043313...
done. [Time: 24.642800 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GraphGrid/GraphGrid Dotted Horizontal Bottom.mat - GUID: 716a4b61260d1be40892f8e6f71bc28e...
done. [Time: 25.550600 ms]
Updating Assets/HighPrecisionStepperJuggler/Materials/Predicted Hit Position Y.mat - GUID: 8429bdd25d8d7dd47b5c7e4596c3eff2...
done. [Time: 38.957100 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GraphGrid/GraphGrid Horizontal.mat - GUID: 94a20a7cca04259418ec29fb50f5ce43...
done. [Time: 25.300800 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentView X Tilt.mat - GUID: 99bbe0eaae88bc24b84ffb97775747a1...
done. [Time: 24.078500 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentDataPointY.mat - GUID: c973f01ba4871bc4091aedb70bc00b29...
done. [Time: 25.200500 ms]
Updating Assets/HighPrecisionStepperJuggler/Materials/Predicted Hit Position X.mat - GUID: caef03a443fff686478579bbb4228c3eb...
done. [Time: 24.837100 ms]

Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GraphGrid/GraphGrid
Vertical.mat - GUID: d1a0b453b8370f248a8a4c8305fee127...
done. [Time: 25.080100 ms]
Updating
Assets/HighPrecisionStepperJuggler/GradientDescent/Materials/GradientDescentView Y
Tilt.mat - GUID: ee06fd0fecac78447afe3eeea262a4e9...
done. [Time: 26.654700 ms]
Unloading 46 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 378.2 MB.
System memory in use after: 378.4 MB.

Unloading 45 unused Assets to reduce memory usage. Loaded Objects now: 3629.
Total: 3.293000 ms (FindLiveObjects: 0.517000 ms CreateObjectMapping: 0.176200 ms
MarkObjects: 2.555600 ms DeleteObjects: 0.043500 ms)

Refreshing native plugins compatible for Editor in 5.74 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Refreshing native plugins compatible for Editor in 0.68 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.

Refresh Completed time: 7.093859s
Asset Scan time: 0.070190s
Asset Hashing: 0.003769s [132.9 KB, 34.441345 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 6.804529s (count: 17)
Post Process Assets (Non Scripting) time: 0.048093s
Dependent Assets to Import Queue time: 0.006587s

WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
Warming cache for 4711 main assets: 0.006109 seconds elapsed
Initializing Unity extensions:
'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/UnityExtensions/Unity/UnityVR/Editor
/UnityEditor.VR.dll' GUID: 4ba2329b63d54f0187bcaa12486b1b0f
Unloading 232 Unused Serialized files (Serialized files now loaded: 0)
Loaded scene 'Assets/HighPrecisionStepperJuggler/MainScene.unity'
Deserialize: 192.480 ms

Integration: 277.979 ms
Integration of assets: 5.939 ms
Thread Wait Time: 28.059 ms
Total Operation Time: 504.458 ms

System memory in use before: 93.6 MB.

System memory in use after: 94.0 MB.

Unloading 210 unused Assets to reduce memory usage. Loaded Objects now: 5879.
Total: 4.055800 ms (FindLiveObjects: 0.540800 ms CreateObjectMapping: 0.141800 ms
MarkObjects: 3.218900 ms DeleteObjects: 0.153600 ms)

<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initializing input.
<RI> Input initialized.

[Project] Loading completed in 56.144 seconds

Project init time: 55.150 seconds
Template init time: 0.000 seconds
Services packages init time: 1.360 seconds
Package Manager init time: 0.098 seconds
Asset Database init time: 2.052 seconds
Global illumination init time: 0.531 seconds
Assemblies load time: 36.853 seconds
Unity extensions init time: 0.001 seconds
Asset Database refresh time: 7.094 seconds
Scene opening time: 0.825 seconds

EditorUpdateCheck: Failed The requested URL returned error: 404 Not Found

Unloading 70 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 403.7 MB.

System memory in use after: 404.0 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6443.
Total: 10.700600 ms (FindLiveObjects: 1.263600 ms CreateObjectMapping: 0.522500 ms
MarkObjects: 8.801500 ms DeleteObjects: 0.112200 ms)

Created GICache directory at C:/Users/91701/AppData/LocalLow/Unity/Caches/GiCache.

Took: 0.080s, timestamps: [58.961 - 59.042]

Setting up 6 worker threads for Enlighten.

Thread -> id: 2860 -> priority: 1
Thread -> id: 3c30 -> priority: 1
Thread -> id: 52dc -> priority: 1
Thread -> id: 256c -> priority: 1
Thread -> id: 404c -> priority: 1
Thread -> id: 4f00 -> priority: 1

TrimDiskCacheJob: Current cache size 3mb

<RI> Initialized touch support.

Reloading assemblies for play mode.
Begin MonoManager ReloadAssembly
Symbol file data-0000028467CC8D20 doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\ScriptAssemblies\Assembly-CSharp.dll
Symbol file LoadedFromMemory is not a mono symbol file
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 1.44 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 2.100 seconds
Platform modules already initialized, skipping
[SerialInterface] Available ports: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime\Export\Debug\Debug.bindings.h Line: 35)

[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime\Export\Debug\Debug.bindings.h Line: 35)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize:	26.936 ms
Integration:	55.038 ms
Integration of assets:	0.021 ms
Thread Wait Time:	13.319 ms
Total Operation Time:	95.314 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
gi::BakeBackendSwitch: Clear() active clients.
gi::BakeBackendSwitch: switching bake backend from 3 to 1.
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[RealMachine] Sending test move (motor0, small rotation, 2s)
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.RealMachine:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.10000:0.00000:0.00000:0.00000:2.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.SerialInterface:SendTestMove(Int32, Single, Single)
HighPrecisionStepperJuggler.RealMachine:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.10000:0.00000:0.00000:0.00000:2.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.10000 |0.00000
|0.00000 |0.00000 |2.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 2110
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 2.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```



```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```



```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```



```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :137, 66, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :132, 68, 126
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :128, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

Ball r, x, y :129, 66, 128
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :130, 70, 128
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :138, 70, 118
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4255, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56576:0.56566:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec  
tion(MachineController, ITiltController, BallData, Single, Single, Int32,  
Nullable`1)  
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,  
MachineController, Int32)  
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56576:0.56566:0.56571:0.56571:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56576 |0.56566  
|0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66740:0.64514:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66740:0.64514:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66740 |0.64514 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14085
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13615
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56583:0.56559:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56583:0.56559:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56583 |0.56559  
|0.56571 |0.56571 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Motor0 pulses: 11941
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65727:0.65521:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65727:0.65521:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65727 |0.65521 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13871
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13828
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56560:0.56582:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56560:0.56582:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56560 |0.56582
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```


(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66113:0.65136:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66113:0.65136:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66113 |0.65136 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13953
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13747
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56581:0.56561:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56581:0.56561:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56581 |0.56561
|0.56571 |0.56571 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67830:0.63444:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

```
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67830:0.63444:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67830 |0.63444 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14315  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13389
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.000000:0.56590:0.56552:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56590:0.56552:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56590 |0.56552
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11943
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11935
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65843:0.65405:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
```

```
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65843:0.65405:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65843 |0.65405 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13896  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13803  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56574:0.56568:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
```

```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec  
tion(MachineController, ITiltController, BallData, Single, Single, Int32,  
Nullable`1)  
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,  
MachineController, Int32)  
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56574:0.56568:0.56571:0.56571:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56574 |0.56568  
|0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```


(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65729:0.65519:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65729:0.65519:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65729 |0.65519 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 13872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 13827
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56570:0.56572:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56570:0.56572:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56570 |0.56572
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65772:0.65476:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65772:0.65476:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65772 |0.65476 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13818
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.7255, 4, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4456, -3, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Sending: 11.00000:0.56559:0.56583:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:Send(String)  
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)  
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)  
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)  
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec  
tion(MachineController, ITiltController, BallData, Single, Single, Int32,  
Nullable`1)  
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,  
MachineController, Int32)  
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56559:0.56583:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56559 |0.56583
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66313:0.64937:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66313:0.64937:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66313 |0.64937 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
[SerialInterface] Received: Motor2 pulses: 13995
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13705
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56571:0.56572:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56571:0.56572:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56571 |0.56572
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66133:0.65117:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66133:0.65117:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66133 |0.65117 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 13957


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13743
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Sending: 11.00000:0.56570:0.56572:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56570:0.56572:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56570 |0.56572
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67596:0.63673:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67596:0.63673:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67596 |0.63673 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 14266
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 13438
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56646:0.56496:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
```



```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec  
tion(MachineController, ITiltController, BallData, Single, Single, Int32,  
Nullable`1)  
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,  
MachineController, Int32)  
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56646:0.56496:0.56571:0.56571:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56646 |0.56496  
|0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11955
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11923
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.69644:0.61690:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.69644:0.61690:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.69644 |0.61690 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14698
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13019  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4256, -3, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4256, -3, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Sending: 11.00000:0.56609:0.56534:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56609:0.56534:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56609 |0.56534
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11947
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11931
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67635:0.63635:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67635:0.63635:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67635 |0.63635 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14274
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13430
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56538:0.56605:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56538:0.56605:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56538 |0.56605
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11932
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11946
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66747:0.64507:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```


35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66747:0.64507:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66747 |0.64507 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14087
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13614
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
```

MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56580:0.56562:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56580 |0.56562
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11941  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11937  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67817:0.63456:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67817:0.63456:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67817 |0.63456 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 14312


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13392
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Sending: 11.00000:0.56648:0.56494:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56648:0.56494:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56648 |0.56494
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11955
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11923
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4656, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.69765:0.61574:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.69765:0.61574:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.69765 |0.61574 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14724
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 12995
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56583:0.56559:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56583:0.56559:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56583 |0.56559
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11941  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66348:0.64903:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66348:0.64903:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66348 |0.64903 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14002
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13697
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56592 |0.56550  
|0.56571 |0.56571 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Motor0 pulses: 11943
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11935
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66747:0.64508:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66747:0.64508:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66747 |0.64508 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14087
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13614
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4256, -3, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4256, -3, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Sending: 11.00000:0.56591:0.56551:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:Send(String)  
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)  
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)  
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)  
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec  
tion(MachineController, ITiltController, BallData, Single, Single, Int32,  
Nullable`1)  
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,  
MachineController, Int32)  
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56591:0.56551:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56591 |0.56551
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11943
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11935
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66687:0.64567:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66687:0.64567:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66687 |0.64567 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14074
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13627
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56612:0.56531:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
```

MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56612:0.56531:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56612 |0.56531
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11948  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11930  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67787:0.63486:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

```
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67787:0.63486:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67787 |0.63486 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14306  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13398
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56559:0.56584:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
```



```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56559:0.56584:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56559 |0.56584
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66334:0.64917:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66334:0.64917:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66334 |0.64917 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13999
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56567:0.56576:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56567:0.56576:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```


(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56567 |0.56576 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11938

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65771:0.65477:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65771:0.65477:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65771 |0.65477 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13819
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.000000:0.56631:0.56511:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56631:0.56511:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56631 |0.56511
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```



```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66746:0.64509:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66746:0.64509:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66746 |0.64509 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14086
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13614
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56580 |0.56562
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66097:0.65152:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66097:0.65152:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```


(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624 |0.66097 |0.65152 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13949
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13750
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56592 |0.56550
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11943
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11935
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66749:0.64505:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66749:0.64505:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66749 |0.64505 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```


HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 14087

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13613
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Sending: 11.00000:0.56582:0.56560:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56582:0.56560:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56582 |0.56560
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65771:0.65477:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65771:0.65477:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65771 |0.65477 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13819
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56556:0.56586:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56556:0.56586:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56556 |0.56586
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11936  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66744:0.64510:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66744:0.64510:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66744 |0.64510 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14086
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13614
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56614:0.56528:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56614:0.56528:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56614 |0.56528  
|0.56571 |0.56571 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

```
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Motor0 pulses: 11948
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11930
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66354:0.64897:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66354:0.64897:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66354 |0.64897 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14004  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13696  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56572:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,

```
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56572:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```


[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66312:0.64939:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66312:0.64939:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66312 |0.64939 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13995
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13705
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56592 |0.56550
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11943
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11935
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4456, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66731:0.64524:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66731:0.64524:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66731 |0.64524 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

[SerialInterface] Received: Motor0 pulses: 13850

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])


```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14083
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13617
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56560:0.56582:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56560:0.56582:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56560 |0.56582
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor1 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65804:0.65444:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65804:0.65444:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65804 |0.65444 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Motor0 pulses: 13850

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 13888  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13812  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```



```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56594:0.56548:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56594:0.56548:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56594 |0.56548
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11944
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11934
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66329:0.64922:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
```

MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.66329:0.64922:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66329 |0.64922 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13998  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13701  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56540:0.56603:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

```
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56540:0.56603:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56540 |0.56603
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11932  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11946  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5056, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66752:0.64503:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66752:0.64503:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66752 |0.64503 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14088
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13613
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56584:0.56559:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56584:0.56559:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56584 |0.56559
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67909:0.63366:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67909:0.63366:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624 |0.67909 |0.63366 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13850

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14332
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13373
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56498:0.56645:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56498:0.56645:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56498 |0.56645
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11924
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11955
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67586:0.63682:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67586:0.63682:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67586 |0.63682 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14264
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13440
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56584:0.56558:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56584:0.56558:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56584 |0.56558
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.5056, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66324:0.64926:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66324:0.64926:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66324 |0.64926 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13997
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13702
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.56497:0.56646:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56497:0.56646:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56497 |0.56646 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11923

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11955
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67695:0.63576:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.67695:0.63576:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67695 |0.63576 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14287  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13417  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.56556:0.56586:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

```
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56556:0.56586:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56556 |0.56586
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11936  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11942  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66746:0.64509:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66746:0.64509:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66746 |0.64509 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14086
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13614
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.000000:0.56548:0.56594:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.56548:0.56594:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56548 |0.56594
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11934

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11944  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```


Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.58725:0.54435:0.57290:0.55854:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58725:0.54435:0.57290:0.55854:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58725 |0.54435
|0.57290 |0.55854 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 12394
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11488
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 12091
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11788
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.67850:0.63424:0.66367:0.64884:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67850:0.63424:0.66367:0.64884:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67850 |0.63424
|0.66367 |0.64884 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 14319
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 13385
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14006
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13693
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.61387:0.51838:0.56225:0.56918:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.61387:0.51838:0.56225:0.56918:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.61387 |0.51838
|0.56225 |0.56918 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 12955
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 10940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11866  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 12012  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4255, 4, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.7256, 4, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.70547:0.60829:0.65265:0.65984:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.70547:0.60829:0.65265:0.65984:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.70547 |0.60829
|0.65265 |0.65984 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14889
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 12838
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 13774
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 13926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.57981:0.55169:0.55741:0.57404:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57981:0.55169:0.55741:0.57404:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57981 |0.55169
|0.55741 |0.57404 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 12237
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11643
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11764
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 12115
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.67069:0.64190:0.64767:0.66485:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)

HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67069:0.64190:0.64767:0.66485:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67069 |0.64190
|0.64767 |0.66485 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14155
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13547
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13669
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14031
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.57553:0.55592:0.54638:0.58518:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57553:0.55592:0.54638:0.58518:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57553 |0.55592
|0.54638 |0.58518 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)

[SerialInterface] Received: Motor0 pulses: 12146

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11732
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11531
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 12350
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.66640:0.64613:0.63632:0.67638:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66640:0.64613:0.63632:0.67638:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66640 |0.64613
|0.63632 |0.67638 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 14064


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 13636
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13429
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14275
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56020:0.57124:0.52989:0.60200:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56020:0.57124:0.52989:0.60200:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56020 |0.57124
|0.52989 |0.60200 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor0 pulses: 11823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 12056
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11183
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 12705
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.65103:0.66146:0.61940:0.69383:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65103:0.66146:0.61940:0.69383:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65103 |0.66146
|0.61940 |0.69383 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 13740
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13960
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 13072
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 14643
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.55863:0.57282:0.55845:0.57299:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
```



```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55863:0.57282:0.55845:0.57299:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55863 |0.57282
|0.55845 |0.57299 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11790
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 12089
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11786
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 12093
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.000000:0.64914:0.66337:0.64875:0.66376:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
```

```
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64914:0.66337:0.64875:0.66376:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64914 |0.66337
|0.64875 |0.66376 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13692
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14008
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.52154:0.61060:0.55207:0.57942:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.52154:0.61060:0.55207:0.57942:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.52154 |0.61060
|0.55207 |0.57942 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11007
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 12886
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11651
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 12228
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4856, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.61108:0.70254:0.64218:0.67040:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.61108:0.70254:0.64218:0.67040:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.61108 |0.70254
|0.64218 |0.67040 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 12896
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14827
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 13553
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 14148
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.54556:0.58602:0.56844:0.56298:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.54556:0.58602:0.56844:0.56298:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54556 |0.58602
|0.56844 |0.56298 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11514
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 12368
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11997
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4856, -2, 151

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.63571:0.67700:0.65906:0.65343:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1)

HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.63571:0.67700:0.65906:0.65343:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.63571 |0.67700
|0.65906 |0.65343 |0.10000


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 13416
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14288
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 13909
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 13790
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.00000:0.51167:0.62084:0.59663:0.53514:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1)
```

```
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.51167:0.62084:0.59663:0.53514:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.51167 |0.62084
|0.59663 |0.53514 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 10798
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 13102
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 12592
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11294

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending: 11.00000:0.60000:0.71425:0.68822:0.62480:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
```

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Unloading 252 Unused Serialized files (Serialized files now loaded: 0)
Loaded scene 'Temp/___Backups.scenes/0.backup'

```
Deserialize:          12.046 ms
Integration:          10.578 ms
Integration of assets:  0.004 ms
Thread Wait Time:      16.260 ms
Total Operation Time:  38.888 ms
```

System memory in use before: 116.0 MB.

System memory in use after: 116.5 MB.

Unloading 247 unused Assets to reduce memory usage. Loaded Objects now: 6241.
Total: 10.230100 ms (FindLiveObjects: 0.608600 ms CreateObjectMapping: 0.177400 ms
MarkObjects: 9.299300 ms DeleteObjects: 0.144300 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 411.9 MB.

System memory in use after: 412.4 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6535.
Total: 12.749300 ms (FindLiveObjects: 0.996700 ms CreateObjectMapping: 0.358200 ms
MarkObjects: 11.347900 ms DeleteObjects: 0.045600 ms)

<RI> Initialized touch support.

<RI> Initialized touch support.

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file data-00000284808DD030 doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\ScriptAssemblies\Assembly-CSharp.dll

Symbol file LoadedFromMemory is not a mono symbol file

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll

Native extension for WebGL target not found

Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 1.40 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly
- Completed reload, in 1.305 seconds
Platform modules already initialized, skipping
[SerialInterface] Available ports: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize:	7.596 ms
Integration:	35.923 ms
Integration of assets:	0.003 ms
Thread Wait Time:	11.943 ms
Total Operation Time:	55.466 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :126, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :121, 68, 136
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :140, 72, 118
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :126, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :129, 66, 128
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :126, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5056, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5056, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, -3, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5056, -2, 151
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, -3, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Unloading 247 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize:	7.469 ms
Integration:	10.185 ms
Integration of assets:	0.002 ms
Thread Wait Time:	11.256 ms
Total Operation Time:	28.913 ms

System memory in use before: 115.5 MB.

System memory in use after: 116.0 MB.

Unloading 246 unused Assets to reduce memory usage. Loaded Objects now: 6273.

Total: 9.846200 ms (FindLiveObjects: 0.672900 ms CreateObjectMapping: 0.251000 ms
MarkObjects: 8.775700 ms DeleteObjects: 0.146100 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 411.5 MB.

System memory in use after: 412.0 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6567.

Total: 9.524700 ms (FindLiveObjects: 0.824800 ms CreateObjectMapping: 0.266700 ms
MarkObjects: 8.403900 ms DeleteObjects: 0.028600 ms)

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file data-00000284B7857A10 doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\ScriptAssemblies\Assembly-CSharp.dll

Symbol file LoadedFromMemory is not a mono symbol file

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\n

unit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 1.38 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 1.295 seconds
Platform modules already initialized, skipping
[SerialInterface] Available ports: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Loaded scene 'Temp/__Backupsscenes/0.backup'
 Deserialize: 7.630 ms
 Integration: 35.604 ms
 Integration of assets: 0.004 ms
 Thread Wait Time: 11.073 ms
 Total Operation Time: 54.310 ms
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.11941:0.11941:0.11941:0.11941:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass8_0:<GoTo>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.11941:0.11941:0.11941:0.11941:0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.11941 |0.11941 |0.11941 |0.11941 |0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.<>c__DisplayClass8_0:<GoTo>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :126, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending: 11.000000:0.11941:0.11941:0.11941:0.11941:0.50000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass9_0:<GoToWhenBallOnPlate>b__0(BallData
, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.11941:0.11941:0.11941:0.11941:0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.11941 |0.11941
|0.11941 |0.11941 |0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :131, 68, 126
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :138, 70, 118
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :123, 68, 134
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :135, 62, 122
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :126, 66, 130
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.4255, -3, 151

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending: 11.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.<>c__DisplayClass9_0:<GoToWhenBallOnPlate>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.50000


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4856, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5056, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending:
11.00000:0.67948:0.67932:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67948:0.67932:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
```

35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67948 |0.67932  
|0.69501 |0.66393 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14340  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14337
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:

11.00000:0.67884:0.67996:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67884:0.67996:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67884 |0.67996
|0.69500 |0.66394 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 14327
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 14350

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

[SerialInterface] Sending:
11.00000:0.67943:0.67936:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67943:0.67936:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67943 |0.67936 |0.69499 |0.66395 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14339
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14338
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14667
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending:
11.00000:0.67934:0.67946:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
```

```
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67934:0.67946:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67934 |0.67946
|0.69501 |0.66393 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 14337
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 14340
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending:
11.00000:0.67870:0.68010:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67870:0.68010:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67870 |0.68010
|0.69499 |0.66395 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)


```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 14324  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 14353  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14667  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 14012  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.5055, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:
11.00000:0.93601:0.93600:0.95598:0.91659:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.93601:0.93600:0.95598:0.91659:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.93601 |0.93600
|0.95598 |0.91659 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor0 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 20176
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 19344
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```


(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:
11.00000:0.67904:0.67976:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67904:0.67976:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67904 |0.67976 |0.69499 |0.66395 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14331
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14346
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14667
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:

11.00000:0.67947:0.67932:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67947:0.67932:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67947 |0.67932 |0.69500 |0.66394 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 14340
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 14337
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14668  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 14012  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```



```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()  
  
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:
11.00000:0.67905:0.67975:0.69498:0.66396:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67905:0.67975:0.69498:0.66396:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67905 |0.67975
|0.69498 |0.66396 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14331
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14346
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14667
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14013
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:

35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4255, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending:
11.00000:0.67975:0.67905:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
```

```
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67975:0.67905:0.69501:0.66393:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67975 |0.67905
|0.69501 |0.66393 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```


HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 14346
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 14331
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 14012

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
Ball r, x, y :279.4255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Sending:
11.00000:0.67896:0.67983:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

11.00000:0.67896:0.67983:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67896 |0.67983 |0.69500 |0.66394 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 2

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14329
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14347
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor3 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.7255, 4, 151  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
Ball r, x, y :279.4256, -3, 151
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending:
11.00000:0.93644:0.93557:0.95599:0.91658:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.93644:0.93557:0.95599:0.91658:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.93644 |0.93557  
|0.95599 |0.91658 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 19763  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor1 pulses: 19745
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 20176
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 19344
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7255, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, -3, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Sending:
11.00000:0.67960:0.67919:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67960:0.67919:0.69500:0.66394:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67960 |0.67919 |0.69500 |0.66394 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor0 pulses: 14343  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()  
HighPrecisionStepperJuggler.SerialInterface:Update()
```

```
(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:  
35)
```

```
[SerialInterface] Received: Motor1 pulses: 14334
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor2 pulses: 14668
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line:
35)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
```


HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Motor3 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.7256, 4, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
Ball r, x, y :279.4855, -2, 151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Sending:

11.00000:0.67921:0.67959:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1)

HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67921:0.67959:0.69499:0.66395:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67921 |0.67959 |0.69499 |0.66395 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()

HighPrecisionStepperJuggler.SerialInterface:Update()

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

[SerialInterface] Received: Num of move batches: 2

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 0 marker value: 11.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 14334
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 14342
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

35)

```
[SerialInterface] Received: Motor2 pulses: 14667
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 14012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer()
HighPrecisionStepperJuggler.SerialInterface:Update()
```

(Filename: C:\build\output\unity\unity\Runtime/Export/Debug/Debug.bindings.h Line: 35)

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6595.
Total: 10.601700 ms (FindLiveObjects: 0.800200 ms CreateObjectMapping: 0.271800 ms
MarkObjects: 9.493100 ms DeleteObjects: 0.035700 ms)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.104216s
Asset Scan time: 0.102579s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s