

Initiating legacy licensing module

LICENSE SYSTEM [202673 12:4:17] Next license update check is after
2026-02-21T12:48:39

Built from 'HEAD' branch; Version is '2019.2.23f1 (87f4fccf3219) revision 8910076';
Using compiler version '191627012'
OS: 'Windows 10 (10.0.0) 64bit' Language: 'en' Physical Memory: 16205 MB
BatchMode: 0, IsHumanControllingUs: 1, StartBugReporterOnCrash: 1, Is64bit: 1,
IsPro: 0
[Package Manager] Server::Start -- Port 55370 was selected

COMMAND LINE ARGUMENTS:
C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Unity.exe
Exiting without the bug reporter. Application will terminate with return code
0Unity\HighPrecisionStepperJuggler
-acceptSoftwareTermsForThisRunOnly
-useHub
-hubIPC
-cloudEnvironment
production
-licensingIpc
LicenseClient-91701
-hubSessionId
45d85f45-99b9-4ee3-b05d-d8de3662fbdc
-accessToken
2N3_XJGJkSJGLW7vmd7VoRsp1Y-pypBG1lJQZhC6j0k008f
Successfully changed project path to:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler
C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler
Using Asset Import Pipeline V1.
Loading GUID <-> Path mappings...0.000109 seconds
Loading Asset Database...0.032801 seconds
AssetDatabase consistency checks...0.043511 seconds
[Package Manager] Done resolving packages in 0.95s seconds
[Package Manager]
Registered 44 packages:
Packages from [https://packages.unity.com]:
com.unity.collab-proxy@1.2.16 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.collab-proxy@1.2.16)
com.unity.ext.nunit@1.0.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0)
com.unity.ide.rider@1.1.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.rider@1.1.0)
com.unity.ide.vscode@1.1.3 (location:

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.vscode@1.1.3)
com.unity.test-framework@1.0.13 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.test-framework@1.0.13)
com.unity.textmeshpro@2.0.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.textmeshpro@2.0.1)
com.unity.render-pipelines.core@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.render-pipelines.core@6.9.1)
com.unity.shadergraph@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.shadergraph@6.9.1)
com.unity.visualeffectgraph@6.9.1-preview (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.visualeffectgraph@6.9.1-preview)
Built-in packages:
com.unity.package-manager-ui@2.2.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.package-manager-ui)
com.unity.timeline@1.1.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.timeline)
com.unity.ugui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.ugui)
com.unity.modules.ai@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ai)
com.unity.modules.androidjni@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.androidjni)
com.unity.modules.animation@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.animation)
com.unity.modules.assetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.assetbundle)
com.unity.modules.audio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.audio)
com.unity.modules.cloth@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.cloth)
com.unity.modules.director@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.director)
com.unity.modules.imageconversion@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack

ages\com.unity.modules.imageconversion)
com.unity.modules.imgui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.imgui)
com.unity.modules.jsonserialize@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.jsonserialize)
com.unity.modules.particlesystem@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.particlesystem)
com.unity.modules.physics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics)
com.unity.modules.physics2d@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics2d)
com.unity.modules.screenshot@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.screenshot)
com.unity.modules.terrain@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrain)
com.unity.modules.terrainphysics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrainphysics)
com.unity.modules.tilemap@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.tilemap)
com.unity.modules.ui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ui)
com.unity.modules.uielements@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.uielements)
com.unity.modules.umbra@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.umbra)
com.unity.modules.unityanalytics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unityanalytics)
com.unity.modules.unitywebrequest@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequest)
com.unity.modules.unitywebrequestassetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestassetbundle)
com.unity.modules.unitywebrequestaudio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestaudio)
com.unity.modules.unitywebrequesttexture@1.0.0 (location: C:\Program

Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequesttexture)
com.unity.modules.unitywebrequestwww@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequestwww)
com.unity.modules.vehicles@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vehicles)
com.unity.modules.video@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.video)
com.unity.modules.vr@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vr)
com.unity.modules.wind@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.wind)
com.unity.modules.xr@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.xr)
Local packages:

com.unity.render-pipelines.high-definition@file:C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition)

[XR] No new subsystems found in resolved package list.
[Package Manager] Done registering packages in 0.04s seconds
Refreshing native plugins compatible for Editor in 15.70 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
IsTimeToCheckForNewEditor: Update time 1783066315 current 1783073061
Initialize engine version: 2019.2.23f1 (87f4fccf3219)
[XR] Discovering subsystems at path C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Resources/UnitySubsystems
[XR] Discovering subsystems at path
C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler/Assets
GfxDevice: creating device client; threaded=1
Direct3D:
Version: Direct3D 11.0 [level 11.1]
Renderer: NVIDIA GeForce RTX 3050 Laptop GPU (ID=0x25a2)
Vendor:
VRAM: 3962 MB
Driver: 32.0.15.9186
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed

WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
[EnlightenBakeManager] m_Clear = false;
Initialize mono
Mono path[0] = 'C:/Program Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Managed'
Mono path[1] = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/lib/mono/unityjit'
Mono config path = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/etc'
Using monoOptions
--debugger-agent=transport=dt_socket,embedding=1,server=y,suspend=n,address=127.0.0
.1:56592
Begin MonoManager ReloadAssembly
Registering precompiled unity dll's ...
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WindowsStandaloneSup
port/UnityEditor.WindowsStandalone.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WebGLSupport/UnityEd
itor.WebGL.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/MetroSupport/UnityEd
itor.UWP.Extensions.dll
Registered in 0.006765 seconds.
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 0.39 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 3.163 seconds
Registering precompiled user dll's ...
Registered in 0.165823 seconds.
Platform modules already initialized, skipping
Begin MonoManager ReloadAssembly
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisio
nStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\n
unit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 0.36 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 0.787 seconds
Platform modules already initialized, skipping

Validating Project structure ... 0.008600 seconds.
Refresh: detecting if any assets need to be imported or removed ...
Refreshing native plugins compatible for Editor in 0.41 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.072747s
Asset Scan time: 0.071373s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader

WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed

WARNING: Shader Did you use #pragma only_renderers and omit this platform?
Launched and connected shader compiler UnityShaderCompiler.exe after 0.03 seconds
Warming cache for 4711 main assets: 0.007032 seconds elapsed

Initializing Unity extensions:

'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/UnityExtensions/Unity/UnityVR/Editor
/UnityEditor.VR.dll' GUID: 4ba2329b63d54f0187bcaa12486b1b0f

Unloading 2952 Unused Serialized files (Serialized files now loaded: 0)
Loaded scene 'Assets/HighPrecisionStepperJuggler/MainScene.unity'

Deserialize:	172.687 ms
Integration:	290.911 ms
Integration of assets:	8.888 ms
Thread Wait Time:	35.976 ms
Total Operation Time:	508.462 ms

System memory in use before: 94.3 MB.

System memory in use after: 94.7 MB.

Unloading 285 unused Assets to reduce memory usage. Loaded Objects now: 5909.
Total: 4.503000 ms (FindLiveObjects: 1.328600 ms CreateObjectMapping: 0.281800 ms
MarkObjects: 2.721200 ms DeleteObjects: 0.170800 ms)

<RI> Initialized touch support.

<RI> Initialized touch support.

<RI> Initialized touch support.

<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initializing input.
<RI> Input initialized.
[Project] Loading completed in 26.800 seconds
 Project init time: 25.834 seconds
 Template init time: 0.000 seconds
 Services packages init time: 1.163 seconds
 Package Manager init time: 0.049 seconds
 Asset Database init time: 1.790 seconds
 Global illumination init time: 0.355 seconds
 Assemblies load time: 17.868 seconds
 Unity extensions init time: 0.001 seconds
 Asset Database refresh time: 0.073 seconds
 Scene opening time: 0.825 seconds
EditorUpdateCheck: Failed The requested URL returned error: 404 Not Found
Unloading 73 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 403.6 MB.
System memory in use after: 403.9 MB.

Unloading 38 unused Assets to reduce memory usage. Loaded Objects now: 6408.
Total: 7.830800 ms (FindLiveObjects: 0.698900 ms CreateObjectMapping: 0.258300 ms
MarkObjects: 6.777600 ms DeleteObjects: 0.095200 ms)

Created GICache directory at C:/Users/91701/AppData/LocalLow/Unity/Caches/GiCache.
Took: 0.054s, timestamps: [28.442 - 28.496]
Setting up 6 worker threads for Enlighten.
 Thread -> id: 3a44 -> priority: 1
 Thread -> id: 2710 -> priority: 1
 Thread -> id: 4960 -> priority: 1
 Thread -> id: 1390 -> priority: 1
 Thread -> id: 12b4 -> priority: 1
 Thread -> id: 5d0 -> priority: 1
TrimDiskCacheJob: Current cache size 3mb
<RI> Initialized touch support.
<RI> Initialized touch support.
Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.075438s
 Asset Scan time: 0.073486s
 Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
 Asset Import (Scripting) time: 0.000000s (count: 0)
 Post Process Assets (Scripting) time: 0.000000s
 Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
 Asset Import (Non Scripting) time: 0.000000s (count: 0)
 Post Process Assets (Non Scripting) time: 0.000000s
 Dependent Assets to Import Queue time: 0.000000s

Reloading assemblies for play mode.

```
Begin MonoManager ReloadAssembly
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 1.87 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 1.936 seconds
Platform modules already initialized, skipping
[SerialInterface] Available ports: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:35)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 35)

[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:36)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 36)

Loaded scene 'Temp/___Backups.scenes/0.backup'
    Deserialize:          18.374 ms
    Integration:         44.403 ms
    Integration of assets: 0.014 ms
    Thread Wait Time:    9.983 ms
    Total Operation Time: 72.774 ms
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
gi::BakeBackendSwitch: Clear() active clients.
gi::BakeBackendSwitch: switching bake backend from 3 to 1.
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49, 214, 214
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40, 208, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :38, 198, 124
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35, 198, 136
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42, 206, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43, 210, 122
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.98, 319, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.98, 319, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.5, 320, 240

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0, 0, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.98, 319, 240

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0, 0, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.98, 319, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.5, -160, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[RealMachine] Sending test move (motor0, small rotation, 2s)
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:43)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/RealMachine.cs Line: 43)
```

```
[SerialInterface] Sending: 11.00000:0.10000:0.00000:0.00000:0.00000:2.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.SerialInterface:SendTestMove(Int32, Single, Single) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:201)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:44)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.10000:0.00000:0.00000:0.00000:2.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.10000 |0.00000
|0.00000 |0.00000 |2.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 2110
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 2.000000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.28, -141, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :21.08, -116, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.12, -87, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.62, -69, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :26.22, -48, 240

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :26.22, -39, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :21.58, -43, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :11.18, -41, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :3.52, -67, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.08, -54, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.96, -77, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.24, -64, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.76, -65, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.46, -76, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :33.56, -93, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.24, -68, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :34.06, -89, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.52, -88, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.52, -87, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.52, -69, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :14.46, -66, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.52, -69, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.62, -85, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :33.06, -86, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.52, -86, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.24, -80, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.54, -75, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.02, -97, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.12, -85, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :33.56, -99, 210

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :13.08, -103, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -117, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :26.22, -129, 180
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :10.94, -139, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:1.10765:1.10765:1.10765:1.10765:0.50000:22.00000:0.11941:0.11941:0.11941:0.
.11941:0.50000:33.00000:0.23206:0.23600:0.23402:0.23402:0.30000:44.00000:0.34732:0.
34346:0.34539:0.34539:0.30000:55.00000:0.45335:0.45718:0.45526:0.45526:0.30000:66.0
0000:0.56766:0.56376:0.56571:0.56571:0.30000:77.00000:0.67737:0.68143:0.67940:0.679
40:0.30000:88.00000:0.80253:0.79811:0.80032:0.80032:0.30000:99.00000:0.93343:0.9385
9:0.93600:0.93600:0.30000:110.00000:1.10765:1.10765:1.10765:1.10765:0.30000:121.000
00:0.11737:0.12145:0.11941:0.11941:0.50000:132.00000:0.93343:0.93859:0.93600:0.9360
0:0.50000:143.00000:0.12145:0.11737:0.11941:0.11941:0.50000:154.00000:0.93859:0.933

43:0.93600:0.93600:0.50000:165.00000:0.11737:0.12145:0.11941:0.11941:0.30000:176.00
000:0.93343:0.93859:0.93600:0.93600:0.30000:187.00000:0.12145:0.11737:0.11941:0.119
41:0.30000:198.00000:0.93859:0.93343:0.93600:0.93600:0.30000:209.00000:0.11941:0.11
941:0.11737:0.12145:0.50000:220.00000:0.93600:0.93600:0.93343:0.93859:0.50000:231.0
0000:0.11941:0.11941:0.12145:0.11737:0.50000:242.00000:0.93600:0.93600:0.93859:0.93
343:0.50000:253.00000:0.11941:0.11941:0.11737:0.12145:0.30000:264.00000:0.93600:0.9
3600:0.93343:0.93859:0.30000:275.00000:0.11941:0.11941:0.12145:0.11737:0.30000:286.
00000:0.93600:0.93600:0.93859:0.93343:0.30000:297.00000:0.11941:0.11941:0.11941:0.1
1941:0.50000:308.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.MachineControllerEditor:OnInspectorGUI() (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineControllerEditor.cs:140)
UnityEditor.UIElements.<CreateIMGUIInspectorFromEditor>c__AnonStorey1:<>m__0() (at
C:\build\output\unity\unity\Editor\Mono\Inspector\InspectorElement.cs:501)
UnityEngine.UIElements.IMGUIContainer:DoOnGUI(Event, Matrix4x4, Rect, Boolean,
Rect) (at C:\build\output\unity\unity\Modules\UIElements\IMGUIContainer.cs:281)
UnityEngine.UIElements.IMGUIContainer:HandleIMGUIEvent(Event, Matrix4x4, Rect) (at
C:\build\output\unity\unity\Modules\UIElements\IMGUIContainer.cs:483)
UnityEngine.UIElements.IMGUIContainer:HandleIMGUIEvent(Event) (at
C:\build\output\unity\unity\Modules\UIElements\IMGUIContainer.cs:466)
UnityEngine.UIElements.IMGUIContainer:HandleEvent(EventBase) (at
C:\build\output\unity\unity\Modules\UIElements\IMGUIContainer.cs:447)
UnityEngine.UIElements.MouseCaptureDispatchingStrategy:DispatchEvent(EventBase,
IPanel) (at
C:\build\output\unity\unity\Modules\UIElements\Events\MouseCaptureDispatchingStrate
gy.cs:93)
UnityEngine.UIElements.EventDispatcher:ProcessEvent(EventBase, IPanel) (at
C:\build\output\unity\unity\Modules\UIElements\EventDispatcher.cs:280)
UnityEngine.UIElements.EventDispatcher:Dispatch(EventBase, IPanel, DispatchMode)
(at C:\build\output\unity\unity\Modules\UIElements\EventDispatcher.cs:156)
UnityEngine.UIElements.BaseVisualElementPanel:SendEvent(EventBase, DispatchMode)
(at C:\build\output\unity\unity\Modules\UIElements\Panel.cs:190)
UnityEngine.UIElements.UIElementsUtility:DoDispatch(BaseVisualElementPanel) (at
C:\build\output\unity\unity\Modules\UIElements\UIElementsUtility.cs:255)
UnityEngine.UIElements.UIElementsUtility:ProcessEvent(Int32, IntPtr) (at
C:\build\output\unity\unity\Modules\UIElements\UIElementsUtility.cs:78)
UnityEngine.GUIUtility:ProcessEvent(Int32, IntPtr) (at
C:\build\output\unity\unity\Modules\IMGUI\GUIUtility.cs:179)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:1.10765:1.10765:1.10765:1.10765:0.50000:22.00000:0.11941:0.11941:0.11941:0.11941:0.50000:33.00000:0.23206:0.23600:0.23402:0.23402:0.30000:44.00000:0.34732:0.34346:0.34539:0.34539:0.30000:55.00000:0.45335:0.45718:0.45526:0.45526:0.30000:66.00000:0.56766:0.56376:0.56571:0.56571:0.30000:77.00000:0.67737:0.68143:0.67940:0.67940:0.30000:88.00000:0.80253:0.79811:0.80032:0.80032:0.30000:99.00000:0.93343:0.93859:0.93600:0.93600:0.30000:110.00000:1.10765:1.10765:1.10765:1.10765:0.30000:121.00000:0.11737:0.12145:0.11941:0.11941:0.50000:132.00000:0.93343:0.93859:0.93600:0.93600:0.50000:143.00000:0.12145:0.11737:0.11941:0.11941:0.50000:154.00000:0.93859:0.93343:0.93600:0.93600:0.50000:165.00000:0.11737:0.12145:0.11941:0.11941:0.30000:176.00000:0.93343:0.93859:0.93600:0.93600:0.30000:187.00000:0.12145:0.11737:0.11941:0.11941:0.30000:198.00000:0.93859:0.93343:0.93600:0.93600:0.30000:209.00000:0.11941:0.11941:0.11737:0.12145:0.50000:220.00000:0.93600:0.93600:0.93343:0.93859:0.50000:231.00000:0.11941:0.11941:0.12145:0.11737:0.50000:242.00000:0.93600:0.93600:0.93859:0.93343:0.50000:253.00000:0.11941:0.11941:0.11737:0.12145:0.30000:264.00000:0.93600:0.93600:0.93343:0.93859:0.30000:275.00000:0.11941:0.11941:0.12145:0.11737:0.30000:286.00000:0.93600:0.93600:0.93859:0.93343:0.30000:297.00000:0.11941:0.11941:0.11941:0.11941:0.50000:308.00000:0.56571:0.56571:0.56571:0.56571:0.50000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=168): 11.00000 |1.10765 |1.10765 |1.10765 |1.10765 |0.50000 |22.00000 |0.11941 |0.11941 |0.11941 |0.11941 |0.50000 |33.00000 |0.23206 |0.23600 |0.23402 |0.23402 |0.30000 |44.00000 |0.34732 |0.34346 |0.34539 |0.34539 |0.30000 |55.00000 |0.45335 |0.45718 |0.45526 |0.45526 |0.30000 |66.00000 |0.56766 |0.56376 |0.56571 |0.56571 |0.30000 |77.00000 |0.67737 |0.68143 |0.67940 |0.67940 |0.30000 |88.00000 |0.80253 |0.79811 |0.80032 |0.80032 |0.30000 |99.00000 |0.93343 |0.93859 |0.93600 |0.93600 |0.30000 |110.00000 |1.10765 |1.10765 |1.10765 |1.10765 |0.30000 |121.00000 |0.11737 |0.12145 |0.11941 |0.11941 |0.50000 |132.00000 |0.93343 |0.93859 |0.93600 |0.93600 |0.50000 |143.00000 |0.12145 |0.11737 |0.11941 |0.11941 |0.50000 |154.00000 |0.93859 |0.93343 |0.93600 |0.93600 |0.50000 |165.00000 |0.11737 |0.12145 |0.11941 |0.11941 |0.30000 |176.00000 |0.93343 |0.93859 |0.93600 |0.93600 |0.30000 |187.00000 |0.12145 |0.11737 |0.11941 |0.11941 |0.30000 |198.00000 |0.93859 |0.93343 |0.93600 |0.93600 |0.30000 |209.00000 |0.11941 |0.11941 |0.11737 |0.12145 |0.50000 |220.00000 |0.93600 |0.93600 |0.93343 |0.93859 |0.50000 |231.00000 |0.11941 |0.11941 |0.12145 |0.11737 |0.50000 |242.00000 |0.93600 |0.93600 |0.93859 |0.93343 |0.50000 |253.00000 |0.11941 |0.11941 |0.11737 |0.12145 |0.30000 |264.00000 |0.93600 |0.93600 |0.93343 |0.93859 |0.30000 |275.00000 |0.11941 |0.11941 |0.12145 |0.11737 |0.30000

```
|286.00000 |0.93600 |0.93600 |0.93859 |0.93343 |0.30000 |297.00000 |0.11941  
|0.11941 |0.11941 |0.11941 |0.50000 |308.00000 |0.56571 |0.56571 |0.56571 |0.56571  
|0.50000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 28
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 2 marker value: 33.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 4897
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 4980
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 4939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 4939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 3 marker value: 44.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 7330
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 7248
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 7289
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 7289
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 4 marker value: 55.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 9568
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 9648
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 9608
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 9608
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 5 marker value: 66.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 11980
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 11898
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 6 marker value: 77.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14296
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14381
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14338
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14338
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 7 marker value: 88.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 16937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor1 pulses: 16844
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 16890
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 16890
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 8 marker value: 99.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 19700

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 19809

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 19754

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 9 marker value: 110.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 23377
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 10 marker value: 121.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 11 marker value: 132.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 12 marker value: 143.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 13 marker value: 154.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 14 marker value: 165.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 15 marker value: 176.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 16 marker value: 187.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 17 marker value: 198.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 18 marker value: 209.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)  
  
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 2520  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)  
  
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 2520  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)  
  
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 2477  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)  
  
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 2563  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 19 marker value: 220.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 20 marker value: 231.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 21 marker value: 242.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19754  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 19754  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19809  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor3 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 22 marker value: 253.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2563
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 23 marker value: 264.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 24 marker value: 275.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2520  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2520  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 2563  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2477
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 25 marker value: 286.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 19754
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 19809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 19700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.30000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 26 marker value: 297.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 2520
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 27 marker value: 308.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.98, 319, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.98, -161, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0, 0, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :8.28, -139, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :4.38, -127, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0, 0, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :4.8, -100, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :12.68, -138, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -131, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :30.16, -119, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.88, -116, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :10.94, -99, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :13.96, -89, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.18, -89, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :35.42, -86, 150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.88, -66, 180
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :31.02, -59, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.46, -48, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :31.02, -50, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -45, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -48, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.02, -54, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.96, -55, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.4, -78, 210
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.76, -86, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.12, -108, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.96, -125, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :39.36, -80, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :34.06, -13, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.46, 32, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.5, 44, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56571:0.56571:0.56571:0.56571:0.50000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass9_0:<GoToWhenBallOnPlate>b__0(BallData
, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:211)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56571:0.56571:0.56571:0.56571:0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56571 |0.56571
|0.56571 |0.56571 |0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.50000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :45.9, 45, 60

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.9, 63, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.96, 86, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.18, 97, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.5, 98, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :53.4, 99, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.60376:0.75861:0.71778:0.64188:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.60376:0.75861:0.71778:0.64188:0.10000:22.00000:0.56571:0.56571:0.56571:0
```

```
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.60376 |0.75861
|0.71778 |0.64188 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12742
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 16010
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 15148
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13547
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :51.12, 91, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.12, 80, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.56, 64, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :53.4, 52, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.65116:0.70811:0.73425:0.62628:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65116:0.70811:0.73425:0.62628:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.65116 |0.70811
|0.73425 |0.62628 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13742
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 14944
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 15496
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13217
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :52.5, 48, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :49.84, 48, 60
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.5, 44, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :43.46, 40, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.68, 40, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :54.94, 41, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.65428:0.70489:0.70910:0.65021:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65428:0.70489:0.70910:0.65021:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```



```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.65428 |0.70489  
|0.70910 |0.65021 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13808
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14876
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14965
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13722
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :54.68, 39, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.4, 40, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.4, 40, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.66026:0.69876:0.68382:0.67498:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66026:0.69876:0.68382:0.67498:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.66026 |0.69876
|0.68382 |0.67498 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13934
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14747
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14432
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 14245
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :39.36, 39, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :40.68, 39, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :40.68, 40, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.68, 45, 30
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.64965:0.70968:0.71944:0.64029:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64965:0.70968:0.71944:0.64029:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.64965 |0.70968  
|0.71944 |0.64029 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13711
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14977
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 15183
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13513
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :56.84, 52, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :56.84, 54, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.94, 51, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.90214:0.97161:0.93947:0.93255:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:59)


```
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.90214:0.97161:0.93947:0.93255:0.10000:22.00000:0.56571:0.56571:0.56571:0  
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.90214 |0.97161  
|0.93947 |0.93255 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 19039
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 20506
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19827
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 19681
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :55.44, 48, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :55.44, 47, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :55.44, 48, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.65431:0.70486:0.69608:0.66289:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65431:0.70486:0.69608:0.66289:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.65431 |0.70486

|0.69608 |0.66289 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14876
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14690
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13990
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :55.94, 50, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :55.94, 54, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :46.36, 58, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :51.12, 63, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :51.12, 65, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 65, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, 63, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 67, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :38.4, 97, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 97, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :38.4, 77, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44, 75, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, 87, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, 89, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, 73, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45, 72, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.68, 71, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :38.4, 61, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.5, 68, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.63786:0.72199:0.66181:0.69717:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.63786:0.72199:0.66181:0.69717:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.63786 |0.72199  
|0.66181 |0.69717 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13462
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15237
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13967
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14713
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :46.36, 79, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :47.64, 76, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :42.46, 73, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :56.84, 75, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.63362:0.72645:0.67118:0.68765:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.63362:0.72645:0.67118:0.68765:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.63362 |0.72645
|0.67118 |0.68765 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13372
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15331
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 14165
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14513
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :46.36, 78, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 77, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44, 74, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.44, 69, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.63746:0.72241:0.67052:0.68832:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.63746:0.72241:0.67052:0.68832:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.63746 |0.72241

|0.67052 |0.68832 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13453
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 15246
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14527
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.9, 66, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.4, 66, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.68, 67, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending:
11.00000:0.64798:0.71142:0.65502:0.70414:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.64798:0.71142:0.65502:0.70414:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.64798 |0.71142
|0.65502 |0.70414 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13675
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15014
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13824
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14861
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.4, 66, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.04, 64, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, 64, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.88961:0.98574:0.91389:0.95884:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:59)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.88961:0.98574:0.91389:0.95884:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.88961 |0.98574
|0.91389 |0.95884 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 18775
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 20804
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 19287
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 20236
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :51.12, 64, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.84, 63, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.34, 62, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.3, 63, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.3, 63, -30
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 62, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.9, 60, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :44.5, 60, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.9, 60, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 61, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.76, 63, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.04, 64, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.9, 66, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.64339:0.71620:0.66331:0.69565:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64339:0.71620:0.66331:0.69565:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.64339 |0.71620
|0.66331 |0.69565 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13578
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 15115
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13999
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14681
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :52.9, 66, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, 65, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 63, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.12, 62, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.9, 61, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.64409:0.71546:0.66170:0.69729:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64409:0.71546:0.66170:0.69729:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.64409 |0.71546
|0.66170 |0.69729 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13593
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15099
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13965
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14716
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.9, 60, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :53.9, 58, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.76, 52, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :43.46, 48, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.5, 56, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 61, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 51, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 34, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 30, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45, 35, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :37.16, 40, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, 47, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 60, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, 70, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 73, 60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, 63, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 54, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.9, 47, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, 47, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 49, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 51, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 62, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.4, 75, 0

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.63823:0.72160:0.67940:0.67940:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.63823:0.72160:0.67940:0.67940:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.63823 |0.72160  
|0.67940 |0.67940 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13469
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15229
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14338
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14338
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :41.96, 73, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.1, 67, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 64, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.56, 63, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 63, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 64, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 69, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :47.64, 73, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :53.4, 73, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.63470:0.72532:0.68570:0.67312:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.63470:0.72532:0.68570:0.67312:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.63470 |0.72532
|0.68570 |0.67312 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13395
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 15308
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14471
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 14206
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.4, 72, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :42.96, 70, 30
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :46.78, 67, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 66, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :47.64, 67, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :46.78, 75, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.34, 82, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.06, 80, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.1, 75, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.06, 72, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 71, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 68, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 66, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 68, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 74, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, 71, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, 63, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.5, 60, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 63, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 67, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 71, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :47.28, 72, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, 72, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.56, 73, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 75, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 78, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, 81, 30

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.76, 75, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :43.46, 67, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :30.16, 80, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :32.8, 102, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :29.24, 98, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :34.96, 83, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :34.96, 85, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :38.12, 86, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 84, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.5, 80, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.64175:0.71791:0.69919:0.65983:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)

```
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.64175:0.71791:0.69919:0.65983:0.10000:22.00000:0.56571:0.56571:0.56571:0  
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.64175 |0.71791  
|0.69919 |0.65983 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13544
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 15151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14756
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :45.9, 80, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :34.96, 76, 0  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :42.96, 72, -60  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :34.96, 68, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.56, 60, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :53.9, 52, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.89583:0.97865:0.81806:1.07929:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:59)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.89583:0.97865:0.81806:1.07929:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.89583 |0.97865
|0.81806 |1.07929 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 18906
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 20654
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 17265
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 22778
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :54.68, 48, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :55.94, 54, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 63, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.18, 69, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.84, 77, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :36.7, 91, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 102, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, 113, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.5, 123, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, 127, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.5, 120, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.60644:0.75567:0.72909:0.63113:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,

MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.60644:0.75567:0.72909:0.63113:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.60644 |0.75567

|0.72909 |0.63113 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12799
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 15948
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 15387
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :43.46, 95, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :44.5, 68, -60
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.1, 42, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :55.44, 26, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.67598:0.68283:0.58477:0.77972:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67598:0.68283:0.58477:0.77972:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.67598 |0.68283
|0.58477 |0.77972 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14266
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14411
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12341
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 16456
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :56.44, 26, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :47.28, 42, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :36.7, 75, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :38.9, 85, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :33.06, 103, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44, 113, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, 110, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45, 89, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, 70, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.5206, 58, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.02, 54, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :38.12, 45, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.5, 30, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.66368:0.69526:0.64737:0.71205:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66368:0.69526:0.64737:0.71205:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.66368 |0.69526
|0.64737 |0.71205 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14007  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14673  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13662  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 15027
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :57.3, 30, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 45, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :37.62187, 48, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.52, 45, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.12, 52, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.42, 47, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :34.56, 49, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 44, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.3, 46, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.42, 44, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :36.7, 33, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :34.96, 25, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.42, 20, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 8, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.44, 7, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.68486:0.67395:0.67076:0.68808:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.68486:0.67395:0.67076:0.68808:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.68486 |0.67395
|0.67076 |0.68808 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 14454
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 14223
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14156
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14522
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :49.34, 22, 0

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.46, 36, 0

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :37.16, 56, 0

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :37.16, 81, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.96, 93, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.3, 86, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.76, 70, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.46, 47, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44, 13, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, -29, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :56.84, -55, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.72741:0.63272:0.64200:0.71765:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.72741:0.63272:0.64200:0.71765:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.72741 |0.63272
|0.64200 |0.71765 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 15352
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13353
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13549
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 15146
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :61.24, -65, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.4, -47, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, -22, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.18, 3, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.18, 19, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, 27, 30

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.68, 32, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.06, 33, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.89188:0.98313:1.01182:0.86772:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:59)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.89188:0.98313:1.01182:0.86772:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.89188 |0.98313
|1.01182 |0.86772 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 18823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 20749
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 21354
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 18313
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :47.28, 27, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :45.9, 12, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :48.1, -6, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, -21, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, -29, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, -28, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.96, -20, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, -15, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, -18, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.12, -22, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, -23, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, -21, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, -17, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.3, -14, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.9, -12, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.68531:0.67350:0.66180:0.69718:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.68531:0.67350:0.66180:0.69718:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.68531 |0.67350
|0.66180 |0.69718 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14463
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14214
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13967
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14714
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :54.68, -15, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.68, -19, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.68, -23, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:
11.00000:0.69100:0.66788:0.66356:0.69539:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.69100:0.66788:0.66356:0.69539:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)


```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.69100 |0.66788
|0.66356 |0.69539 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 14583
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14095
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14004
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14676
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :39.36, -28, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :47.64, -45, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :49.06, -90, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :19.22, -137, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

<RI> Initialized touch support.

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

<RI> Initialized touch support.

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

<RI> Initialized touch support.
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Refresh: detecting if any assets need to be imported or removed ...

```
Refresh Completed time: 0.110100s
  Asset Scan time: 0.108235s
  Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
  Asset Import (Scripting) time: 0.000000s (count: 0)
  Post Process Assets (Scripting) time: 0.000000s
  Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
  Asset Import (Non Scripting) time: 0.000000s (count: 0)
  Post Process Assets (Non Scripting) time: 0.000000s
  Dependent Assets to Import Queue time: 0.000000s
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :16.52, -140, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.42, -127, 60
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.96, -127, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.18, -113, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :39.82, -114, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :43.46, -110, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.96, -111, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :38.12, -116, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.56, -112, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.1, -112, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.68, -113, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.46, -111, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.46, -111, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :39.36, -114, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, -110, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.1, -112, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :34.06, -120, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :37.16, -117, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.68, -113, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, -110, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.5, -107, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45, -108, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.9, -99, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.73326:0.62721:0.64298:0.71662:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.73326:0.62721:0.64298:0.71662:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.73326 |0.62721  
|0.64298 |0.71662 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 15475
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13237
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13570
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 15124
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :49.06, -100, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.9, -94, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :64.34, -83, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.71821:0.64146:0.72048:0.63929:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
```

```
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.71821:0.64146:0.72048:0.63929:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.71821 |0.64146
|0.72048 |0.63929 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 15157

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13538

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 15205

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 13492
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :49.84, -78, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, -77, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :58.58, -72, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending:

11.00000:0.71400:0.64550:0.77360:0.59022:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.<>c__DisplayClass0_0:<Bouncing>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:28)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.71400:0.64550:0.77360:0.59022:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.71400 |0.64550
|0.77360 |0.59022 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 15069
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13623
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 16326
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 12456
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :48.1, -72, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :50.3, -72, 90
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :56.44, -81, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending:
11.00000:0.99144:0.88469:0.99294:0.88341:0.10000:22.00000:0.56571:0.56571:0.56571:0
.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.<>c__DisplayClass1_0:<BouncingStrong>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:59)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```


[SerialInterface] Received: RECEIVED MSG:
11.00000:0.99144:0.88469:0.99294:0.88341:0.10000:22.00000:0.56571:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=12): 11.00000 |0.99144 |0.88469
|0.99294 |0.88341 |0.10000 |22.00000 |0.56571 |0.56571 |0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 2

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 20924  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 18671  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 20956  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 18644
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 1 marker value: 22.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :61.24, -89, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.04, -90, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.68, -97, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.04, -100, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.94, -96, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.60782:0.70597:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.60782:0.70597:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.60782 |0.70597 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12828
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14899
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :66.38, -83, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :65.34, -64, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.5, -38, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55779:0.57366:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.55779:0.57366:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55779 |0.57366
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11772
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12107
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.9, -28, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :56.84, -26, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.68106:0.63175:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.68106:0.63175:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.68106 |0.63175 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14373
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13333
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :60.28, -28, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :62.98, -30, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :64.84, -31, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :64.84, -33, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :64.84, -33, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :63.84, -32, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56879:0.56264:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56879:0.56264:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56879 |0.56264
|0.56571 |0.56571 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12004
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11874
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :63.84, -31, 30

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :66.38, -37, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65871:0.65377:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65871:0.65377:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65871 |0.65377 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13902  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13797
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :154.9025, -143, 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5055, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5255, -2, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :54.4, -33, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56511:0.56632:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.56511:0.56632:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56511 |0.56632
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :61.7, -43, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :64.84, -36, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.67727:0.63544:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.67727:0.63544:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.67727 |0.63544 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 14293
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13411
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :60.78, -30, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :66.38, -28, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :60.78, -26, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.58951:0.54211:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at


```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58951:0.54211:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58951 |0.54211
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12441
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11441
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :65.62, -23, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :59.5, -8, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, 18, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.56, 44, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.9417, 64, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.69088:0.62224:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.69088:0.62224:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.69088 |0.62224 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14581
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13132
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :47.70167, -76, 31
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.74, 97, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.54563:0.58594:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.54563:0.58594:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54563 |0.58594
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11515
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12366
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :35.42311, 102, 60  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :48.56259, 102, 60  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :48.56031, 120, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.90177, 119, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.1, 126, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.94, 122, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.64010:0.67252:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.64010:0.67252:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.64010 |0.67252 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13509
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14193
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :222.3157, -20, 28
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5418, 4, 28
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :101.4889, -204, 29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.68208:0.45410:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```



```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.68208:0.45410:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.68208 |0.45410
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14395  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 9583  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :61.68145, 126, 1

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.96151, 118, 1

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :56.90166, 119, 1

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :60.3618, 122, 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65301:0.65947:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.65624:0.65624:0.65301:0.65947:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65301 |0.65947 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13781
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13918
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :49.84, 106, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.74148, 109, 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.53779:0.59392:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53779:0.59392:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53779 |0.59392
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11350
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12534
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :60.28, 105, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :60.28, 99, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.64214:0.67045:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.64214:0.67045:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.64214 |0.67045 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13552
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14149
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :56.84, 94, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :60, 83, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.000000:0.54920:0.58232:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.54920:0.58232:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54920 |0.58232
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11590
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12289
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :55.44, 76, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.4, 76, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.94, 75, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.61758:0.69573:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.61758:0.69573:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.61758 |0.69573 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13034
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 14683
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :54.94, 75, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.44, 73, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55367:0.57781:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.55367:0.57781:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55367 |0.57781
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11685
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12194
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :58.22, 72, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :61.7, 74, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.64774:0.66478:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.64774:0.66478:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.64774 |0.66478 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13670
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14030
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :49.06, 79, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :59.04, 85, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.50389:0.62896:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.50389:0.62896:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.50389 |0.62896
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 10634
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13274
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :65.62, 90, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :68.24, 95, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65883:0.65365:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.65624:0.65624:0.65883:0.65365:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624  
|0.65883 |0.65365 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13904  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13795
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :59.04, 94, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :64.84, 93, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.53606:0.59568:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53606:0.59568:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53606 |0.59568
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11313
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12571
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :54.94, 81, 30

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :56.84, 73, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :46.78, 71, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.1, 72, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 72, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, 71, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :42.96, 66, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.18, 67, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.5, 64, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.78, 56, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 57, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :53.4, 56, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.9, 52, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.5, 52, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :50.76, 53, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.56, 54, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.06, 57, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :47.28, 59, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :43.46, 57, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, 64, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.68, 67, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.70183:0.61176:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.70183:0.61176:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.70183 |0.61176 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14812
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12911
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :54.68, 64, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :54.4, 65, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56167:0.56976:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56167:0.56976:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56167 |0.56976
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11854  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12024  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :46.78, 69, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.94, 73, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65731:0.65517:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.65731:0.65517:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65731 |0.65517 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13827
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :53.9, 72, 60

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :50.3, 69, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.53288:0.59894:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53288:0.59894:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53288 |0.59894
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11246  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12640  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :49.34, 68, 60

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 68, 60

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.9, 67, 60

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45, 70, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.9, 71, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :46.78, 70, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :51.12, 69, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :51.62, 68, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.9, 65, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, 64, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.1, 64, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.5, 60, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.04, 62, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, 65, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 65, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :57.3, 56, 120

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.70078:0.61275:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.70078:0.61275:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.70078 |0.61275 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14790
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 12932
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :48.1, 50, 150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :51.12, 40, 150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55591:0.57555:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```



```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55591:0.57555:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55591 |0.57555
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11732
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12147
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :61.24, 39, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :56.84, 36, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66850:0.64406:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66850:0.64406:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66850 |0.64406 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14108
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13593
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :52.9, 39, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :60, 42, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :56.84, 43, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :53.4, 42, 60
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.53374:0.59806:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53374:0.59806:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53374 |0.59806
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11264
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12622
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :49.84, 38, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :44, 31, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :49.34, 27, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :57.3, 28, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65301:0.65948:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65301:0.65948:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65301 |0.65948 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13781
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13918
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :56.44, 29, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :54.94, 29, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56428:0.56714:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
```

```
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56428:0.56714:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56428 |0.56714
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11909

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11969

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :55.44, 31, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :58.58, 37, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66716:0.64539:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66716:0.64539:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66716 |0.64539 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14080
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13621
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :60.78, 42, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :59.5, 46, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :55.94, 47, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55024:0.58127:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55024:0.58127:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55024 |0.58127
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11612
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12267
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.9, 47, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.04, 48, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :54.68, 54, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66520:0.64732:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66520:0.64732:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66520 |0.64732 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14039
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13661
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :54.68, 53, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.9, 53, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.54945:0.58207:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.54945:0.58207:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54945 |0.58207
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11596
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12284
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :53.9, 60, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :44, 65, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :47.24191, 70, 61
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :49.4402, 227, 59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 62, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.18, 57, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :55.44, 54, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66340:0.64911:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66340:0.64911:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66340 |0.64911 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14001
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13699
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :55.44, 53, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :43.46, 55, 60
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.60523:0.52675:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.60523:0.52675:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.60523 |0.52675
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12773
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11117
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :52.04, 54, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :51.12, 53, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :50.3, 50, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :52.04, 48, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :40.68, 51, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :49.34, 50, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :47.64, 51, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :44.5, 58, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.9, 62, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.34, 62, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :56.44, 62, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.69745:0.61593:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.69745:0.61593:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.69745 |0.61593 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14719
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12999
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :62.56, 68, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :62.06, 69, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4257, -3, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6056, -2, 91
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57894:0.55255:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.57894:0.55255:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57894 |0.55255
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)


```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12218
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11661
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.4455, -3, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6056, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65520:0.65728:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.65520:0.65728:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65520 |0.65728 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13828
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.4656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5056, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56583:0.56560:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56583:0.56560:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56583 |0.56560
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.4055, -3, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66532:0.64721:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66532:0.64721:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66532 |0.64721 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14041  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13659
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56574:0.56568:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56574:0.56568:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56574 |0.56568
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11940


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65795:0.65453:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
```

```
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65795:0.65453:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65795 |0.65453 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13886

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 13813
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56574:0.56568:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56574:0.56568:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56574 |0.56568
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65795:0.65453:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65795:0.65453:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65795 |0.65453 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13886
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13813
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```



```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56573 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65708:0.65540:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65708:0.65540:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65708 |0.65540 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13867
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13832
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56572:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56572:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56570
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65672:0.65576:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.65672:0.65576:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65672 |0.65576 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13860
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13839
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56576:0.56567:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56576:0.56567:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56576 |0.56567
|0.56571 |0.56571 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65911:0.65337:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
```

```
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65911:0.65337:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65911 |0.65337 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13910
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13789
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56573:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56573 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65721:0.65527:0.10000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.65721:0.65527:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65721 |0.65527 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13870
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13829
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56572:0.56571:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56572:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56571
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65659:0.65589:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65659:0.65589:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65659 |0.65589 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13857
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13842
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56576:0.56567:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56576:0.56567:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56576 |0.56567
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65917:0.65332:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65917:0.65332:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65917 |0.65332 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13911
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13788
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56580 |0.56562
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66205:0.65044:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66205:0.65044:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66205 |0.65044 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13972
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13727
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.098818s

Asset Scan time: 0.096946s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.120479s
Asset Scan time: 0.117665s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56573:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

```
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56573 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65720:0.65528:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65720:0.65528:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65720 |0.65528 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13870
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13829
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56578:0.56564:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56578:0.56564:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56578 |0.56564
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66053:0.65196:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66053:0.65196:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66053 |0.65196 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13759
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56572:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at


```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56572:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56571
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65659:0.65589:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65659:0.65589:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65659 |0.65589 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13857
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13842
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56586:0.56556:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56586:0.56556:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56586 |0.56556
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11936
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66560:0.64693:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66560:0.64693:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66560 |0.64693 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14047
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13653
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56573:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56573 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65708:0.65540:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.65624:0.65624:0.65708:0.65540:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65708 |0.65540 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13867
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13832
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56575:0.56567:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at


```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56575:0.56567:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56575 |0.56567
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11940
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65894:0.65355:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65894:0.65355:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65894 |0.65355 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13907
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13793
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56572:0.56571:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56572:0.56571:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56571
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65659:0.65589:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.65659:0.65589:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.65659 |0.65589 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13857
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13842
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56580 |0.56562
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66197:0.65053:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65624:0.65624:0.66197:0.65053:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66197 |0.65053 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13971
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13729
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56579:0.56563:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56579:0.56563:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56579 |0.56563
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66146:0.65104:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65624:0.65624:0.66146:0.65104:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65624 |0.65624
|0.66146 |0.65104 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor0 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13850
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13960
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13740
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56572:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56572:0.56570:0.56571:0.56571:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56572 |0.56570
|0.56571 |0.56571 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56751:0.56391:0.56619:0.56523:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56751:0.56391:0.56619:0.56523:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)


```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56751 |0.56391
|0.56619 |0.56523 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11977
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11901
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11949
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11929
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65810:0.65438:0.65674:0.65574:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65810:0.65438:0.65674:0.65574:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65810 |0.65438
|0.65674 |0.65574 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13889
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13810
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13860
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13839
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.000000:0.57025:0.56118:0.56503:0.56639:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.57025:0.56118:0.56503:0.56639:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57025 |0.56118
|0.56503 |0.56639 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12035
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11843
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11953
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.66093:0.65156:0.65553:0.65694:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66093:0.65156:0.65553:0.65694:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66093 |0.65156
|0.65553 |0.65694 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13949
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13751
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13835
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13864
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56689:0.56453:0.56488:0.56654:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56689:0.56453:0.56488:0.56654:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56689 |0.56453
|0.56488 |0.56654 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11964
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11914
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11921
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11956
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65746:0.65502:0.65538:0.65710:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65746:0.65502:0.65538:0.65710:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65746 |0.65502
|0.65538 |0.65710 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13875
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13824
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13831
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13868
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57220:0.55924:0.55164:0.57986:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.57220:0.55924:0.55164:0.57986:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57220 |0.55924
|0.55164 |0.57986 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12076
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11802
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11642
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12238
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66294:0.64956:0.64173:0.67086:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66294:0.64956:0.64173:0.67086:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66294 |0.64956
|0.64173 |0.67086 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13991
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13709
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13543
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14158
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56251:0.56892:0.54257:0.58905:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56251:0.56892:0.54257:0.58905:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56251 |0.56892
|0.54257 |0.58905 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11871  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12007  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11451  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12432
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65293:0.65955:0.63240:0.68039:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65293:0.65955:0.63240:0.68039:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65293 |0.65955
|0.63240 |0.68039 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13780
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13919
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13346
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14359
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.55639:0.57507:0.55447:0.57700:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
```

```
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55639:0.57507:0.55447:0.57700:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55639 |0.57507
|0.55447 |0.57700 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11742
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12136
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11702
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12177
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64662:0.66591:0.64465:0.66790:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64662:0.66591:0.64465:0.66790:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64662 |0.66591
|0.64465 |0.66790 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13647

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14054
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13605
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14096
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.51671:0.61560:0.54616:0.58540:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.51671:0.61560:0.54616:0.58540:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.51671 |0.61560
|0.54616 |0.58540 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 10905
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 12992
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11526
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12354
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.60589:0.70801:0.63610:0.67661:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.60589:0.70801:0.63610:0.67661:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.60589 |0.70801
|0.63610 |0.67661 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 12787
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 14942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 13425
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14280
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56447:0.56695:0.56579:0.56563:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56447:0.56695:0.56579:0.56563:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56447 |0.56695
|0.56579 |0.56563 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11913
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11965
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65496:0.65752:0.65632:0.65616:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65496:0.65752:0.65632:0.65616:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65496 |0.65752
|0.65632 |0.65616 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13877
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13851
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13848
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56447:0.56695:0.56632:0.56510:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56447:0.56695:0.56632:0.56510:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56447 |0.56695
|0.56632 |0.56510 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11913
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11965
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65496:0.65752:0.65687:0.65561:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65496:0.65752:0.65687:0.65561:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65496 |0.65752
|0.65687 |0.65561 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13877
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.52252:0.60960:0.61244:0.51976:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.52252:0.60960:0.61244:0.51976:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.52252 |0.60960
|0.61244 |0.51976 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11027
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12865
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 10969
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.61183:0.70175:0.70471:0.60901:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.61183:0.70175:0.70471:0.60901:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.61183 |0.70175
|0.70471 |0.60901 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12912
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14810
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14873
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12853
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56508:0.56634:0.56716:0.56427:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56508:0.56634:0.56716:0.56427:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56508 |0.56634
|0.56716 |0.56427 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11970
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11909
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65559:0.65689:0.65773:0.65475:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65559:0.65689:0.65773:0.65475:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65559 |0.65689
|0.65773 |0.65475 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13818
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.56254:0.56888:0.60601:0.52599:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56254:0.56888:0.60601:0.52599:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56254 |0.56888
|0.60601 |0.52599 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12006
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12789
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11101
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65297:0.65952:0.69801:0.61539:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65297:0.65952:0.69801:0.61539:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65297 |0.65952
|0.69801 |0.61539 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13781
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13919
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14731
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12987
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56611:0.56531:0.56727:0.56416:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56611:0.56531:0.56727:0.56416:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56611 |0.56531
|0.56727 |0.56416 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11947
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11930
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11972
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11906
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65665:0.65583:0.65785:0.65464:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65665:0.65583:0.65785:0.65464:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65665 |0.65583
|0.65785 |0.65464 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13858  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13841  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13884  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13816
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56800:0.56342:0.56915:0.56228:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56800:0.56342:0.56915:0.56228:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56800 |0.56342
|0.56915 |0.56228 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11987
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11891
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 12012
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11867
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65860:0.65388:0.65979:0.65269:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65860:0.65388:0.65979:0.65269:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65860 |0.65388
|0.65979 |0.65269 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 13899
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13800
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13775
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.58549:0.54607:0.58025:0.55125:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58549:0.54607:0.58025:0.55125:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58549 |0.54607
|0.58025 |0.55125 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12356
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11524
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12246
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11634
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.67670:0.63600:0.67127:0.64133:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67670:0.63600:0.67127:0.64133:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67670 |0.63600
|0.67127 |0.64133 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14281
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13422
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14167
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13535
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57609:0.55537:0.56848:0.56294:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57609:0.55537:0.56848:0.56294:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57609 |0.55537
|0.56848 |0.56294 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12158
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11721
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11997
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11880
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66697:0.64557:0.65910:0.65338:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66697:0.64557:0.65910:0.65338:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66697 |0.64557
|0.65910 |0.65338 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14076
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13624
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13910
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13789
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57025:0.56118:0.56503:0.56639:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57025:0.56118:0.56503:0.56639:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57025 |0.56118
|0.56503 |0.56639 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12035

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11843
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11953
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66092:0.65157:0.65554:0.65694:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
```

```
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66092:0.65157:0.65554:0.65694:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66092 |0.65157
|0.65554 |0.65694 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13948

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13751

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13835

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 13864
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56814:0.56329:0.56401:0.56742:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56814:0.56329:0.56401:0.56742:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56814 |0.56329
|0.56401 |0.56742 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11990
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11888
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11903
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11975
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65874:0.65374:0.65448:0.65800:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65874:0.65374:0.65448:0.65800:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65874 |0.65374
|0.65448 |0.65800 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13902
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13797
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13812
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13887
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57222:0.55922:0.55159:0.57991:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57222:0.55922:0.55159:0.57991:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57222 |0.55922
|0.55159 |0.57991 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12076
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11802
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11641
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12239
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.66296:0.64954:0.64168:0.67092:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66296:0.64954:0.64168:0.67092:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66296 |0.64954
|0.64168 |0.67092 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13991
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13708
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13542
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14159
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56521:0.56621:0.56208:0.56935:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

```
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56521:0.56621:0.56208:0.56935:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56521 |0.56621
|0.56208 |0.56935 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11928

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11949

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11862

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 12016
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65572:0.65676:0.65249:0.66000:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65572:0.65676:0.65249:0.66000:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65572 |0.65676
|0.65249 |0.66000 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13839
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13861
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13770
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13929
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.54091:0.59073:0.53584:0.59591:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.54091:0.59073:0.53584:0.59591:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54091 |0.59073
|0.53584 |0.59591 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11416
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12467
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11309
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12576
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```


(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.62733:0.68561:0.62144:0.69171:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.62733:0.68561:0.62144:0.69171:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.62733 |0.68561
|0.62144 |0.69171 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13239
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14469
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13115
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14598
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56167:0.56976:0.56411:0.56732:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56167:0.56976:0.56411:0.56732:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56167 |0.56976
|0.56411 |0.56732 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11854  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12024  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11905  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor3 pulses: 11973
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65207:0.66042:0.65458:0.65790:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65207:0.66042:0.65458:0.65790:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65207 |0.66042
|0.65458 |0.65790 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13762
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13938
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13815
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13885
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56161:0.56982:0.56597:0.56546:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56161:0.56982:0.56597:0.56546:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56161 |0.56982
|0.56597 |0.56546 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11852
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 12026
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11944
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11934
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65201:0.66048:0.65650:0.65598:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65201:0.66048:0.65650:0.65598:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65201 |0.66048
|0.65650 |0.65598 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13760
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13939
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13855
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13844
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.51150:0.62101:0.59263:0.53906:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.51150:0.62101:0.59263:0.53906:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.51150 |0.62101
|0.59263 |0.53906 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 10795
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13106
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12507
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11376
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.60056:0.71366:0.68410:0.62880:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.60056:0.71366:0.68410:0.62880:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.60056 |0.71366
|0.68410 |0.62880 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12674
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 15061
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14438
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13270
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55068:0.58082:0.58180:0.54972:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55068:0.58082:0.58180:0.54972:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55068 |0.58082
|0.58180 |0.54972 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11622
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12258
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12279
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11601
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.000000:0.64075:0.67186:0.67287:0.63976:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.64075:0.67186:0.67287:0.63976:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64075 |0.67186
|0.67287 |0.63976 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13523
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14179
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14201
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13502
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56508:0.56634:0.56716:0.56427:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56508:0.56634:0.56716:0.56427:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56508 |0.56634
|0.56716 |0.56427 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11970
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11909
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65559:0.65689:0.65773:0.65475:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65559:0.65689:0.65773:0.65475:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65559 |0.65689
|0.65773 |0.65475 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13818
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56537:0.56605:0.57003:0.56140:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.56537:0.56605:0.57003:0.56140:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56537 |0.56605
|0.57003 |0.56140 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11932
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11946
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12030
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11848
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65589:0.65659:0.66070:0.65179:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65589:0.65659:0.66070:0.65179:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65589 |0.65659
|0.66070 |0.65179 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13842
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13857
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 13944
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13756
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56653:0.56489:0.56890:0.56253:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.56653:0.56489:0.56890:0.56253:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56653 |0.56489  
|0.56890 |0.56253 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11956  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11922  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12006  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65708:0.65540:0.65953:0.65296:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65708:0.65540:0.65953:0.65296:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65708 |0.65540
|0.65953 |0.65296 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13867
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13832
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13919
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13780
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56742:0.56401:0.56827:0.56315:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56742:0.56401:0.56827:0.56315:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56742 |0.56401
|0.56827 |0.56315 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11975
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11903
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11993
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11885
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```


(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65800:0.65448:0.65889:0.65360:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65800:0.65448:0.65889:0.65360:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65800 |0.65448
|0.65889 |0.65360 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13887
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13812
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13906
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13794
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.61173:0.52045:0.59948:0.53235:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.61173:0.52045:0.59948:0.53235:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.61173 |0.52045
|0.59948 |0.53235 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12910
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 10984
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 12652
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11235
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.70397:0.60972:0.69122:0.62191:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.70397:0.60972:0.69122:0.62191:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.70397 |0.60972
|0.69122 |0.62191 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 14857
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12868
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14588
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13125
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56778:0.56364:0.56626:0.56516:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.56778:0.56364:0.56626:0.56516:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56778 |0.56364
|0.56626 |0.56516 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11983
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11895
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11951
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11927
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65838:0.65411:0.65681:0.65567:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65838:0.65411:0.65681:0.65567:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65838 |0.65411
|0.65681 |0.65567 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13895
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13805
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13862
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13838
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57801:0.55347:0.56386:0.56756:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57801:0.55347:0.56386:0.56756:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57801 |0.55347
|0.56386 |0.56756 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12199
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11681
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11900
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11978
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```


(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66895:0.64362:0.65433:0.65815:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66895:0.64362:0.65433:0.65815:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66895 |0.64362
|0.65433 |0.65815 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14118
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13583
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13809
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13890
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.60288:0.52904:0.53982:0.59185:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.60288:0.52904:0.53982:0.59185:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.60288 |0.52904
|0.53982 |0.59185 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12723
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11165
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11393
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 12491
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.69475:0.61851:0.62957:0.68330:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.69475:0.61851:0.62957:0.68330:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.69475 |0.61851
|0.62957 |0.68330 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 14662
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13053
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13287
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 14421
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57585:0.55561:0.54375:0.58785:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57585:0.55561:0.54375:0.58785:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57585 |0.55561
|0.54375 |0.58785 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12153
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11726
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11475
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12406
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.000000:0.66672:0.64582:0.63362:0.67914:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.66672:0.64582:0.63362:0.67914:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66672 |0.64582
|0.63362 |0.67914 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14071
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13630
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13372
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14333
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.56359:0.56784:0.55035:0.58116:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56359:0.56784:0.55035:0.58116:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56359 |0.56784
|0.55035 |0.58116 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11894
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11984
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11615
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12265
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65405:0.65843:0.64040:0.67221:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65405:0.65843:0.64040:0.67221:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65405 |0.65843
|0.64040 |0.67221 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13803
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13896
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13515
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14187
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55600:0.57546:0.55400:0.57747:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55600:0.57546:0.55400:0.57747:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55600 |0.57546
|0.55400 |0.57747 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11734
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12145
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11692
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12187
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64622:0.66631:0.64416:0.66839:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.64622:0.66631:0.64416:0.66839:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64622 |0.66631
|0.64416 |0.66839 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13638
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14062
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13595
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14106
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56413:0.56730:0.56508:0.56634:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56413:0.56730:0.56508:0.56634:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56413 |0.56730
|0.56508 |0.56634 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11906
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11972
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65460:0.65788:0.65559:0.65689:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65460:0.65788:0.65559:0.65689:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65460 |0.65788
|0.65559 |0.65689 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13815  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13884  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13836  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.55779:0.57366:0.56621:0.56522:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
```

```
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55779:0.57366:0.56621:0.56522:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55779 |0.57366
|0.56621 |0.56522 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11772
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12107
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11949
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11929
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64807:0.66445:0.65675:0.65573:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64807:0.66445:0.65675:0.65573:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64807 |0.66445
|0.65675 |0.65573 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13677


```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14023
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13860
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13839
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56447:0.56695:0.56632:0.56510:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)


```
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56447:0.56695:0.56632:0.56510:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56447 |0.56695
|0.56632 |0.56510 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11913

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11965

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11952

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor3 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65496:0.65752:0.65687:0.65561:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65496:0.65752:0.65687:0.65561:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65496 |0.65752
|0.65687 |0.65561 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13877
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56460:0.56683:0.56690:0.56453:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56460:0.56683:0.56690:0.56453:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56460 |0.56683
|0.56690 |0.56453 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11916
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11963
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11964
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11914
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65509:0.65739:0.65747:0.65501:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.65509:0.65739:0.65747:0.65501:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65509 |0.65739
|0.65747 |0.65501 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13825
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13874
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13876
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13824
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56473:0.56670:0.56797:0.56345:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56473:0.56670:0.56797:0.56345:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56473 |0.56670
|0.56797 |0.56345 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11918
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11960
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11987
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11891
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65522:0.65726:0.65857:0.65391:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65522:0.65726:0.65857:0.65391:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65522 |0.65726
|0.65857 |0.65391 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13828
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13871
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13899
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13800
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56429:0.56713:0.58369:0.54785:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56429:0.56713:0.58369:0.54785:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56429 |0.56713
|0.58369 |0.54785 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11909  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11969  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12318  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11562
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65477:0.65771:0.67483:0.63783:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65477:0.65771:0.67483:0.63783:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65477 |0.65771
|0.67483 |0.63783 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13819
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13881
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14242
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13461
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56665:0.56477:0.56938:0.56205:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56665:0.56477:0.56938:0.56205:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56665 |0.56477
|0.56938 |0.56205 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11959
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11919
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12016
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11862
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```


(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65721:0.65527:0.66003:0.65246:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65721:0.65527:0.66003:0.65246:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65721 |0.65527
|0.66003 |0.65246 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13870
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13829
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13930
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13770
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57261:0.55883:0.57608:0.55538:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57261:0.55883:0.57608:0.55538:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57261 |0.55883
|0.57608 |0.55538 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12085
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11794
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 12158
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11721
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66337:0.64914:0.66696:0.64558:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```



```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66337:0.64914:0.66696:0.64558:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66337 |0.64914
|0.66696 |0.64558 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 14000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13700
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14076
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13625
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.61727:0.51510:0.60354:0.52840:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.61727:0.51510:0.60354:0.52840:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.61727 |0.51510
|0.60354 |0.52840 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13027
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 10871
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12737
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.70975:0.60425:0.69544:0.61786:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.70975:0.60425:0.69544:0.61786:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.70975 |0.60425
|0.69544 |0.61786 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14979
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12752
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14677
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13040
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.59854:0.53327:0.57445:0.55700:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.59854:0.53327:0.57445:0.55700:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.59854 |0.53327
|0.57445 |0.55700 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12632
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11254
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12123
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11755
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.69024:0.62285:0.66527:0.64726:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
```

```
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.69024:0.62285:0.66527:0.64726:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.69024 |0.62285
|0.66527 |0.64726 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14567
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13145
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14040
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13660
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57777:0.55371:0.56390:0.56752:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.57777:0.55371:0.56390:0.56752:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57777 |0.55371
|0.56390 |0.56752 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12193
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11686
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11901
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11977
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66870:0.64386:0.65437:0.65811:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66870:0.64386:0.65437:0.65811:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66870 |0.64386
|0.65437 |0.65811 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14113
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13588
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 13810
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13889
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.58010:0.55140:0.55562:0.57584:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58010:0.55140:0.55562:0.57584:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58010 |0.55140
|0.55562 |0.57584 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12243
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11637
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11726
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12153
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.67111:0.64149:0.64583:0.66671:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67111:0.64149:0.64583:0.66671:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67111 |0.64149
|0.64583 |0.66671 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14163
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13538
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13630
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14071
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.000000:0.56704:0.56439:0.56283:0.56860:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.56704:0.56439:0.56283:0.56860:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56704 |0.56439
|0.56283 |0.56860 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11967
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11911
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11878
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65761:0.65487:0.65326:0.65922:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65761:0.65487:0.65326:0.65922:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65761 |0.65487
|0.65326 |0.65922 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13879
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13821
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13787
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13912
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56372:0.56771:0.55127:0.58023:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56372:0.56771:0.55127:0.58023:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56372 |0.56771
|0.55127 |0.58023 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11897  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11981  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11634  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12245
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65418:0.65830:0.64135:0.67125:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65418:0.65830:0.64135:0.67125:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65418 |0.65830
|0.64135 |0.67125 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13806
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13893
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13535
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14166
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56316:0.56826:0.56264:0.56879:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56316:0.56826:0.56264:0.56879:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56316 |0.56826
|0.56264 |0.56879 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11885
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11993
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11874
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12004
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65361:0.65887:0.65307:0.65942:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65361:0.65887:0.65307:0.65942:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65361 |0.65887
|0.65307 |0.65942 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13794
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13905
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13783
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13917
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55749:0.57396:0.56245:0.56898:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.55749:0.57396:0.56245:0.56898:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55749 |0.57396
|0.56245 |0.56898 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11765
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12113
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11870
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12008
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64776:0.66476:0.65287:0.65962:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64776:0.66476:0.65287:0.65962:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64776 |0.66476
|0.65287 |0.65962 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13671
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14029
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13778
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13921
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56447:0.56695:0.56579:0.56563:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56447:0.56695:0.56579:0.56563:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56447 |0.56695
|0.56579 |0.56563 |0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

```
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11913
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11965
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11941
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11937
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65496:0.65752:0.65632:0.65616:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
```



```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65496:0.65752:0.65632:0.65616:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65496 |0.65752
|0.65632 |0.65616 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13823
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13877
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13851
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13848
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.54611:0.58545:0.57535:0.55611:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.54611:0.58545:0.57535:0.55611:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54611 |0.58545
|0.57535 |0.55611 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11525  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12356  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12142  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11736
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.53928:0.78123:0.71624:0.59814:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```



```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53928:0.78123:0.71624:0.59814:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53928 |0.78123
|0.71624 |0.59814 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11381  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 16488  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 15116  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12623
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.55943:0.57201:0.57242:0.55902:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55943:0.57201:0.57242:0.55902:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55943 |0.57201
|0.57242 |0.55902 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11806
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12072
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 12081
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11798
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64975:0.66275:0.66317:0.64934:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64975:0.66275:0.66317:0.64934:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)


```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64975 |0.66275
|0.66317 |0.64934 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 13713
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13987
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13996
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13704
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56508:0.56634:0.56716:0.56427:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56508:0.56634:0.56716:0.56427:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56508 |0.56634
|0.56716 |0.56427 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor0 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11970
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11909
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65549:0.65699:0.65773:0.65475:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
```

```
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65549:0.65699:0.65773:0.65475:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65549 |0.65699
|0.65773 |0.65475 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13834
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13865
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13881
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13818
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56454:0.56688:0.57876:0.55273:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56454:0.56688:0.57876:0.55273:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56454 |0.56688
|0.57876 |0.55273 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11914
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11964
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 12214
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11665
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65518:0.65730:0.66972:0.64285:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65518:0.65730:0.66972:0.64285:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65518 |0.65730
|0.66972 |0.64285 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13827
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13872
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14134
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13567
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.000000:0.56663:0.56479:0.56929:0.56214:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.000000:0.56663:0.56479:0.56929:0.56214:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56663 |0.56479
|0.56929 |0.56214 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11958
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11920
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12014
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11864
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.65719:0.65529:0.65993:0.65256:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65719:0.65529:0.65993:0.65256:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65719 |0.65529
|0.65993 |0.65256 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13870
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13830
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13927
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13772
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57525:0.55620:0.58006:0.55144:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57525:0.55620:0.58006:0.55144:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57525 |0.55620
|0.58006 |0.55144 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12140  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11738  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12242  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11638
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66610:0.64643:0.67107:0.64153:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66610:0.64643:0.67107:0.64153:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66610 |0.64643
|0.67107 |0.64153 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14058
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 13643
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14163
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13539
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57306:0.55839:0.57111:0.56032:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57306:0.55839:0.57111:0.56032:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57306 |0.55839
|0.57111 |0.56032 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12094
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11784
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12053
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11825
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66383:0.64868:0.66182:0.65068:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66383:0.64868:0.66182:0.65068:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66383 |0.64868
|0.66182 |0.65068 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14010
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13690
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13967
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13732
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.58662:0.54496:0.57129:0.56015:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58662:0.54496:0.57129:0.56015:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58662 |0.54496
|0.57129 |0.56015 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12380
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11501
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12057
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 11822
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.67787:0.63486:0.66200:0.65050:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67787:0.63486:0.66200:0.65050:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67787 |0.63486
|0.66200 |0.65050 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14306
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13398
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13971
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13728
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57801:0.55347:0.56386:0.56756:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.57801:0.55347:0.56386:0.56756:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.57801 |0.55347
|0.56386 |0.56756 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12199
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11681
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11900
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11978
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66895:0.64362:0.65433:0.65815:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.66895:0.64362:0.65433:0.65815:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.66895 |0.64362
|0.65433 |0.65815 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14118  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13583  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13809  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13890
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56813:0.56330:0.56401:0.56742:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56813:0.56330:0.56401:0.56742:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56813 |0.56330
|0.56401 |0.56742 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11990
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11888
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11903
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11975
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5656, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65874:0.65375:0.65448:0.65800:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65874:0.65375:0.65448:0.65800:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65874 |0.65375
|0.65448 |0.65800 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 13902
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13797
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13812
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13887
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.000000:0.58325:0.54828:0.52789:0.60406:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58325:0.54828:0.52789:0.60406:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58325 |0.54828
|0.52789 |0.60406 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12309
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11571
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11141
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12748
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```


(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.67438:0.63827:0.61733:0.69598:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.67438:0.63827:0.61733:0.69598:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67438 |0.63827
|0.61733 |0.69598 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14232
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13470
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13028
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 14688
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56434:0.56709:0.55577:0.57568:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.56434:0.56709:0.55577:0.57568:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56434 |0.56709
|0.55577 |0.57568 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11910
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11968
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11729
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 12149
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65482:0.65766:0.64599:0.66655:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```


HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.65482:0.65766:0.64599:0.66655:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65482 |0.65766
|0.64599 |0.66655 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13820
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 13880
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 13633
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14067
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.53855:0.59314:0.53300:0.59882:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.53855:0.59314:0.53300:0.59882:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.53855 |0.59314
|0.53300 |0.59882 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11366
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12518
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11249
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12638
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.62827:0.68464:0.62257:0.69054:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.62827:0.68464:0.62257:0.69054:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.62827 |0.68464
|0.62257 |0.69054 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13259  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14449  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13139  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14573
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.54958:0.58194:0.55930:0.57214:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.54958:0.58194:0.55930:0.57214:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54958 |0.58194
|0.55930 |0.57214 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11599
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12281
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11804
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12075
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.63961:0.67302:0.64962:0.66288:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
```

```
11.00000:0.63961:0.67302:0.64962:0.66288:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.63961 |0.67302
|0.64962 |0.66288 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13499
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14204
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13710
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13990
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.55570:0.57576:0.56634:0.56509:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55570:0.57576:0.56634:0.56509:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55570 |0.57576
|0.56634 |0.56509 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11728
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12151
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor2 pulses: 11952
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11926
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64592:0.66662:0.65688:0.65560:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64592:0.66662:0.65688:0.65560:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64592 |0.66662
|0.65688 |0.65560 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13632
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14069
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13863
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```



```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55138:0.58012:0.57275:0.55869:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55138:0.58012:0.57275:0.55869:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55138 |0.58012
|0.57275 |0.55869 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11636
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12243
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12088
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11791
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64146:0.67114:0.66351:0.64899:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.64146:0.67114:0.66351:0.64899:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64146 |0.67114
|0.66351 |0.64899 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13538
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 14164
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14003
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13697
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.54994:0.58157:0.58259:0.54893:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.54994:0.58157:0.58259:0.54893:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.54994 |0.58157
|0.58259 |0.54893 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11606
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 12274
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 12295
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11585
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.63999:0.67264:0.67369:0.63895:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.63999:0.67264:0.67369:0.63895:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.63999 |0.67264
|0.67369 |0.63895 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13507
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14196
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14218
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13485
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :197.7426, 92, 149
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55255:0.57894:0.58601:0.54556:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at


```
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55255:0.57894:0.58601:0.54556:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55255 |0.57894
|0.58601 |0.54556 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11661
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12218
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12367
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11514
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64708:0.66545:0.67388:0.63876:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64708:0.66545:0.67388:0.63876:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64708 |0.66545
|0.67388 |0.63876 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13656
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14044
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14222
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13481
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :198.1426, 92, 149
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55550:0.57596:0.61205:0.52014:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
```

```
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.55550:0.57596:0.61205:0.52014:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.55550 |0.57596
|0.61205 |0.52014 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11723
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 12155
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12917
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 10977
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64910:0.66340:0.70162:0.61195:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)
```

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.64910:0.66340:0.70162:0.61195:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.64910 |0.66340
|0.70162 |0.61195 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 13699

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 14001
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14807
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12915
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56868:0.56275:0.57778:0.55370:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56868:0.56275:0.57778:0.55370:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56868 |0.56275
|0.57778 |0.55370 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor0 pulses: 12002
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11876
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12194
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11685
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :267.7241, 17, 150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65916:0.65333:0.66912:0.64345:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.65916:0.65333:0.66912:0.64345:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65916 |0.65333
|0.66912 |0.64345 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13911
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13788
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14121
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13580
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56853:0.56290:0.57002:0.56141:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56853:0.56290:0.57002:0.56141:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56853 |0.56290
|0.57002 |0.56141 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```


HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 11998
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11880
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12030
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11848
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.6255, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6054, 4, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65915:0.65334:0.66069:0.65180:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:  
11.00000:0.65915:0.65334:0.66069:0.65180:0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.65915 |0.65334  
|0.66069 |0.65180 |0.10000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13911  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13788  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13944  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13756
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.62412:0.50851:0.60820:0.52387:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.62412:0.50851:0.60820:0.52387:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.62412 |0.50851
|0.60820 |0.52387 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 13172
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor1 pulses: 10732
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 12836
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11056
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.71640:0.59799:0.70029:0.61322:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.71640:0.59799:0.70029:0.61322:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.71640 |0.59799
|0.70029 |0.61322 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 15119
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Motor1 pulses: 12620
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 14779
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12942
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56826:0.56317:0.56639:0.56503:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:
11.00000:0.56826:0.56317:0.56639:0.56503:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.56826 |0.56317
|0.56639 |0.56503 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])


```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)
```

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 11993
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11885
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11953
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 11925
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.76340:0.55502:0.68424:0.62866:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.76340:0.55502:0.68424:0.62866:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.76340 |0.55502
|0.68424 |0.62866 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)

```
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 16111
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11713
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 14441
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor3 pulses: 13268
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.59742:0.53436:0.56097:0.57046:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.59742:0.53436:0.56097:0.57046:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.59742 |0.53436
|0.56097 |0.57046 |0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 12608
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor1 pulses: 11277
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor2 pulses: 11839
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 12039
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.68908:0.62397:0.65135:0.66115:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.68908:0.62397:0.65135:0.66115:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.68908 |0.62397
|0.65135 |0.66115 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
```

HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Motor0 pulses: 14543
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13169
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13746
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 13953
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5256, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.58857:0.54304:0.54971:0.58180:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

```
[SerialInterface] Received: RECEIVED MSG:
11.00000:0.58857:0.54304:0.54971:0.58180:0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.58857 |0.54304
|0.54971 |0.58180 |0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 12421  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 11460  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 11601  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)  
HighPrecisionStepperJuggler.SerialInterface:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)


```
[SerialInterface] Received: Motor3 pulses: 12279
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.5456, -2, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
[SerialInterface] Sending: 11.00000:0.67990:0.63288:0.63975:0.67288:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:164)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 164)

[SerialInterface] Received: RECEIVED MSG:

11.00000:0.67990:0.63288:0.63975:0.67288:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

[SerialInterface] Received: Parsed tokens (count=6): 11.00000 |0.67990 |0.63288
|0.63975 |0.67288 |0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Num of move batches: 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Batch 0 marker value: 11.00000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Marker matches expected value.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor0 pulses: 14349
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor1 pulses: 13357
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor2 pulses: 13502
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Motor3 pulses: 14201
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

```
[SerialInterface] Received: Move duration: 0.10000
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:ProcessReceiveBuffer() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:78)
HighPrecisionStepperJuggler.SerialInterface:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:56)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 78)

Ball r, x, y :279.5256, -2, 120

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Unloading 252 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize: 7.303 ms
Integration: 12.570 ms
Integration of assets: 0.003 ms
Thread Wait Time: 25.114 ms
Total Operation Time: 44.989 ms

System memory in use before: 127.7 MB.

System memory in use after: 128.1 MB.

Unloading 247 unused Assets to reduce memory usage. Loaded Objects now: 6221.

Total: 10.918000 ms (FindLiveObjects: 0.932200 ms CreateObjectMapping: 0.478600 ms
MarkObjects: 9.295600 ms DeleteObjects: 0.209900 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 423.5 MB.

System memory in use after: 424.0 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6517.

Total: 10.609100 ms (FindLiveObjects: 1.155300 ms CreateObjectMapping: 0.557100 ms
MarkObjects: 8.864100 ms DeleteObjects: 0.031900 ms)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.090265s

Asset Scan time: 0.088073s

Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]

Asset Import (Scripting) time: 0.000000s (count: 0)

Post Process Assets (Scripting) time: 0.000000s

Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]

Asset Import (Non Scripting) time: 0.000000s (count: 0)

Post Process Assets (Non Scripting) time: 0.000000s

Dependent Assets to Import Queue time: 0.000000s