

Initiating legacy licensing module

LICENSE SYSTEM [202673 10:9:58] Next license update check is after
2026-02-21T12:48:39

Built from 'HEAD' branch; Version is '2019.2.23f1 (87f4fccf3219) revision 8910076';
Using compiler version '191627012'
OS: 'Windows 10 (10.0.0) 64bit' Language: 'en' Physical Memory: 16205 MB
BatchMode: 0, IsHumanControllingUs: 1, StartBugReporterOnCrash: 1, Is64bit: 1,
IsPro: 0
[Package Manager] Server::Start -- Port 50195 was selected

COMMAND LINE ARGUMENTS:
C:\Program Files\Unity\Hub\Editor\2019.2.23f1\Editor\Unity.exe
-projectpath
C:\Users\91701\Desktop\Thesis\HigExiting without the bug reporter. Application will
terminate with return code 0areTermsForThisRunOnly
-useHub
-hubIPC
-cloudEnvironment
production
-licensingIpc
LicenseClient-91701
-hubSessionId
45d85f45-99b9-4ee3-b05d-d8de3662fbdc
-accessToken
2N3_XJGJkSJGLW7vmd7VoRsp1Y-pypBG1lJQZhC6j0k008f
Successfully changed project path to:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler
C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler
Using Asset Import Pipeline V1.
Loading GUID <-> Path mappings...0.000953 seconds
Loading Asset Database...0.063604 seconds
AssetDatabase consistency checks...0.272885 seconds
[Package Manager] Done resolving packages in 1.27s seconds
[Package Manager]
Registered 44 packages:
Packages from [https://packages.unity.com]:
com.unity.collab-proxy@1.2.16 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.collab-proxy@1.2.16)
com.unity.ext.nunit@1.0.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0)
com.unity.ide.rider@1.1.0 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.rider@1.1.0)
com.unity.ide.vscode@1.1.3 (location:

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ide.vscode@1.1.3)
com.unity.test-framework@1.0.13 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.test-framework@1.0.13)
com.unity.textmeshpro@2.0.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.textmeshpro@2.0.1)
com.unity.render-pipelines.core@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.render-pipelines.core@6.9.1)
com.unity.shadergraph@6.9.1 (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.shadergraph@6.9.1)
com.unity.visualeffectgraph@6.9.1-preview (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.visualeffectgraph@6.9.1-preview)
Built-in packages:
com.unity.package-manager-ui@2.2.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.package-manager-ui)
com.unity.timeline@1.1.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.timeline)
com.unity.ugui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.ugui)
com.unity.modules.ai@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ai)
com.unity.modules.androidjni@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.androidjni)
com.unity.modules.animation@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.animation)
com.unity.modules.assetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.assetbundle)
com.unity.modules.audio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.audio)
com.unity.modules.cloth@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.cloth)
com.unity.modules.director@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.director)
com.unity.modules.imageconversion@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack

ages\com.unity.modules.imageconversion)
com.unity.modules.imgui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.imgui)
com.unity.modules.jsonserialize@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.jsonserialize)
com.unity.modules.particlesystem@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.particlesystem)
com.unity.modules.physics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics)
com.unity.modules.physics2d@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.physics2d)
com.unity.modules.screenshot@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.screenshot)
com.unity.modules.terrain@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrain)
com.unity.modules.terrainphysics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.terrainphysics)
com.unity.modules.tilemap@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.tilemap)
com.unity.modules.ui@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.ui)
com.unity.modules.uielements@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.uielements)
com.unity.modules.umbra@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.umbra)
com.unity.modules.unityanalytics@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unityanalytics)
com.unity.modules.unitywebrequest@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequest)
com.unity.modules.unitywebrequestassetbundle@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestassetbundle)
com.unity.modules.unitywebrequestaudio@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPack
ages\com.unity.modules.unitywebrequestaudio)
com.unity.modules.unitywebrequesttexture@1.0.0 (location: C:\Program

Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequesttexture)
com.unity.modules.unitywebrequestwww@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.unitywebrequestwww)
com.unity.modules.vehicles@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vehicles)
com.unity.modules.video@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.video)
com.unity.modules.vr@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.vr)
com.unity.modules.wind@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.wind)
com.unity.modules.xr@1.0.0 (location: C:\Program
Files\Unity\Hub\Editor\2019.2.23f1\Editor\Data\Resources\PackageManager\BuiltInPackages\com.unity.modules.xr)
Local packages:

com.unity.render-pipelines.high-definition@file:C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition (location:
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\ScriptableRenderPipeline-6.9.1\com.unity.render-pipelines.high-definition)

[XR] No new subsystems found in resolved package list.
[Package Manager] Done registering packages in 0.05s seconds
Refreshing native plugins compatible for Editor in 796.25 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
IsTimeToCheckForNewEditor: Update time 1783003256 current 1783066203
Initialize engine version: 2019.2.23f1 (87f4fccf3219)
[XR] Discovering subsystems at path C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Resources/UnitySubsystems
[XR] Discovering subsystems at path
C:/Users/91701/Desktop/Thesis/HighPrecisionStepperJuggler-master/Unity/HighPrecisionStepperJuggler/Assets
GfxDevice: creating device client; threaded=1
Direct3D:
Version: Direct3D 11.0 [level 11.1]
Renderer: NVIDIA GeForce RTX 3050 Laptop GPU (ID=0x25a2)
Vendor:
VRAM: 3962 MB
Driver: 32.0.15.9186
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed

WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
[EnlightenBakeManager] m_Clear = false;
Initialize mono
Mono path[0] = 'C:/Program Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/Managed'
Mono path[1] = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/lib/mono/unityjit'
Mono config path = 'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/MonoBleedingEdge/etc'
Using monoOptions
--debugger-agent=transport=dt_socket,embedding=1,server=y,suspend=n,address=127.0.0
.1:56472
Begin MonoManager ReloadAssembly
Registering precompiled unity dll's ...
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WindowsStandaloneSup
port/UnityEditor.WindowsStandalone.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/WebGLSupport/UnityEd
itor.WebGL.Extensions.dll
Register platform support module: C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/PlaybackEngines/MetroSupport/UnityEd
itor.UWP.Extensions.dll
Registered in 0.677088 seconds.
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 0.60 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 12.217 seconds
Registering precompiled user dll's ...
Registered in 0.827035 seconds.
Platform modules already initialized, skipping
Begin MonoManager ReloadAssembly
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisio
nStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\n
unit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 0.41 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 9.582 seconds
Platform modules already initialized, skipping

Validating Project structure ... 0.011064 seconds.
Refresh: detecting if any assets need to be imported or removed ...
Refreshing native plugins compatible for Editor in 0.48 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.085365s
Asset Scan time: 0.083389s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Unlit' - Pass 'VisibilityDXR' has no vertex
shader

WARNING: Shader Unsupported: 'HDRP/Unlit' - All passes removed
WARNING: Shader Did you use #pragma only_renderers and omit this platform?
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'IndirectDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'ForwardDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - Pass 'VisibilityDXR' has no vertex shader
WARNING: Shader Unsupported: 'HDRP/Lit' - All passes removed

WARNING: Shader Did you use #pragma only_renderers and omit this platform?
Launched and connected shader compiler UnityShaderCompiler.exe after 0.11 seconds
Warming cache for 4711 main assets: 0.006930 seconds elapsed

Initializing Unity extensions:

'C:/Program
Files/Unity/Hub/Editor/2019.2.23f1/Editor/Data/UnityExtensions/Unity/UnityVR/Editor
/UnityEditor.VR.dll' GUID: 4ba2329b63d54f0187bcaa12486b1b0f

Unloading 2952 Unused Serialized files (Serialized files now loaded: 0)
Loaded scene 'Assets/HighPrecisionStepperJuggler/MainScene.unity'

Deserialize:	303.768 ms
Integration:	384.099 ms
Integration of assets:	27.309 ms
Thread Wait Time:	38.984 ms
Total Operation Time:	754.159 ms

System memory in use before: 94.3 MB.

System memory in use after: 94.7 MB.

Unloading 285 unused Assets to reduce memory usage. Loaded Objects now: 5909.
Total: 6.582100 ms (FindLiveObjects: 0.731000 ms CreateObjectMapping: 0.926000 ms
MarkObjects: 4.686200 ms DeleteObjects: 0.238400 ms)

<RI> Initialized touch support.

<RI> Initialized touch support.

<RI> Initialized touch support.

```

<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initialized touch support.
<RI> Initializing input.
<RI> Input initialized.
[Project] Loading completed in 54.665 seconds
    Project init time:                    53.366 seconds
        Template init time:              0.000 seconds
        Services packages init time:      1.451 seconds
        Package Manager init time:        0.072 seconds
        Asset Database init time:         2.139 seconds
        Global illumination init time:    0.647 seconds
        Assemblies load time:            41.791 seconds
        Unity extensions init time:       0.001 seconds
        Asset Database refresh time:      0.086 seconds
    Scene opening time:                  1.095 seconds
EditorUpdateCheck: Failed The requested URL returned error: 404 Not Found
Unloading 73 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 403.6 MB.
System memory in use after: 403.9 MB.

Unloading 38 unused Assets to reduce memory usage. Loaded Objects now: 6408.
Total: 9.527600 ms (FindLiveObjects: 0.778400 ms CreateObjectMapping: 0.275100 ms
MarkObjects: 8.353700 ms DeleteObjects: 0.119500 ms)

Created GICache directory at C:/Users/91701/AppData/LocalLow/Unity/Caches/GiCache.
Took: 0.057s, timestamps: [57.995 - 58.052]
Setting up 6 worker threads for Enlighten.
    Thread -> id: 4fc8 -> priority: 1
    Thread -> id: 4424 -> priority: 1
    Thread -> id: 2de4 -> priority: 1
    Thread -> id: 2124 -> priority: 1
    Thread -> id: 9dc -> priority: 1
    Thread -> id: 4754 -> priority: 1
TrimDiskCacheJob: Current cache size 3mb
Reloading assemblies for play mode.
Begin MonoManager ReloadAssembly
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 15.16 ms, found 2 plugins.
Preloading 0 native plugins for Editor in 0.00 ms.
Mono: successfully reloaded assembly
- Completed reload, in 2.223 seconds
Platform modules already initialized, skipping
[SerialInterface] Available ports:
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)
```

```
[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)
```

```
Loaded scene 'Temp/__Backupsscenes/0.backup'
```

```
    Deserialize:          18.992 ms
    Integration:         55.252 ms
    Integration of assets: 0.012 ms
    Thread Wait Time:    9.628 ms
    Total Operation Time: 83.885 ms
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
gi::BakeBackendSwitch: Clear() active clients.
gi::BakeBackendSwitch: switching bake backend from 3 to 1.
```



```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)


```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Unloading 253 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/___Backups/0.backup'

Deserialize:	9.536 ms
Integration:	13.476 ms
Integration of assets:	0.007 ms
Thread Wait Time:	17.907 ms
Total Operation Time:	40.926 ms

System memory in use before: 112.4 MB.

System memory in use after: 112.8 MB.

Unloading 249 unused Assets to reduce memory usage. Loaded Objects now: 6209.

Total: 9.298600 ms (FindLiveObjects: 0.644300 ms CreateObjectMapping: 0.359100 ms

MarkObjects: 8.137300 ms DeleteObjects: 0.157300 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 408.0 MB.

System memory in use after: 408.5 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6503.

Total: 10.343500 ms (FindLiveObjects: 0.785600 ms CreateObjectMapping: 0.292400 ms

MarkObjects: 9.230900 ms DeleteObjects: 0.033500 ms)

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisio

nStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll

Native extension for WebGL target not found

Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 1.44 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 1.294 seconds

Platform modules already initialized, skipping

[SerialInterface] Available ports:

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)

[SerialInterface] Configured port name: COM3

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)

Loaded scene 'Temp/__Backups.scenes/0.backup'

Deserialize: 7.446 ms

Integration: 33.906 ms

Integration of assets: 0.004 ms

Thread Wait Time: 12.050 ms

Total Operation Time: 53.406 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```



```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Could not open serial port: The port `COM3' does not exist.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:LogError(Object)
HighPrecisionStepperJuggler.SerialInterface:Open() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:92)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:102)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
```

```
HighPrecisionStepperJuggler.MachineController:SendSingleInstruction(HLInstruction)
(at Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:30)
HighPrecisionStepperJuggler.MachineController:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:45)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 92)

[SerialInterface] Sending: 11.00000:0.11941:0.11941:0.12246:0.11636:0.20000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.MachineController:SendSingleInstruction(HLInstruction)
(at Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:30)
HighPrecisionStepperJuggler.MachineController:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:45)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Serial port is not open. Message not sent.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:LogWarning(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:119)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.MachineController:SendSingleInstruction(HLInstruction)
(at Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:30)
HighPrecisionStepperJuggler.MachineController:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:45)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 119)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Unloading 247 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/___BackupsScenes/0.backup'

```
Deserialize:          6.791 ms
Integration:          13.033 ms
Integration of assets: 0.003 ms
Thread Wait Time:     33.202 ms
Total Operation Time: 53.029 ms
```

System memory in use before: 113.3 MB.

System memory in use after: 113.7 MB.

Unloading 246 unused Assets to reduce memory usage. Loaded Objects now: 6242.

Total: 9.158700 ms (FindLiveObjects: 0.719900 ms CreateObjectMapping: 0.326200 ms
MarkObjects: 7.966800 ms DeleteObjects: 0.144800 ms)

Unloading 40 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 409.7 MB.

System memory in use after: 410.1 MB.

Unloading 38 unused Assets to reduce memory usage. Loaded Objects now: 6537.

Total: 12.030600 ms (FindLiveObjects: 0.934600 ms CreateObjectMapping: 0.302700 ms
MarkObjects: 10.757200 ms DeleteObjects: 0.033200 ms)

<RI> Initialized touch support.

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll

Native extension for WebGL target not found

Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 1.62 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 1.390 seconds

Platform modules already initialized, skipping

[SerialInterface] Available ports:

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)


```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)

```
[SerialInterface] Configured port name: COM3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Awake() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)

```
Loaded scene 'Temp/__Backups.scenes/0.backup'
```

```
    Deserialize:      8.347 ms
    Integration:     37.529 ms
    Integration of assets: 0.004 ms
    Thread Wait Time: 11.192 ms
    Total Operation Time: 57.071 ms
```

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0.1, 240, 320
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[RealMachine] Sending test move (motor0, small rotation, 2s)
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:40)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/RealMachine.cs Line: 40)
```

```
Could not open serial port: The port `COM3' does not exist.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:LogError(Object)
HighPrecisionStepperJuggler.SerialInterface:Open() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:92)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:102)
HighPrecisionStepperJuggler.SerialInterface:SendTestMove(Int32, Single, Single) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:142)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:41)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 92)
```


[SerialInterface] Sending: 11.00000:0.10000:0.00000:0.00000:0.00000:2.00000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.SerialInterface:SendTestMove(Int32, Single, Single) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:142)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:41)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Serial port is not open. Message not sent.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:LogWarning(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:119)
HighPrecisionStepperJuggler.SerialInterface:SendTestMove(Int32, Single, Single) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:142)
HighPrecisionStepperJuggler.RealMachine:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:41)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 119)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Refresh: detecting if any assets need to be imported or removed ...

```
Refresh Completed time: 0.151196s
  Asset Scan time: 0.147947s
  Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
  Asset Import (Scripting) time: 0.000000s (count: 0)
  Post Process Assets (Scripting) time: 0.000000s
  Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
  Asset Import (Non Scripting) time: 0.000000s (count: 0)
```

Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.106355s
Asset Scan time: 0.104274s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.090730s
Asset Scan time: 0.089066s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

[SerialInterface] No serial ports detected.

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:LogWarning(Object)

HighPrecisionStepperJuggler.SerialInterface:ProbePorts() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:42)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 42)

Unloading 247 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/__Backups.scenes/0.backup'

Deserialize: 8.638 ms
Integration: 10.315 ms
Integration of assets: 0.002 ms
Thread Wait Time: 21.201 ms
Total Operation Time: 40.156 ms

System memory in use before: 114.5 MB.

System memory in use after: 114.6 MB.

Unloading 246 unused Assets to reduce memory usage. Loaded Objects now: 6273.

Total: 8.997800 ms (FindLiveObjects: 0.724900 ms CreateObjectMapping: 0.202400 ms

MarkObjects: 7.899400 ms DeleteObjects: 0.169800 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)

System memory in use before: 410.2 MB.

System memory in use after: 410.6 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6567.

Total: 10.598900 ms (FindLiveObjects: 1.200700 ms CreateObjectMapping: 0.464900 ms

MarkObjects: 8.898600 ms DeleteObjects: 0.033700 ms)

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll

Native extension for WebGL target not found

Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 1.60 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 1.260 seconds

Platform modules already initialized, skipping

[SerialInterface] Available ports:

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)

[SerialInterface] Configured port name: COM3

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize: 7.754 ms

Integration: 34.824 ms

Integration of assets: 0.001 ms

Thread Wait Time: 11.152 ms

Total Operation Time: 53.732 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)


```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] No serial ports detected.
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:LogWarning(Object)
HighPrecisionStepperJuggler.SerialInterface:ProbePorts() (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:42)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 42)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.114924s

Asset Scan time: 0.111401s

Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]

Asset Import (Scripting) time: 0.000000s (count: 0)

Post Process Assets (Scripting) time: 0.000000s

Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]

Asset Import (Non Scripting) time: 0.000000s (count: 0)

Post Process Assets (Non Scripting) time: 0.000000s

Dependent Assets to Import Queue time: 0.000000s

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.087324s
Asset Scan time: 0.085664s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.093630s
Asset Scan time: 0.091800s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.094355s
Asset Scan time: 0.092558s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Unloading 246 Unused Serialized files (Serialized files now loaded: 0)
```

```
Loaded scene 'Temp/___Backups.scenes/0.backup'
```

```
    Deserialize:          16.365 ms
```

```
    Integration:         12.397 ms
```

Integration of assets: 0.004 ms
Thread Wait Time: 14.319 ms
Total Operation Time: 43.085 ms
System memory in use before: 124.8 MB.
System memory in use after: 125.3 MB.

Unloading 245 unused Assets to reduce memory usage. Loaded Objects now: 6304.
Total: 11.620900 ms (FindLiveObjects: 0.850200 ms CreateObjectMapping: 0.292800 ms
MarkObjects: 10.250200 ms DeleteObjects: 0.226600 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 420.8 MB.
System memory in use after: 421.3 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6598.
Total: 10.862700 ms (FindLiveObjects: 0.873900 ms CreateObjectMapping: 0.345800 ms
MarkObjects: 9.606400 ms DeleteObjects: 0.035800 ms)

<RI> Initialized touch support.
Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.077202s
Asset Scan time: 0.075403s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Processs Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.086524s
Asset Scan time: 0.084828s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Processs Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.077599s
Asset Scan time: 0.075804s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Processs Assets (Scripting) time: 0.000000s

Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.099906s
Asset Scan time: 0.097819s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Reloading assemblies for play mode.

Begin MonoManager ReloadAssembly

Symbol file LoadedFromMemory doesn't match image

C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll

Native extension for WebGL target not found

Native extension for WindowsStandalone target not found

Refreshing native plugins compatible for Editor in 1.66 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 1.265 seconds

Platform modules already initialized, skipping

[SerialInterface] Available ports:

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)

[SerialInterface] Configured port name: COM3

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)

Loaded scene 'Temp/___Backupsscenes/0.backup'

Deserialize: 7.434 ms
Integration: 35.809 ms
Integration of assets: 0.004 ms
Thread Wait Time: 11.537 ms
Total Operation Time: 54.784 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :78, -52, -58
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :88, -78, -40
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :74, -60, -62
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :65, -100, -52
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :75, -96, -42
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :68, -120, -38
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.4656, -2, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :262.5258, 17, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5673, -3, 1
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :52.04161, 1, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :56.44142, -156, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :254.0841, -31, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6074, 4, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5676, -3, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7675, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4456, -2, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5657, -2, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :244.1041, -42, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7074, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7075, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.8073, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.4254, -3, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :250.5242, -35, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7274, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4056, -2, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3457, -3, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4055, -3, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6073, -3, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5056, -2, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :108.4011, 195, -61
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :34.56, -120, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.98, 319, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :8.28, -137, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :5.6, -131, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :4.38, -128, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :4.38, -126, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :3.9, -134, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :2.66, -133, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :2.66, -132, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :3.06, -132, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :3.52, -132, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :4.38, -125, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :3.52, -126, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :1.74, -129, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.5, -130, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.98, -131, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.98, -130, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :2.2, -128, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :2.2, -127, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0, 0, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :2.66, -127, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :2.66, -127, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :2.66, -127, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :3.06, -126, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :2.66, -128, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :3.9, -125, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :3.52, -130, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :16.52, -140, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :15.28, -141, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :15.28, -141, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :14.82, -142, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.28, -141, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.28, -141, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.24, -140, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :5.3, -106, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :5.3, -104, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.24, -140, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.8, -137, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :21.08, -135, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :23.12, -133, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :26.22, -129, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :28.42, -127, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :27.46, -128, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.76, -130, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.12, -133, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6875, -2, -59
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.5674, 4, -2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :288.4342, 20, -28
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :270.4714, 32, -11
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :297.5657, 13, -40
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :285.4201, 20, -7
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :272.5956, -20, 2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4857, -3, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6475, -3, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5475, -3, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6273, -3, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5875, -3, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7272, 4, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :165.4033, 147, 13
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :292.9027, 17, -9
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :280.9437, 19, -9
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :164.5911, 83, 16
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.623, -3, 14

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.7471, -2, -32

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :272.3289, -29, 4

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :264.4181, 6, 5

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :274.9972, 1, 18
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :299.8051, 14, 15
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :274.2827, 0, 16
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :301.6959, 15, 15
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :202.9859, -89, -32
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :206.0458, -86, -32
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :192.8627, -100, -2
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6254, -2, -3
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.6873, -2, -29
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```


UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.6659, 4, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4655, -2, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :294.9557, 5, -71
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :303.3032, 1, -99
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4253, -3, -120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5272, -3, -122
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5456, -2, -150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :302.4389, -1, -148
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :295.0407, -2, -155
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :297.4603, -1, -158
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4456, 4, -180
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4656, 4, -180
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.7076, -2, -179

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :294.91, -12, -176

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.5055, -2, -210

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :29.24, -29, -210

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :3.52, -127, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :10.64, -133, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :8.74, -130, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :13.54, -125, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :18.8, -113, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :10.94, -69, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :14.46, -142, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :16.52, -140, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.46, -124, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.18, -120, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.54, -134, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :12.18, -131, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.54, -93, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.96, -122, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.52, -119, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.84, -113, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.84, -115, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.24, -112, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :17.02, -139, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :6.54, -93, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :7, -95, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :8.28, -94, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :21.86, -134, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :16.52, -140, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :34.56, -120, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.48, -131, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.02, -132, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :14.82, -142, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :25.4, -127, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :9.16, -130, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :26.22, -113, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.88, -101, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.46, -93, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.42, -77, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.84, -76, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.84, -76, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -75, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.1, -97, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :35.42, -117, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :26.68, -129, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.74, -141, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```



```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :2.66, -131, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :13.08, -144, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :10.14, -133, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :9.16, -129, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :13.08, -124, -30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :4.38, -130, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :16.52, -122, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.76, -130, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :20.58, -136, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :24.9, -131, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :27.96, -127, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :28.42, -127, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :24.9, -131, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :25.4, -130, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :26.22, -129, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :26.68, -129, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.46, -128, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.42, -127, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :29.24, -126, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :25.4, -120, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.42, -124, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```


UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.42, -125, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.42, -127, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.8, -122, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.02, -123, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.62, -124, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.42, -127, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :19.68, -136, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :17.02, -139, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :17.02, -139, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :19.22, -137, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.88, -126, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :12.68, -144, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :13.96, -143, -90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :16.24, -140, -90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :17.48, -139, -90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :17.94, -138, -90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :18.3, -138, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.8, -137, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :19.22, -137, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :19.68, -136, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.42, -122, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.42, -122, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :14.82, -136, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.48, -136, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.48, -60, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :34.06, -4, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :36.7, 20, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :37.62, 25, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :38.4, 24, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.2402, 19, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :39.36, 16, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :40.68, 11, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :41.96, 8, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45.9, 3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :47.28, 3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :42.96, 15, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :37.62, 25, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :34.06033, 26, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :33.56, 22, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :32.52, 13, 60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :40.68, 2, 60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :50.3, -10, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :52.04, -9, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :41.96, 5, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :36.7, 10, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :31.52, 16, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :33.06, 13, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :42.96, -2, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :45.9, -30, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :55.44, -40, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :51.12, -31, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, -20, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, -16, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :48.56, -18, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :49.84, -20, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.1, -21, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :47.28, -21, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, -20, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :45, -20, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :44.5, -20, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :46.36, -19, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :48.56, -17, 90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :49.06, -14, 90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :49.06, -13, 90

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :32.52, -16, 120

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :39.82, -20, 120

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :44.5, -39, 120
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.16, -101, 150
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.42, -125, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.8, -136, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :21.08, -135, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :19.68, -136, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :20.08, -135, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :25.76, -129, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :19.22, -137, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :32.02, -123, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.52, -123, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :31.02, -124, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.62, -124, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.62, -124, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :28.88, -122, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :30.16, -125, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.24, -124, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -125, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -125, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.74, -125, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :29.24, -126, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :29.24, -126, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :28.88, -126, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :27.96, -125, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :28.88, -126, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :28.88, -126, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.96, -127, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :27.46, -125, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :26.22, -129, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.4, -130, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.48, -131, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.48, -131, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```



```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :23.12, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :22.62, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :22.62, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.12, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.12, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :24.02, -132, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :24.48, -131, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :23.62, -132, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :23.12, -133, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :23.12, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :23.12, -133, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :23.62, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.46, -128, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :28.42, -127, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :29.74, -125, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.96, -127, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :27.46, -128, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :16.52, -116, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :13.08, -144, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :12.68, -144, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :12.68, -144, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :6.54, -129, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :21.58, -129, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :23.12, -133, -90
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.3, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :17.48, -139, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.3, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :17.94, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :18.3, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :18.8, -137, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :18.8, -137, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :17.94, -138, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :17.48, -139, -60

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :16.24, -140, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.74, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.74, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.74, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :15.74, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :15.28, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :14.82, -142, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :15.28, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :15.74, -141, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -139, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -139, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :17.02, -138, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :25.4, -130, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :24.02, -132, -60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)


```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.5, 320, 240
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0, 0, 0
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :20.08, -136, 60
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :62.98, -70, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :58.58, 23, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.4056, -3, 0

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.4457, 4, 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.6273, -2, 1

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.6073, 4, 31
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.7872, -2, 31
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.4857, -2, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.5055, -2, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```


UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Unloading 246 Unused Serialized files (Serialized files now loaded: 0)
Loaded scene 'Temp/__Backups.scenes/0.backup'

Deserialize:	14.180 ms
Integration:	10.155 ms
Integration of assets:	0.003 ms
Thread Wait Time:	14.129 ms

Total Operation Time: 38.467 ms
System memory in use before: 124.9 MB.
System memory in use after: 125.4 MB.

Unloading 246 unused Assets to reduce memory usage. Loaded Objects now: 6332.
Total: 8.307700 ms (FindLiveObjects: 0.761200 ms CreateObjectMapping: 0.245400 ms
MarkObjects: 7.148200 ms DeleteObjects: 0.151600 ms)

Unloading 38 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 421.1 MB.
System memory in use after: 421.5 MB.

Unloading 37 unused Assets to reduce memory usage. Loaded Objects now: 6626.
Total: 11.820100 ms (FindLiveObjects: 0.999400 ms CreateObjectMapping: 0.331100 ms
MarkObjects: 10.449900 ms DeleteObjects: 0.038800 ms)

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.088497s
Asset Scan time: 0.086505s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

Refresh: detecting if any assets need to be imported or removed ...

Refresh Completed time: 0.097731s
Asset Scan time: 0.095881s
Asset Hashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Scripting) time: 0.000000s (count: 0)
Post Process Assets (Scripting) time: 0.000000s
Asset Rehashing: 0.000000s [0 B, 0.000000 mb/s]
Asset Import (Non Scripting) time: 0.000000s (count: 0)
Post Process Assets (Non Scripting) time: 0.000000s
Dependent Assets to Import Queue time: 0.000000s

<RI> Initialized touch support.
Reloading assemblies for play mode.
Begin MonoManager ReloadAssembly
Symbol file LoadedFromMemory doesn't match image
C:\Users\91701\Desktop\Thesis\HighPrecisionStepperJuggler-master\Unity\HighPrecisionStepperJuggler\Library\PackageCache\com.unity.ext.nunit@1.0.0\net35\unity-custom\nunit.framework.dll
Native extension for WebGL target not found
Native extension for WindowsStandalone target not found
Refreshing native plugins compatible for Editor in 1.69 ms, found 2 plugins.

Preloading 0 native plugins for Editor in 0.00 ms.

Mono: successfully reloaded assembly

- Completed reload, in 1.319 seconds

Platform modules already initialized, skipping

[SerialInterface] Available ports: COM3

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:30)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 30)

[SerialInterface] Configured port name: COM3

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Awake() (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:31)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 31)

Loaded scene 'Temp/___Backups.scenes/0.backup'

Deserialize: 7.935 ms

Integration: 35.620 ms

Integration of assets: 0.003 ms

Thread Wait Time: 10.461 ms

Total Operation Time: 54.019 ms

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :0.1, 240, 320

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :0.1, 240, 320
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :127, -44, -48
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :129, -48, -48
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :127, -46, -48
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :131, -50, -50
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :127, -44, -48
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :125, -44, -46
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```


Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65640:0.65608:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56592:0.56551:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32,

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65834:0.65414:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at


```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56578:0.56564:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65695:0.65553:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56572:0.56570:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```


Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65634:0.65614:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56575:0.56567:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32,

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65994:0.65254:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56613:0.56529:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
```

```
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66057:0.65192:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56578:0.56564:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65696:0.65552:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56584:0.56558:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65758:0.65490:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65843:0.65405:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65982:0.65267:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,


```
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56581:0.56562:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66368:0.64883:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56593:0.56549:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65850:0.65399:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56575:0.56567:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65666:0.65582:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56612:0.56530:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66051:0.65198:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56590:0.56552:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65818:0.65430:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56574:0.56568:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

```
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65653:0.65595:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
```


HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56647:0.56495:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66412:0.64840:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56608:0.56534:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66005:0.65244:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56576:0.56566:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65678:0.65569:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56585:0.56557:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65767:0.65481:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```

Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
```

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65718:0.65530:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
```

```
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65842:0.65407:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65843:0.65405:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56584:0.56558:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65757:0.65491:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56578:0.56564:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65694:0.65554:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56613:0.56530:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66055:0.65194:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56591:0.56552:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65825:0.65423:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56611:0.56531:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66039:0.65210:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32,

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56574:0.56568:0.56571:0.56571:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65653:0.65595:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56584:0.56558:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65757:0.65491:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65841:0.65407:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56592:0.56550:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65842:0.65406:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.56585:0.56558:0.56571:0.56571:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)

HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.65765:0.65483:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)

```
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56664:0.56479:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)
```

```
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66584:0.64669:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56649:0.56494:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
```

Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65624:0.65624:0.66426:0.64826:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Int32, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:123)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56580:0.56562:0.56571:0.56571:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithAlternatingXYTiltCorrec
tion(MachineController, ITiltController, BallData, Single, Single, Int32,
Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:48)
HighPrecisionStepperJuggler.<>c__DisplayClass4_0:<TwoStepBouncing>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:135)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```


Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57952:0.55197:0.56662:0.56480:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.67051:0.64207:0.65718:0.65530:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57159:0.55985:0.56354:0.56789:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66231:0.65019:0.65400:0.65848:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57887:0.55261:0.55259:0.57890:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66985:0.64273:0.64271:0.66987:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57579:0.55567:0.53766:0.59405:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```


(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66665:0.64589:0.62736:0.68558:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55973:0.57171:0.50947:0.62312:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65065:0.66185:0.60386:0.71015:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55618:0.57527:0.55028:0.58123:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64641:0.66612:0.64033:0.67228:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.52138:0.61077:0.53682:0.59491:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.60726:0.70656:0.62426:0.68878:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.51309:0.61936:0.55798:0.57346:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

[SerialInterface] Sending: 11.00000:0.60219:0.71193:0.64826:0.66425:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55234:0.57915:0.56950:0.56193:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.64245:0.67013:0.66015:0.65234:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55745:0.57400:0.57247:0.55897:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.64772:0.66480:0.66322:0.64929:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55547:0.57599:0.58517:0.54639:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64568:0.66686:0.67637:0.63633:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.56035:0.57109:0.62452:0.50813:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65065:0.66185:0.71800:0.59649:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
```

```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

[SerialInterface] Sending: 11.00000:0.56894:0.56249:0.57612:0.55535:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
```

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65957:0.65292:0.66699:0.64555:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
```



```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.57268:0.55877:0.57406:0.55739:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at

Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,

MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66343:0.64907:0.66486:0.64766:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57523:0.55622:0.57060:0.56083:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66608:0.64645:0.66129:0.65120:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.59758:0.53421:0.56780:0.56363:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)


```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.68924:0.62382:0.65840:0.65409:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.59509:0.53664:0.55492:0.57654:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.68666:0.62631:0.64511:0.66743:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57107:0.56037:0.56036:0.57108:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```

Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66177:0.65073:0.65072:0.66178:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```


Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56731:0.56412:0.56125:0.57018:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
```

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.65789:0.65460:0.65164:0.66086:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55974:0.57170:0.50958:0.62301:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.65008:0.66242:0.59860:0.71574:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55118:0.58033:0.54219:0.58944:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.58772:0.72742:0.54636:0.77317:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.54916:0.58236:0.55494:0.57652:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.63918:0.67346:0.64513:0.66741:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.55236:0.57913:0.56376:0.56766:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
```

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.64248:0.67011:0.65423:0.65825:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
```

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.51255:0.61993:0.58090:0.55060:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
```

```
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.60292:0.71115:0.67157:0.64104:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.52166:0.61048:0.60215:0.52975:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.61096:0.70266:0.69399:0.61925:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.53551:0.59625:0.62371:0.50891:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
```

Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.62515:0.68786:0.71648:0.59791:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56369:0.56773:0.58768:0.54392:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64456:0.66799:0.78802:0.53337:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

```
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57033:0.56111:0.58061:0.55089:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66100:0.65149:0.67164:0.64096:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)

```
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.57264:0.55880:0.57401:0.55744:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.66339:0.64911:0.66481:0.64771:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57823:0.55325:0.57214:0.55930:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
```

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66918:0.64339:0.66288:0.64962:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```



```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57197:0.55947:0.56612:0.56530:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66270:0.64980:0.65666:0.65581:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.59490:0.53683:0.55499:0.57647:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
```

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

Ball r, x, y :279.3855, -3, 30

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:

Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.68646:0.62650:0.64518:0.66736:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)

UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])

UnityEngine.Logger:Log(LogType, Object)

UnityEngine.Debug:Log(Object)

HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)

HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)

HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)

HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)

HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)

HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)

HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at

Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.58001:0.55149:0.55147:0.58003:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)

```
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,  
MachineController) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30  
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at  
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:  
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs  
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.67102:0.64158:0.64155:0.67104:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)  
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])  
UnityEngine.Logger:Log(LogType, Object)  
UnityEngine.Debug:Log(Object)  
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at  
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)  
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at  
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)  
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at  
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)  
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at  
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)  
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin  
eController, ITiltController, BallData, Single, Single, Nullable`1) (at  
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)  
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
```

```
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.57218:0.55926:0.54767:0.58387:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
```

```
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.66292:0.64959:0.63765:0.67502:0.10000
```



```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.56022:0.57121:0.51412:0.61829:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs

Line: 191)

[SerialInterface] Sending: 11.00000:0.65058:0.66192:0.60324:0.71082:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.54999:0.58153:0.54027:0.59140:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at

Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

[SerialInterface] Sending: 11.00000:0.64003:0.67259:0.63003:0.68282:0.10000

UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)

Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)

```
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.54044:0.59122:0.54926:0.58226:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

```
(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
```

```
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.63021:0.68264:0.63928:0.67335:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
```

```
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)

(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
[SerialInterface] Sending: 11.00000:0.55568:0.57578:0.56425:0.56718:0.10000
```

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at
Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
```



```
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(MachineController, ITiltController, BallData, Single, Single, Nullable`1) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass3_0:<StepBouncing_Down>b__0(BallData, MachineController, Int32) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:100)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData, MachineController) (at Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)

```
Ball r, x, y :279.3655, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs Line: 191)

[SerialInterface] Sending: 11.00000:0.64590:0.66664:0.65473:0.65775:0.10000

```
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.SerialInterface:Send(String) (at Assets\HighPrecisionStepperJuggler\Scripts\SerialInterface.cs:110)
HighPrecisionStepperJuggler.RealMachine:SendInstructions(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\RealMachine.cs:28)
HighPrecisionStepperJuggler.InstructableMachine:Instruct(List`1) (at Assets\HighPrecisionStepperJuggler\Scripts\IInstructableMachine.cs:20)
```

```
HighPrecisionStepperJuggler.MachineController:SendInstructions(List`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\MachineController.cs:200)
HighPrecisionStepperJuggler.BallControlling:MoveToHeightWithXYTiltCorrection(Machin
eController, ITiltController, BallData, Single, Single, Nullable`1) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlling.cs:24)
HighPrecisionStepperJuggler.<>c__DisplayClass2_0:<StepBouncing_Up>b__0(BallData,
MachineController, Int32) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategyFactory.cs:81)
HighPrecisionStepperJuggler.BallControlStrategy:Execute(BallData,
MachineController) (at
Assets\HighPrecisionStepperJuggler\Scripts\BallControlStrategy.cs:29)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:241)

(Filename: Assets/HighPrecisionStepperJuggler/Scripts/SerialInterface.cs Line: 110)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

```
Ball r, x, y :279.3855, -3, 30
UnityEngine.DebugLogHandler:Internal_Log(LogType, LogOption, String, Object)
UnityEngine.DebugLogHandler:LogFormat(LogType, Object, String, Object[])
UnityEngine.Logger:Log(LogType, Object)
UnityEngine.Debug:Log(Object)
HighPrecisionStepperJuggler.ImageProcessingInstructionSender:Update() (at
Assets\HighPrecisionStepperJuggler\Scripts\ImageProcessingInstructionSender.cs:191)
```

```
(Filename:
Assets/HighPrecisionStepperJuggler/Scripts/ImageProcessingInstructionSender.cs
Line: 191)
```

Unloading 251 Unused Serialized files (Serialized files now loaded: 0)

Loaded scene 'Temp/___Backupscenes/0.backup'

Deserialize:	8.022 ms
Integration:	11.000 ms
Integration of assets:	0.002 ms
Thread Wait Time:	10.743 ms
Total Operation Time:	29.767 ms

System memory in use before: 127.7 MB.

System memory in use after: 128.1 MB.

Unloading 249 unused Assets to reduce memory usage. Loaded Objects now: 6369.
Total: 9.327900 ms (FindLiveObjects: 0.672700 ms CreateObjectMapping: 0.247800 ms
MarkObjects: 8.179700 ms DeleteObjects: 0.227000 ms)

Unloading 39 Unused Serialized files (Serialized files now loaded: 0)
System memory in use before: 423.3 MB.
System memory in use after: 423.8 MB.

Unloading 38 unused Assets to reduce memory usage. Loaded Objects now: 6663.
Total: 11.927800 ms (FindLiveObjects: 1.156700 ms CreateObjectMapping: 0.319600 ms
MarkObjects: 10.415700 ms DeleteObjects: 0.034900 ms)