Cyber Threat & Network Analysis with Fileless Malware Forensics

A Python-Based Data Analysis and Machine Learning Approach

Internship Project

Prepared by: Anandi Pareek

Introduction

• Cybersecurity incidents generate large volumes of network and system activity.

• Data analysis can reveal abnormal traffic, suspicious connections and attack patterns.

• Fileless malware often abuses legitimate processes, scripts and system utilities.

• This project combines network analysis, threat analysis, machine learning and forensic concepts in a Python-based workflow.

Problem Statement

• Manual analysis of large network and system datasets is time-consuming.

• Suspicious activity may be hidden among normal traffic.

• Traditional file-based indicators may not be sufficient for fileless attacks.

• A structured Python workflow can help analyze evidence, identify threats, extract indicators and summarize findings.

Project Objectives

• Analyze network traffic and system activity for suspicious behavior.

• Identify potential Indicators of Compromise (IoCs).

• Analyze behavioral indicators associated with fileless malware.

• Train ML models to distinguish normal and potentially malicious activity.

• Evaluate models using accuracy, precision, recall and F1-score.

• Generate timelines and a structured forensic investigation report.

Scope of the Project

• Network traffic data analysis.

• Exploratory data analysis and visualization.

• Threat classification and risk assessment.

• IoC extraction from analyzed records.

• Machine-learning-based anomaly/threat classification.

• Fileless malware indicators analyzed from available logs or structured sample data.

• Automated summary/report generation.

Proposed Methodology

• 1. Data acquisition → 2. Data preprocessing → 3. Exploratory analysis

• 4. Network analysis → 5. Threat analysis and IoC extraction

• 6. ML model training → 7. Model evaluation and XAI

• 8. Timeline reconstruction → 9. Automated forensic report

Dataset Description

• Primary dataset: network intrusion / network traffic dataset.

• Expected fields may include source/destination information, ports, protocols, flow statistics and labels.

• System/process or PowerShell-style log data may be used as a supporting forensic dataset.

• Final analysis will use the actual columns and labels available in the selected dataset.

• Dataset quality checks will include missing values, duplicates, data types and class distribution.

Data Preprocessing

• Load CSV/Excel data using pandas.

• Inspect rows, columns, data types and missing values.

• Remove or handle duplicates and missing records where appropriate.

• Encode categorical variables.

• Select relevant features for analysis and ML.

• Scale numerical features when required by the selected model.

Exploratory Data Analysis

• Measure dataset size and class distribution.

• Compare normal and malicious traffic.

• Analyze attack categories and frequency.

• Study protocols, ports and traffic volumes.

• Use histograms, bar charts, box plots and correlation heatmaps.

• Identify unusual patterns that require further threat analysis.

Network Traffic Analysis

• Analyze source and destination communication patterns.

• Identify unusual ports, protocols and connection frequencies.

• Examine high-volume or abnormal flows.

• Look for patterns consistent with scanning, command-and-control or possible exfiltration.

• Correlate network observations with timestamps and other available evidence.

Threat Analysis

• Classify observed activity as normal, suspicious or potentially malicious.

• Analyze attack categories present in the dataset.

• Assess threat severity using evidence-based rules.

• Identify repeated or abnormal behaviors.

• Summarize potential attack patterns and their impact.

Indicators of Compromise (IoCs)

• Potential IoCs may include suspicious IP addresses, domains, ports and protocols.

• Other indicators can include unusual process names, commands and repeated connections.

• IoCs will be extracted from analyzed evidence and organized into a structured table.

• Each IoC can be associated with an observed event, timestamp and risk level.

Fileless Malware Behavioral Analysis

• Fileless malware may operate through legitimate tools instead of a traditional malicious executable.

• Relevant behavioral indicators include suspicious PowerShell or script execution, unusual process activity and abnormal network communication.

• The project demonstrates analysis of such indicators using structured logs or sample data.

• The project does not claim live malware execution or full memory forensics.

Machine Learning Approach

• Prepare features and labels from the cleaned dataset.

• Split data into training and testing sets.

• Train beginner-friendly models such as Decision Tree and Random Forest.

• Predict normal versus malicious activity or available attack categories.

• Compare models using standard classification metrics.

Model Evaluation

• Accuracy: overall proportion of correct predictions.

• Precision: proportion of predicted positives that are actually positive.

• Recall: proportion of actual positives detected by the model.

• F1-score: balance between precision and recall.

• Confusion matrix: detailed view of correct and incorrect classifications.

• Final metric values will be generated from the actual dataset.

Explainable AI (XAI)

• Use model feature importance to understand which network features influence predictions.

• Rank important features such as ports, flow duration or traffic-volume features when supported by the dataset.

• Present model findings in an investigator-friendly format.

• Explainability helps connect ML predictions with observable evidence.

Timeline & Forensic Analysis

• Sort relevant events by timestamp.

• Identify the sequence of suspicious activity.

• Correlate network events with process or system-log events where available.

• Build an incident timeline showing the progression of observed activity.

• Document evidence sources and analysis steps for traceability.

Automated Forensic Report

• Generate a structured report containing case information and dataset summary.

• Include threat findings, IoCs, timelines and ML results.

• Include charts and model evaluation results.

• Document evidence source, processing steps and limitations.

• The report is designed to support reproducibility and clear communication of findings.

Expected Results

• Identify major attack categories and abnormal network patterns.

• Produce visual summaries of normal versus malicious activity.

• Generate a structured IoC list and threat-risk summary.

• Train ML models capable of classifying relevant network activity.

• Identify important features influencing ML predictions.

• Produce a reproducible analysis and final forensic-style report.

Tools & Technologies

• Python

• Google Colab / Jupyter Notebook

• Pandas and NumPy

• Matplotlib and Seaborn

• Scikit-learn

• SHAP or feature-importance methods where appropriate

• ReportLab for automated PDF reporting

• Excel/CSV cybersecurity datasets

Limitations

• The project is a controlled academic/internship prototype, not a commercial forensic platform.

• Fileless-malware analysis is based on behavioral indicators and available structured evidence.

• No live malware execution is required.

• Full memory acquisition and advanced reverse engineering are outside the initial scope.

• ML performance depends on dataset quality, labels and class balance.

Future Scope

• Real-time network monitoring.

• Integration with SIEM and security-alert systems.

• Advanced memory forensics using dedicated forensic tools.

• Deep-learning and anomaly-detection models.

• Threat-intelligence feeds for automated IoC enrichment.

• Interactive cybersecurity dashboard.

• Automated incident-response recommendations.

Conclusion

• The project combines data analysis, network threat detection, machine learning and forensic concepts.

• Python provides a practical environment for preprocessing, visualization, threat analysis and model training.

• The resulting workflow can help investigators understand suspicious activity and communicate findings clearly.

• The implementation will be validated using the selected real-world cybersecurity dataset.

References

• MITRE ATT&CK; — adversary tactics and techniques.

• NIST Computer Security Incident Handling Guide (SP 800-61).

• NIST Guide to Integrating Forensic Techniques into Incident Response (SP 800-86).

• Scikit-learn documentation.

• Pandas documentation.

• Dataset source and documentation — to be finalized after dataset confirmation.