

T H E

Fatty Liver Protocol

H E A L . R E S T O R E . P R O T E C T .

B Y

Swetha Ashok

WWW.THEGUTGURU.CO.IN

GUTGURU PROTOCOL

Table of Contents

01 Understanding Fatty Liver

02 Diet Interventions & ALT Reduction

03 Liver Healers vs Stressors

04 The Liver Reset Formula

05 Common Fatty Liver Mistakes

06 Myth Busters

CHAPTER 01

Understanding *Fatty Liver*

Non-alcoholic fatty liver disease (NAFLD) is India's most common liver condition — and it is largely diet-reversible.



What Is NAFLD?

Excess fat accumulation in liver cells — not caused by alcohol. Driven by diet, insulin resistance, and sedentary lifestyle.



Fructose: The Hidden Driver

Excess fructose (from sugar, juice, jaggery, processed food) is converted to fat directly in the liver — the fastest route to NAFLD.



Stages of Damage

Grade 1 (simple steatosis) → Grade 2 (inflammation) → Grade 3 (fibrosis) → Cirrhosis. Only grades 1–2 are fully reversible.




Gut-Liver Axis

Leaky gut allows bacterial endotoxins directly into the portal circulation — triggering liver inflammation and accelerating NAFLD progression.

CHAPTER 02

Liver Healing by *Diet Change*



Eliminating fructose (fruit juice, sugar, processed food) produces the fastest measurable reduction in liver fat
— often visible on ultrasound within 8 weeks.



KEY TAKEAWAY

Replace all fruit juice with whole fruit. The fibre in whole fruit slows fructose absorption dramatically — the same calories cause far less liver fat accumulation.

CHAPTER 03

Liver Healers vs Liver Stressors

Every meal is either reducing liver fat or adding to it. Consistent daily choices matter more than occasional cleanses.

HEAL

Liver Healing Foods

These reduce liver fat, lower ALT/AST, and support cellular regeneration.

Cruciferous veg

Garlic

Turmeric + black pepper

Walnuts

Amla

Green tea

Coffee (black)

Leafy greens

Oats

Flaxseed

STRESS

Liver Stressors

These force the liver to work overtime — accelerating fat accumulation and inflammation.

Fruit juice

White sugar

Maida products

Fried foods

Ultra-processed snacks

Alcohol

Sweetened drinks


Excess red meat

Black coffee (2–3 cups/day) is one of the most studied protective compounds for the liver — reducing NAFLD progression risk by up to 40% in clinical cohorts.

CHAPTER 04

The Liver Reset Formula

THE GUTGURU LIVER HEALING METHOD

**Antioxidant Vegetables**

Broccoli, amla, palak, beetroot, garlic

+

**Lean Protein**

Moong dal, egg whites, fish, tofu, chana

+

**Healthy Fats**

Walnuts, flaxseed, olive oil, ghee (small)

+

**Prebiotic Fibre**

Oats, apple, rajma, psyllium husk

EXAMPLE MEAL

Steamed broccoli + moong dal + brown rice + walnut raita**Zero fructose + 25–35g fibre daily**

THE TWO NON-NEGOTIABLES

CHAPTER 05

Common *Fatty Liver* Mistakes

**Drinking "healthy" fruit juice daily**

100% fruit juice delivers a concentrated fructose hit with no fibre — and fructose goes directly to the liver for fat conversion.

**Thinking fatty liver only affects overweight people**

NAFLD is driven by dietary fructose and refined carbohydrates — thin people who eat poorly can have grade 2 fatty liver.

**Using liver "detox" supplements without fixing diet**

No supplement reverses fatty liver. Only sustained dietary change and physical activity produce measurable regression on ultrasound.

**Eating fried food occasionally and calling it fine**

The liver needs consistent rest from pro-inflammatory fats to regenerate. "Occasional" fried food stalls healing month after month.

**Avoiding all fat to protect the liver**

Healthy fats (ghee, olive oil, walnuts, flaxseed) are anti-inflammatory and support liver cell membrane health. Avoiding them is counterproductive.

CHAPTER 06

Quick Myth Busters

MYTH Fatty liver only affects heavy drinkers.

TRUTH **Non-alcoholic fatty liver (NAFLD) is India's most prevalent liver disease** — driven by excess dietary sugar, refined carbs, and sedentary lifestyle, not alcohol.

MYTH Once you have fatty liver, it's permanent.

TRUTH **Grade 1 and Grade 2 fatty liver fully reverse with 6–12 months of consistent dietary change and exercise.** Ultrasound-confirmed reversal is well documented.

MYTH Liver cleanses and detox teas heal fatty liver.

TRUTH **No tea, supplement, or cleanse reverses liver fat.** The only proven interventions are caloric reduction, fructose elimination, and physical activity.

TAKE THIS HOME

Your 3 Quick Wins

Three specific actions you can start this week — no equipment, no cost, measurable results.

1

Replace All Fruit Juice With Whole Fruit

Remove all fruit juice from your home — including "100% natural" juices. The fructose in juice goes directly to the liver for fat conversion with no fibre to slow it. Switch to whole fruit, which has the same nutrients with fibre intact.

STARTING TODAY — PERMANENTLY

2

Add Turmeric + Black Pepper to One Daily Meal

Add **½ tsp turmeric + a pinch of black pepper** to your dal, sabzi, or morning milk. The piperine in black pepper increases curcumin absorption by 2000%. This is the cheapest anti-inflammatory intervention for liver healing.

AT LUNCH OR DINNER, EVERY DAY

3

Get Your ALT and AST Blood Test This Week

Ask your doctor for an ALT/AST liver enzyme test to establish your baseline. Retest in 8 weeks after dietary changes. Seeing the number fall is the most motivating proof that your liver is healing — without it, you are flying blind.

WITHIN 7 DAYS

MORE AT www.thegutguru.co.in →



READY TO PERSONALIZE?

Book a 1-on-1 Consultation

Get a clinical nutrition plan tailored to your fatty liver / NAFLD,
body, and lifestyle.

 www.thegutguru.co.in



+91 9769921409



gutguru.swetha@gmail.com