logo Image not found or type unknown

Vijaya Diagnostic Centre Limited

Branding Checklist

Centre Name	A S Rao Nagar - 18
Location	Hyderabad
Date of Visit	2026-02-26
Visit Time	12:45:28
Audited By	Anand Basavraj Nidgundi (5000085)
Contact	9240222222

Checklist Items

Branding External Elements

Item	Value
Main Signage	Bad Conditions
Secondary Signage	Good Condition
Glass façade	Good Condition
Entry Door	Good Condition

Branding Internal Elements

In- House

Item	Value
Please mind your steps	Good Condition
Important notice	Good Condition
Belongings Notice	Good Condition
Leave your footwear	Good Condition
Order of draw	Good Condition
Good washroom practice	Good Condition
X best practices	Good Condition
Eye wash bottle	Good Condition
Push & Pull	Good Condition
Save Water	Good Condition
Save Electricity	Good Condition
Yellow Antiskid	Good Condition
Room Numbers	Good Condition
Sliding door (Left & Right)	Good Condition
Reception logos	Good Condition
Address Board	Good Condition

NABH / NABL

Item	Value
Assembly Point	Good Condition

Item	Value
Danger Board -440kv	Good Condition
Restricted Entry	Good Condition
Floor directory	Good Condition
Timing Board	Good Condition
Tariff Board	Good Condition
Quality policy	Good Condition
Escalation Matrix	Good Condition
Patient Rights	Good Condition
Phone silent/no smoking	Good Condition
Keep your sample	Good Condition
ECG nodes	Good Condition
Hand Rub	Good Condition
Hand Wash	Good Condition
BMW Chart	Good Condition
BMW waste Point	Good Condition
PCPNDT Boards	Good Condition
X ray safety	Good Condition
X ray Caution	Good Condition
MRI Safety	Good Condition
MRI Danger	Good Condition
Basic Life support	Good Condition
MRI Zones	Good Condition
Fire Exit Left	Good Condition
Fire Exit Right	Good Condition
Fire Extinguisher	Good Condition
Race Pass	Good Condition
CCTV	Good Condition
Fire Evacuation Near Lift	Good Condition
Emergency code	Bad Conditions

Photos