# Vijaya Diagnostic Centre Limited

## Branding Checklist

| | |
|---|---|
| **Centre Name** | A S Rao Nagar - 18 |
| **Location** | Hyderabad |
| **Date of Visit** | 2026-02-26 |
| **Visit Time** | 12:45:28 |
| **Audited By** | Anand Basavraj Nidgundi (5000085) |
| **Contact** | 9240222222 |

### Checklist Items

#### Branding External Elements

| Item | Value |
|---|---|
| Main Signage | Bad Conditions |
| Secondary Signage | Good Condition |
| Glass façade | Good Condition |
| Entry Door | Good Condition |

#### Branding Internal Elements

In- House

| Item | Value |
|---|---|
| Please mind your steps | Good Condition |
| Important notice | Good Condition |
| Belongings Notice | Good Condition |
| Leave your footwear | Good Condition |
| Order of draw | Good Condition |
| Good washroom practice | Good Condition |
| X best practices | Good Condition |
| Eye wash bottle | Good Condition |
| Push & Pull | Good Condition |
| Save Water | Good Condition |
| Save Electricity | Good Condition |
| Yellow Antiskid | Good Condition |
| Room Numbers | Good Condition |
| Sliding door (Left & Right) | Good Condition |
| Reception logos | Good Condition |
| Address Board | Good Condition |

NABH / NABL

| Item | Value |
|---|---|
| Assembly Point | Good Condition |
| Danger Board -440kv | Good Condition |

| Item | Value |
|---|---|
| Restricted Entry | Good Condition |
| Floor directory | Good Condition |
| Timing Board | Good Condition |
| Tariff Board | Good Condition |
| Quality policy | Good Condition |
| Escalation Matrix | Good Condition |
| Patient Rights | Good Condition |
| Phone silent/no smoking | Good Condition |
| Keep your sample | Good Condition |
| ECG nodes | Good Condition |
| Hand Rub | Good Condition |
| Hand Wash | Good Condition |
| BMW Chart | Good Condition |
| BMW waste Point | Good Condition |
| PCPNDT Boards | Good Condition |
| X ray safety | Good Condition |
| X ray Caution | Good Condition |
| MRI Safety | Good Condition |
| MRI Danger | Good Condition |
| Basic Life support | Good Condition |
| MRI Zones | Good Condition |
| Fire Exit Left | Good Condition |
| Fire Exit Right | Good Condition |
| Fire Extinguisher | Good Condition |
| Race Pass | Good Condition |
| CCTV | Good Condition |
| Fire Evacuation Near Lift | Good Condition |
| Emergency code | Bad Conditions |

**Photos**