

Digital Twin of Devices & Its Applications

Premanand S

Assistant Professor
School of Electronics Engineering
Vellore Institute of Technology
Chennai Campus

premanand.s@vit.ac.in

November 11, 2025

The Mirror Protocol

Scene Setup

- Digital Twin
- Blockchain
- Cryptocurrency

The Mirror Protocol

Scene Setup

- Digital Twin
- Blockchain
- Cryptocurrency

Curiosity Spark

- What if every human, factory, or aircraft had its own secure digital counterpart?

The Mirror Protocol

Scene Setup

- Digital Twin
- Blockchain
- Cryptocurrency

Curiosity Spark

- What if every human, factory, or aircraft had its own secure digital counterpart?
- How do blockchain and cryptocurrencies become the foundation of digital trust?

The Mirror Protocol

Scene Setup

- Digital Twin
- Blockchain
- Cryptocurrency

Curiosity Spark

- What if every human, factory, or aircraft had its own secure digital counterpart?
- How do blockchain and cryptocurrencies become the foundation of digital trust?

"A classified mission where identity, security, and trust go fully digital."

The Real Story: Born from Space Exploration

Background – NASA's "Pairing Technology"

- Before IoT or AI existed, NASA engineers developed the idea of creating a duplicate system of a spacecraft on Earth.
- This was called **"Pairing Technology"** — a real spacecraft in space was paired with its exact copy on the ground.
- Every sensor value — temperature, voltage, pressure — was mirrored continuously through telemetry.

The Real Story: Born from Space Exploration

Background – NASA's “Pairing Technology”

- Before IoT or AI existed, NASA engineers developed the idea of creating a duplicate system of a spacecraft on Earth.
- This was called **“Pairing Technology”** — a real spacecraft in space was paired with its exact copy on the ground.
- Every sensor value — temperature, voltage, pressure — was mirrored continuously through telemetry.

Apollo 13 – The First Real Digital Twin

- In 1970, the Apollo 13 mission - life-threatening oxygen tank explosion.
- Mission Control in Houston used the Earth-based twin to simulate failures and test safe recovery sequences.
- Every step was validated on the twin before transmitting commands to the astronauts.

From Apollo to AI: The Evolution of Digital Twins

The Transition Through Time

- **1970s – NASA Era:** “Pairing technology” used to monitor spacecraft health.
- **2002 – Concept Formalized:** Dr. Michael Grieves at the University of Michigan coined the term “Digital Twin.”
- **2010s – Industry 4.0 Revolution:** Integration of IoT, cloud computing, and AI made Digital Twins scalable.

From Apollo to AI: The Evolution of Digital Twins

The Transition Through Time

- **1970s – NASA Era:** “Pairing technology” used to monitor spacecraft health.
- **2002 – Concept Formalized:** Dr. Michael Grieves at the University of Michigan coined the term “Digital Twin.”
- **2010s – Industry 4.0 Revolution:** Integration of IoT, cloud computing, and AI made Digital Twins scalable.

Today's Reality

- **Azure Digital Twins** – Smart buildings, cities, and energy systems.
- **Siemens MindSphere** – Industrial IoT and factory monitoring.
- **Ansys Twin Builder** – Simulation-driven engineering twins.

From Apollo to AI: The Evolution of Digital Twins

The Transition Through Time

- **1970s – NASA Era:** “Pairing technology” used to monitor spacecraft health.
- **2002 – Concept Formalized:** Dr. Michael Grieves at the University of Michigan coined the term “Digital Twin.”
- **2010s – Industry 4.0 Revolution:** Integration of IoT, cloud computing, and AI made Digital Twins scalable.

Today's Reality

- **Azure Digital Twins** – Smart buildings, cities, and energy systems.
- **Siemens MindSphere** – Industrial IoT and factory monitoring.
- **Ansys Twin Builder** – Simulation-driven engineering twins.

“From saving astronauts to powering industries — the Digital Twin

Have You Seen Your Own Digital Twin?

- How many of you wear a smartwatch or fitness band?
- **Insight:** Heart rate, steps, sleep patterns to an app.
- The app shows a **virtual version of your health** — a personal digital twin.




Image: Smartwatch → Health dashboard

Smart Factory / Smart City



- Concept for an entire factory, city, or aircraft.
- **Key idea:** Each sensor and machine has a *virtual counterpart* updated in real-time.
- **Outcomes:** Predict failures, optimize energy, simulate future events.

Connecting the Dots: IoT → Edge → AI → Digital Twin



- **Summary:** IoT connects the physical world, Edge processes near source, AI analyzes, Cloud hosts & synchronizes the twin.

Why Digital Twins Matter

- Engineers traditionally simulate before building — digital twins extend simulation *into* the operational lifetime.
- Continuous monitoring: the twin updates as the bridge/plane/factory experiences stress, heat, or wear.
- Benefits include: predictive maintenance, energy optimization, remote diagnostics, and safer design iterations.



Illustration: Physical structure vs. live twin

“So a smartwatch can have a twin — but how does a factory or city get one? Let’s decode the science behind Digital Twins.”

What is a Digital Twin?

Definition

A Digital Twin is a *virtual replica of a physical object, process, or system*, continuously updated through real-time data.

What is a Digital Twin?

Definition

A Digital Twin is a *virtual replica of a physical object, process, or system*, continuously updated through real-time data.

- It mirrors the state, behavior, and performance of its physical counterpart.
- Data from IoT sensors, edge devices, and cloud platforms keep it synchronized.
- Enables analysis, prediction, and optimization in real time.

Analogy: Understanding the Concept

Everyday Example:

- **Heartbeat Monitor** $\Rightarrow$ Digital health twin of your body.
- **Smartwatch** $\Rightarrow$ Tracks real-world metrics for digital insights.

Industrial Example:

- **Wind Turbine** $\Rightarrow$ Digital copy simulates stress and predicts failure.
- **Aircraft Engine** $\Rightarrow$ Real-time simulation for performance optimization.


Types of Digital Twins

- ① **Component Twin** – Represents a small part such as a motor or valve.
- ② **System Twin** – Represents an entire product or subsystem like a robot or vehicle.
- ③ **Process Twin** – Models and optimizes an entire workflow or assembly line.

Types of Digital Twins

- 1 **Component Twin** – Represents a small part such as a motor or valve.
- 2 **System Twin** – Represents an entire product or subsystem like a robot or vehicle.
- 3 **Process Twin** – Models and optimizes an entire workflow or assembly line.

Example Visualization



(Concept: from component to system to process)

What IF?

Question

Think about this: If our **college laboratory** had a digital twin — what parameters could we monitor or predict?

What IF?

Question

Think about this: If our **college laboratory** had a digital twin — what parameters could we monitor or predict?

- Equipment health (usage hours, maintenance cycle)
- Energy consumption and optimization
- Environmental conditions (temperature, humidity)
- Predictive maintenance for lab instruments

What IF?

Question

Think about this: If our **college laboratory** had a digital twin — what parameters could we monitor or predict?

- Equipment health (usage hours, maintenance cycle)
- Energy consumption and optimization
- Environmental conditions (temperature, humidity)
- Predictive maintenance for lab instruments

Question: *"Can a digital twin help improve learning outcomes or lab safety?"*

Movie : Digital Twin Mapping

- *Enthiran (Baby Delivery Scene)* → Digital Twin for **cyber-physical healthcare and robotic surgery**
- *Tony Stark Jarvis Virtual Crime Scene Reconstruction Scene* → Digital Twin for **forensics, real-time simulation, and incident analysis**
- *Mission: Impossible – Rogue Nation* → Digital Twin for **secure system / environment simulation**
- *Mission: Impossible – Dead Reckoning Part 1 (Airport Scene)* → Digital Twin for **smart infrastructure and cyber-physical security**

- A Digital Twin is a live, **data-driven virtual counterpart** of a physical entity or system — used for simulation, prediction and control.
- These movie examples help to visualize how physical + virtual + data + control interplay in different domains.
- Questions to think:
 - What sensors/data streams would each system require?
 - What simulation or decision-making capability is demonstrated?
 - What happens if the data stream is compromised (as in the airport scene)?

Objective

Understand the complete technology stack of a Digital Twin — from physical sensors to the virtual visualization layer.

Key Layers:

- Physical Layer
- Communication Layer
- Edge Layer
- Cloud Layer
- Analytics Layer
- Visualization Layer

Definition:

- The Physical Layer represents the **real-world assets, sensors, and actuators** that generate or respond to data.
- It forms the **foundation** of the Digital Twin system.

Components:

- **Physical Assets:** Machines, vehicles, medical devices.
- **Sensors:** Measure temperature, vibration, speed, or health signals.
- **Actuators:** Perform physical actions like turning motors or valves.
- **Controllers:** Arduino, Raspberry Pi, PLCs manage device interaction.

Digital Twin Architecture: Communication Layer (Part 1)

Definition:

- The Communication Layer connects physical devices to processing systems (Edge and Cloud).
- It enables **real-time, reliable, and secure** data exchange between sensors and analytics.

Key Functions:

- **Data Transfer:** Sends sensor readings to processing systems.
- **Protocol Conversion:** Ensures devices “speak the same language.”
- **Connectivity Management:** Maintains stable communication links.
- **Security:** Protects data in motion using encryption and authentication.

Common Communication Protocols:

- **MQTT:** Lightweight publish/subscribe protocol for IoT messaging.
- **HTTP/HTTPS:** Web communication for APIs and dashboards.
- **OPC-UA:** Industrial automation and control protocol.
- **CoAP:** Used for resource-constrained IoT devices.
- **LoRa, Zigbee, 5G:** Wireless technologies for smart environments.

Data Flow Example:

- 1 Sensor measures a parameter (e.g., vibration).
- 2 Data sent via MQTT to Edge device.
- 3 Processed and forwarded securely to Cloud via HTTPS.
- 4 Visualized on dashboard and triggers actuator response.

Digital Twin Architecture: Edge Layer (Concept & Role)

Definition:

- The **Edge Layer** processes, filters, and analyzes data **close to where it is generated**.
- It acts as a **local brain** that enables real-time decision-making without relying entirely on the cloud.

Purpose of the Edge Layer:

- **Local Processing:** Analyzes data at the device or gateway level.
- **Data Filtering:** Removes redundant or noisy data before cloud upload.
- **Event Detection:** Detects anomalies and responds immediately.
- **Security & Privacy:** Keeps sensitive data within the local network.
- **Offline Operation:** Ensures functionality during internet loss.

Edge Layer: Why It Matters & How It Works

Why We Need Edge Computing:

- Traditional IoT sends every sensor reading to the cloud — causing **latency, bandwidth load, and higher cost.**
- Edge computing processes data locally, sending only relevant insights to the cloud.
- This reduces delay, improves privacy, and enables **real-time responsiveness.**

Edge Workflow:

- 1 Sensor collects raw data.
- 2 Edge device (e.g., Raspberry Pi) filters and analyzes it.
- 3 Only summarized or abnormal data is sent to the cloud.
- 4 Cloud performs deeper analysis and visualization.

Edge Devices, Examples, and Real-World Applications

Common Edge Devices:

- **Raspberry Pi:** Mini computer for local IoT data processing and control.
- **NVIDIA Jetson:** Edge AI accelerator for image, video, or sensor analytics.
- **Intel NUC / Edge Gateway:** Industrial-grade device for multi-sensor integration.
- **Arduino + Gateway:** Microcontroller for simple automation and actuation.

Example – Smart Factory:

- Vibration sensor → Edge AI model detects anomaly.
- Local alert triggers actuator to slow motor instantly.
- Only summary data is uploaded to cloud for long-term analytics.

Applications of Edge Layer:

- **Manufacturing:** Real-time quality and predictive maintenance.
- **Healthcare:** ECG/EEG monitoring with instant alerts

Digital Twin Architecture: Cloud Layer (Concept & Purpose)

Definition:

- The **Cloud Layer** acts as the **central intelligence and memory hub** of a Digital Twin system.
- It stores, manages, and processes massive volumes of data collected from sensors and edge devices.

Purpose of the Cloud Layer:

- **Data Storage:** Retains real-time and historical data for analysis.
- **Advanced Analytics:** Runs machine learning and AI algorithms for prediction and optimization.
- **Model Synchronization:** Keeps the digital twin continuously updated with physical changes.
- **Scalability:** Supports millions of connected devices with elastic resources.
- **Collaboration:** Enables multi-user access, dashboards, and simulation sharing.

Cloud Layer: Workflow and Key Components

Typical Workflow:

- 1 Edge device sends processed or filtered data to the cloud.
- 2 Cloud services store and index incoming data streams.
- 3 AI/ML models analyze trends, predict faults, or simulate performance.
- 4 Digital Twin visualization updates with new insights.
- 5 Control commands are sent back to actuators if required.

Core Components:

- **Data Ingestion Services:** AWS IoT Core, Azure IoT Hub, Google IoT Core.
- **Data Storage:** Cloud databases (AWS S3, Firebase, Azure Blob).
- **Computation & Analytics:** AWS Lambda, Azure Machine Learning, Google BigQuery.
- **Digital Twin Services:** Azure Digital Twin, Siemens Mindsphere, Ansys Twin Builder.

Cloud Layer: Real-World Applications & Examples

1. Smart Manufacturing:

- Cloud twins monitor machine performance across multiple plants.
- Predictive maintenance models reduce unplanned downtime.

2. Smart Cities:

- Real-time city twin visualizes traffic, pollution, and power usage.
- Cloud analytics suggest adaptive signal control and energy distribution.

3. Healthcare:

- Patient Digital Twins use cloud AI to forecast disease progression.
- Secure cloud storage enables global medical collaboration.

4. Automotive:

- Tesla cloud twins collect live telemetry from vehicles.
- Insights are used to improve design and safety updates over-the-air.

Key Benefit: The Cloud Layer transforms raw data into **knowledge, prediction, and intelligence** — the true “thinking” center of a Digital Twin.

Digital Twin Architecture: Analytics Layer (Concept)

Definition:

- The **Analytics Layer** transforms raw or processed data into actionable insights using **AI, Machine Learning (ML), and simulation models**.
- It represents the **intelligence core** of the Digital Twin — where the system learns, predicts, and optimizes itself.

Purpose of the Analytics Layer:

- Convert sensor and cloud data into meaningful patterns.
- Predict future behavior or potential failures.
- Optimize performance using simulation or reinforcement learning.

Types of Analytics in Digital Twins

1. Descriptive Analytics:

- Explains *"What happened?"*
- Example: Dashboard showing motor vibration levels or machine uptime.

2. Diagnostic Analytics:

- Explains *"Why did it happen?"*
- Example: Correlation analysis reveals that overheating causes sensor drift.

3. Predictive Analytics:

- Forecasts *"What might happen next?"*
- Example: ML model predicts motor failure before it occurs.

4. Prescriptive Analytics:

- Suggests *"What should we do about it?"*
- Example: System recommends adjusting speed or temperature automatically.

Flow: Descriptive → Diagnostic → Predictive → Prescriptive

Techniques Used in the Analytics Layer:

- **Statistical Models:** Regression, clustering, anomaly detection.
- **Machine Learning:** CNN, RNN, Transformers for pattern recognition.
- **Simulation & Optimization:** Finite element analysis (FEA), physics-based simulations.
- **Reinforcement Learning:** For adaptive control and self-learning twins.

Tools & Platforms:

- MATLAB Simulink, Ansys Twin Builder, Siemens MindSphere, Azure Machine Learning, TensorFlow, PyTorch.

Analytics Layer: Real-World Examples & Use Cases

1. Manufacturing:

- Predictive analytics for motor health and maintenance scheduling.
- Process optimization through simulation-based digital twins.

2. Healthcare:

- AI models predict heart arrhythmias from ECG twins.
- Personalized treatment twins using patient-specific simulations.

3. Energy Sector:

- Wind turbine twins optimize blade angles and reduce energy loss.

4. Smart Cities:

- Traffic flow prediction and adaptive signal control using ML.

Key Takeaway: Analytics convert raw data into **knowledge and foresight**, making Digital Twins not just mirrors — but intelligent, learning systems.

Digital Twin Architecture: Visualization Layer (Concept)

Definition:

- The **Visualization Layer** is the interface where the digital twin comes alive for humans.
- It provides interactive, visual representations of data, models, and simulations in real-time.

Purpose:

- Present system behavior visually using dashboards, 3D models, or virtual environments.
- Allow engineers and decision-makers to monitor, analyze, and control physical assets.
- Enhance understanding and collaboration through **human–digital interaction**.

Visualization Techniques and Tools

Common Visualization Techniques:

- **2D Dashboards:** Display key metrics (temperature, vibration, status).
- **3D Simulation Models:** Represent geometry and motion in real-time.
- **Augmented Reality (AR):** Overlay digital twin data onto real objects using mobile or AR glasses.
- **Virtual Reality (VR):** Immersive virtual environments for remote operations.

Popular Tools and Platforms:

- **Grafana, Power BI, ThingSpeak** – for IoT dashboards.
- **Unity, Unreal Engine** – for 3D digital twin environments.
- **MATLAB Simulink, Ansys Twin Builder, Siemens NX, Azure Digital Twins** – for simulation visualization.

Real-World Visualization Applications

1. Smart Manufacturing:

- Factory dashboards visualize machine status and performance KPIs.
- AR glasses assist technicians with real-time equipment data overlays.

2. Smart Cities:

- 3D city twin displays live traffic, pollution, and energy consumption maps.
- Example: **Singapore's Smart Nation digital twin project.**

3. Aerospace & Defense:

- NASA's digital twin of spacecraft visualizes telemetry and mission status in real-time.

4. Healthcare:

- Digital twin of human heart or organ visualized in 3D for surgery planning or training.

Human–Digital Interaction:

- Dashboards and control panels allow real-time monitoring.
- Immersive AR/VR environments enable hands-free control and maintenance.
- Mixed Reality (MR) merges digital and physical spaces for interactive decision-making.

Emerging Trends:

- Integration with the **Metaverse** for collaborative digital operations.
- AI-driven visualization that automatically highlights anomalies.
- **Holographic twins** for design and simulation in real space.

Hardware & Devices:

- IoT Sensors (Temperature, Vibration, Motion)
- Edge Devices (Raspberry Pi, NVIDIA Jetson)

Software & Platforms:

- Cloud IoT Platforms (AWS, Azure, GCP)
- Visualization Tools (Grafana, Power BI)
- Simulation Software (ANSYS, Simulink)

Applications

- **Predictive Maintenance:** Detect machine failure before it happens.
- **Energy Optimization:** Adjust power usage dynamically.
- **Quality Monitoring:** Detect product anomalies in real-time.
- **Remote Operations:** Monitor and control from anywhere.

Example:

- Siemens factory uses digital twins to reduce downtime by 20%.

Applications

- **Traffic Simulation:** Optimize signal timings, reduce congestion.
- **Utility Twins:** Monitor power grids and water systems.
- **Environmental Twins:** Track pollution and waste management.

Example:

- *Virtual Singapore* — a full 3D digital twin city for urban planning.

Question to Think: What if your campus had a city-scale digital twin — what would you monitor first?

Applications

- **Digital Heart Twin:** Simulate cardiac stress before surgery.
- **Patient Twins:** Personalize treatment based on real-time data.
- **Medical Equipment Twins:** Predict MRI or ventilator maintenance needs.

Example:

- Siemens Healthineers builds patient-specific heart twins for doctors.

Application: Aerospace & Automotive

Aerospace

- **NASA:** Digital twins used for spacecraft diagnostics.
- **Aircraft Twins:** Simulate wear and maintenance schedules.

Automotive

- **Tesla:** Each vehicle continuously updates its cloud twin.
- **Predictive Maintenance:** Monitor battery and motor health.
- **Driving Simulation:** Improve autopilot and safety features.

Think: How can edge computing (Raspberry Pi, Jetson) enhance real-time decision-making in these systems?

Why Security Matters in Digital Twins

Challenge:

- Digital Twins continuously exchange data between the physical and virtual worlds.
- This exposes them to potential threats such as:
 - Data leaks and privacy violations.
 - Unauthorized device access.
 - Fake or tampered twin creation.
 - Cloud or edge node compromise.

Importance:

- Trust and reliability of the twin depend on secure data and device integrity.
- A compromised twin can lead to incorrect predictions or unsafe control actions.

Threats and Risks in Digital Twin Ecosystem

Major Risks:

- **Data Leakage:** Sensitive industrial or medical data exposed.
- **Device Impersonation:** Fake sensors or twins sending false data.
- **Man-in-the-Middle Attacks:** Interception of IoT data during transmission.
- **Cloud Breaches:** Unsecured APIs or weak authentication.
- **Edge Exploits:** Malware targeting local devices or gateways.

Illustrative Example:

- If an attacker manipulates the twin of a factory turbine to show “normal status” while it’s overheating, it can lead to catastrophic failure.

Security Solutions Across Layers

1. Edge Security:

- **Trusted Platform Modules (TPM):** Hardware-based key storage and secure boot.
- **Secure Bootloaders:** Ensure only verified firmware runs.
- **Local Encryption:** Protects data before sending to the cloud.

2. Communication Security:

- End-to-end encryption (TLS/SSL, MQTTs).
- Token-based authentication (OAuth, JWT).

3. Cloud Security:

- Access control, multi-factor authentication, API security.
- Continuous monitoring and intrusion detection.

4. Data Integrity via Blockchain:

- Each data exchange or model update is recorded as a blockchain transaction.
- Prevents tampering and provides verifiable audit trails.

Zero Trust Architecture:

- Principle: “Never trust, always verify.”
- Every device, user, and data flow is authenticated and authorized — even within internal networks.
- Implemented via **Software Defined Perimeter (SDP)**.

Cryptography in Digital Twins:

- Ensures **confidentiality, integrity, and authenticity**.
- Uses public/private key encryption (RSA, ECC), symmetric encryption (AES), and digital signatures.

Blockchain and IoT Security:

- Decentralized trust model for IoT ecosystems.
- Each twin transaction or sensor reading is verified through consensus.
- Example: Blockchain logs for a fleet of autonomous drones.

- **Motivation:**

- IoT devices exchange sensitive, real-time data — requiring trust and security.
- Centralized cloud systems create single points of failure.
- Blockchain offers decentralized, tamper-proof, and verifiable records.

- **Why it fits:**

- Ideal for Digital Twins and IoT where data integrity, ownership, and automation are vital.

How Blockchain Fits in IoT

Aspect	Without Blockchain	With Blockchain
Data Storage	Centralized cloud	Distributed ledger
Security	Vulnerable to tampering	Immutable transaction records
Trust	Requires central authority	Peer-to-peer validation
Transactions	Manual verification	Smart contracts automate

- Ensures traceability and transparency across IoT devices.
- Eliminates dependence on central servers.

Use Cases and Crypto Integration

Key Use Cases

- **Device Authentication:** Unique blockchain ID for each IoT device.
- **Data Integrity:** Sensor data stored as verified transactions.
- **Smart Contracts:** Automatic actions — e.g., maintenance trigger.
- **Digital Twin Ownership:** NFTs/tokens represent digital assets securely.

Cryptocurrency Connection

- IoT devices perform **microtransactions** autonomously.
- Example: EV paying charging station in tokens.
- Supply chain sensors verify payments via smart contracts.

Challenges and Future Directions

Challenges

- High energy use (Proof-of-Work).
- Scalability issues for large IoT networks.
- Latency in blockchain transaction validation.

Future Trends

- **Edge + Blockchain:** Local nodes for faster consensus.
- **Hybrid Models:** Private chain for speed, public chain for transparency.
- **AI + Blockchain:** Intelligent and secure automation for Digital Twins.

Next-Gen Digital Twins:

- AI-driven twins can **learn from data** and **auto-correct** system behavior.
- Generative AI can simulate **“what-if” scenarios** faster and more accurately.
- Enables **predictive maintenance** and **autonomous optimization**.

Example: A self-learning wind turbine twin adjusts blade angle automatically to minimize energy loss.

Takeaway: AI transforms digital twins from observers to decision-makers.

Immersive Digital Twins:

- AR/VR interfaces create **interactive control rooms**.
- Engineers can “walk through” factory twins or hospital twins in the metaverse.
- Enables real-time monitoring and simulation from anywhere.

Example: A city planner using VR to visualize smart city traffic flow before physical deployment.

Keyword: *Immersive Twins = Better Human–Machine Collaboration.*

Sustainability Monitoring:

- Digital twins track **energy efficiency** and **carbon footprint**.
- Optimize resource consumption in real time.

Federated Twins:

- Interconnected twins across multiple **factories, hospitals, or cities**.
- Enable collaborative optimization — one twin learns from another.
- Foundation for **global-scale smart systems**.

Takeaway: The future of digital twins lies in being **intelligent, interconnected, and sustainable**.

Thank You!

Let's Connect and Collaborate

er.anandprem@gmail.com

+91-7358679961

github.com/anandprems

linkedin.com/in/premsanand

ByteClassroom-YT

Medium

Google Scholar

Analytics Vidhya

"Turning ideas into research and research into impact."