
Table of Contents

.....	1
Loading MRI slices	1
Thresholding and Segmentation	1
Slices 1-9	1
Slices 10-13	1
Slices 14-21	2
Slices 22-44	2
Slices 44-55	2
3D Isosurface rendering	2

```
% Better 3D Imaging for the segemnted part of the brain
% We have approached in a different way of segmentation in this case
% As this method does not hold good for segmenting both brain and tumor
% tissue in all the slices, we have not used this in the main project code
clc
clear all
close all
```

Loading MRI slices

```
FileFolder=fullfile(pwd, 'Project');
files=dir(fullfile(FileFolder, '*.dcm'));
fileNames={files.name};
mri=zeros(256,256,length(files));
for i=1: length(files)
    mri(:,:,i)=dicomread(fileNames{i});
end
```

Thresholding and Segmentation

Slices 1-9

```
for i=1:9
    img =mri(:,:,i);
    img=img.*(img>150);
    x=117;y=170;
    seedmask=seed(x,y,img,50,50);
    seg_img(:,:,i)=img.*(seedmask>1);
end
```

Slices 10-13

```
for i=10:13
    img =mri(:,:,i);
    img=img.*(img>150);
    x=117;y=170;
```

```
seedmask1=seed(x,y,img,50,50);
seedmask2=seed(145,187,img,50,50);
seedmask=seedmask1+seedmask2;
seg_img(:,:,i)=img.*(seedmask>1);
end
```

Slices 14-21

```
for i=14:21
img =mri(:,:,i);
img=img.*(img>150);
seedmask1=seed(117,170,img,50,50);
seedmask2=seed(145,187,img,50,50);
seedmask3=seed(155,133,img,50,50);
seedmask=(seedmask1+seedmask2+seedmask3)/3;
seg_img(:,:,i)=img.*(seedmask>1);
end
```

Slices 22-44

```
for i=22:44
img =mri(:,:,i);
img=img.*(img>150);
seedmask1=seed(135,98,img,50,50);
seedmask2=seed(108,122,img,50,50);
seedmask3=seed(150,133,img,50,50);
seedmask=(seedmask1+seedmask2+seedmask3)/3;
seg_img(:,:,i)=img.*(seedmask>1);
end
```

Slices 44-55

```
for i=44:55
img =mri(:,:,i);
img=img.*(img>100);
seedmask1=seed(125,159,img,100,120);
seedmask2=seed(136,157,img,100,100);
seedmask=seedmask1+seedmask2;
seg_img(:,:,i)=img.*(seedmask>1);
end
```

3D Isosurface rendering


```
figure
colormap(gray)
Ds = smooth3(seg_img(:,:,1:48));
hiso = patch(isosurface(Ds,5),'FaceColor',[0.5 0.5 0.5],'EdgeColor','none');
isonormals(Ds,hiso)
hcap = patch(isocaps(Ds,10),'FaceColor','interp','EdgeColor','none');
view(35,30)
axis tight
```

```
daspect([1,1,.4])
lightangle(45,30);
lighting gouraud
hcap.AmbientStrength = 0.6;
hiso.SpecularColorReflectance = 0.4;
hiso.SpecularExponent = 50;
```

Warning: Struct field assignment overwrites a value with class "double". S

*MATLAB R14SP2 Release Notes, Assigning Nonstructure Variables As Structure
Displays Warning, for details.*

*Warning: Struct field assignment overwrites a value with class "double". S
MATLAB R14SP2 Release Notes, Assigning Nonstructure Variables As Structure
Displays Warning, for details.*



Published with MATLAB® R2014a