Tier 4 | Operate a bounded application

LARKSPUR CLAIMS | OFFLINE-FIRST PRACTICE COURSE

Streaming
Project public updates and tokens. Keep internal checkpoints private. On reconnect fetch a snapshot; do not duplicate the initial input.

HTTP boundary
Authenticate each request, verify thread ownership, validate inputs, and recheck the current interrupt inside the execution lease.

Testing
Test nodes, reducers, graph routes, recovery, and API behavior. Use independent expected answers instead of copying observed outputs blindly.

Evaluation
Measure routing and tool trajectories. Distinguish strict ordering from acceptable unordered parallel calls.

Observability
Log allowlisted identifiers, nodes, status, and durations. Tracing is opt-in; credentials and customer text do not belong in logs.

Security
Treat retrieved documents and model output as untrusted. Use trusted roles, strict schemas, scoped tools, and explicit approvals.

Persistence
SQLite serves a local single process. Postgres supports shared checkpoints, Store, ownership, leases, and payload-bound effect keys.

Deployment
Health-check dependencies, close resources on shutdown, preserve durable volumes, and test restoring a paused claim.

Practice
Modules 18-22; finish the Claims Copilot and Design Your Own capstones. Live providers and hosted deployment are separate checks.

Verified 2026-11-06. Core Python output: v2. Optional Beta APIs: B4.
Sources and pinned versions: docs/VERIFICATION_NOTES.md