18CSC303J/ DBMS

Submitted By:- ANANNYA P. NEOG (RA1911003010367)

Exp-1: SQL BASIC COMMANDS

Aim:- To write SQL queries to execute basic SQL commands.

Procedure:-

QUERIES:

1. Create table

Query:

```
CREATE TABLE emp
(
empno NUMBER,
empname VARCHAR2(255),
DOB DATE,
salary NUMBER,
designation VARCHAR2(20)
);
```

Output:

Table created.

2. Insert values

Query:

INSERT INTO emp VALUES(100, 'John', '4.21.1994', 50000, 'Manager'); INSERT INTO emp VALUES(101, 'Greg', '6.20.1994', 25000, 'Clerk');

Output:

2 rows inserted

3. Display values

Query:

SELECT * FROM emp;

Output:

EMPN O	EMPNAME DOB	SALARY DESIGNATION
100	John04/21/199 4	50000 Manager
101	Greg06/20/199 4	25000 Clerk

Query:

SELECT empname, salary FROM emp;

Output:

EMPNAME	SALARY
John	50000
Greg	25000

4. Modify values

Query:

UPDATE emp SET salary = salary + 1000;

Output:

2 row(s) updated.

Query:

SELECT * FROM emp;

Output:

EMPNO	EMPNAME	DOB	SALARY DESIGNATION
100	John	04/21/19 94	51000 Manager
101	Greg	06/20/19 94	26000 Clerk

5. Delete values

Query:

DELETE FROM emp WHERE empno = 100;

Output:

1 row(s) deleted.

Query:

SELECT * FROM emp;

Output:

EMPNO	EMPNAME	DOB	SALARY DESIGNATION
101	Greg	06/20/19 <u>94</u> -	26000 Clerk

Execution:-

101 Rani

SQL*Plus: Release 11.2.0.4.0 Production on Wed Feb 9 15:22:05 2022 Copyright (c) 1982, 2013, Oracle. All rights reserved. Enter user-name: RA1911003010367/RA1911003010367@f1-drjebakumar.co86hfjmfjkx.us-west-2.rds.amazonaws.com:1521/F1 Connected to: Oracle Database 19c Enterprise Edition Release 19.0.0.0.0 - Production SQL> create table stud(regno number(10), name varchar2(50)); Table created. SQL> desc stud; Name Null? Type NUMBER(10) REGNO VARCHAR2(50) NAME SQL> drop table stud; Table dropped. SQL> create table stud(regno number(10), name varchar2(50)); Table created. SQL> insert into stud values(101, 'Raja'); ERROR: ORA-01756: quoted string not properly terminated SQL> insert into stud values(101, 'raja'); ERROR: ORA-01756: quoted string not properly terminated SQL> insert into stud values(101,'Raja'); 1 row created. SQL> insert into stud values(101,'Rani'); 1 row created. SQL> select * from stud; **REGNO NAME** 101 Raja

REGNO -----101 101 SQL> desc stud; Name Null? Type REGNO NUMBER(10) VARCHAR2(50) NAME SQL> spool sample.lst SQL> desc stud Null? Type Name REGNO NUMBER(10) NAME VARCHAR2(50) SQL> select * from stud 2 SQL> spool off SQL> edit sample.lst SQL> SQL> SQL> SQL> reg SP2-0042: unknown command "reg" - rest of line ignored. SQL> SQL> SQL> SQL> SQL> SQL> select * from stud; **REGNO NAME** _____ 101 Raja 101 Rani SQL> spool off not spooling currently SQL> edit sample.lst SQL> spool off not spooling currently SQL>

SQL> select regno from stud;

SQL> insert into stud values(101,'Rani');

1 row created.

SQL> select * from stud;

```
E:\SRM Sem-all\Sem-6\Database Management\Lab\ORACLE CLIENT 11.2\instantclient_11_2\sqlplus.exe
                                                                                                               ×
SQL> select * from stud;
     REGNO NAME
       101 Raja
       101 Rani
SQL> select regno from stud;
     REGNO
       101
       101
SQL> desc stud;
Name
                                             Nu11?
                                                      Type
REGNO
                                                      NUMBER(10)
NAME
                                                      VARCHAR2(50)
SQL> spool sample.lst
SQL> desc stud
Name
                                             Null?
                                                      Type
REGNO
                                                      NUMBER(10)
NAME
                                                      VARCHAR2(50)
SQL> select * from stud
SQL> spool off
SQL> edit sample.lst
                                                                                                                      X
 E:\SRM Sem-all\Sem-6\Database Management\Lab\ORACLE CLIENT 11.2\instantclient_11_2\sqlplus.exe
                                                                                                               SQL> spool off
SQL> edit sample.lst
SQL>
SQL>
SQL>
SQL> reg
SP2-0042: unknown command "reg" - rest of line ignored.
SQL>
SQL>
SQL>
SQL>
SQL>
SQL> select * from stud;
     REGNO NAME
       101 Raja
       101 Rani
SQL> spool off
not spooling currently
SQL> edit sample.lst
SQL> spool off
not spooling currently
SQL> 🕳
```

```
sample.lst - Notepad — X

File Edit Format View Help

SQL> desc stud
Name Null? Type

REGNO NUMBER(10)
NAME VARCHAR2(50)

SQL> select * from stud
2

SQL> spool off
```

RESULT:

Thus the basic SQL queries were successfully executed and verified.