Integration Documentation of Credo Installment

Aim of the document is to help merchants integrate Credo Installment on the web-site.

Table of Contents

Integration Documentation of Credo Installment ***1***

Pre-conditions to use credo bank's API **1**

Order Creation **1**

Parameters 1

Example of whole valid json: 2

Get Statuses **3**

Request**:** 3

Responses: 3

Statuses **4**

Pre-conditions to use credo bank's API

Note - You must be registered at Credo Bank as a merchant.

Note - You do not need any authorization

Order Creation

Title: Request Installment.

URL: https://ganvadeba.credo.ge/widget_api/order.php

Method: POST

Parameters**:**

merchantId – String, (The client's unique merchant Id, which will be provided from Credo bank side)
orderCode – String, (alpha-numeric value, which must be unique for each order)
check – String, (product information hashed to md5, in case of several products it should be collected together.)

*Example:Md5(Id+title+amount+price+type+Id+title+amount+price+type+password)
Products[i].id - String
Products[i].title - String
Products[i].amount – Number,
Products[i].price – Number, (should be provided Georgian tetri *value of Georgian Currency)
Products[i].type – String (should be always 0)

- The Client needs to be redirected to the generated link, which is returned from the response's data.URL parameter.
  For Example: https://ganvadeba.credo.ge/installment/1590044

- For additional security Credo Bank requires a password, to help the bank to identify the request's validity. It is a secret string, which should be same from the merchant and bank side. The secret should not be sent in the request without hashing.

Example of whole valid json:

```
{
    "merchantId": 999999999999,
    "orderCode": "ORDER_001",
    "check": "22f7cc3a9f04efa5731b524e812f8e10",
    "products": [
        {
            "id": "112233",
            "title": "TEST PRODUCT 1",
            "amount": 1,
            "price": 35000,
            "type": 0
        },
        {
            "id": "112234",
            "title": "TEST PRODUCT 2",
            "amount": 1,
            "price": 20000,
            "type": 0
        }
    ]
}
```

Example of generating MD5:

Password = "secret!@#"

String for md5 = "112233TEST PRODUCT 11350000112234TEST PRODUCT 21200000secret!@#"

[FOR EACH products:
STRING_TO_HASH = (product.id + product.title + product. amount + product.price + product.type)
MD5_HASH = MD5(STRING_TO_HASH + secret)
]

Result: 22f7cc3a9f04efa5731b524e812f8e10

Get Statuses

You can use the service (GET method) with parameters "merchantId","orderCode", "hash"(Example of generating hash you'll see bellow).

*Note: The order number should be unique for each application.
*Note: After initiating the order you need to wait for 30 minutes to check the status of the application.

Request:

https://ganvadeba.credo.ge/widget/api.php?merchantId=999999999999&orderCode=ORDER_001&hash=8bcb8d7ac37f7ef5a02a166401568677

Responses:

{"status":400,"message":"invalid request","data":null} - there is no "merchantId" and "orderCode";

{"status":400,"message":"empty request","data":null} - if "merchantId" or "orderCode" is empty;

{"status":400,"message":"bad request","data":null} - if "merchantId" < 1 or there is no Integer or "orderCode" is above 50 Symbols;

{"status":404,"message":"no data","data":null} - if "merchantId" and "orderCode" could not be found;

{"status":300,"message":"duplicated data","data":null} - if "merchantId" and "orderCode" was found more than 1;

{"status":200,"message":"success","data":2,"info":{"FirstName":"Name","LastName":"Surname","PersonalNumber":"00000000001","Mobile":"595000001"}} – if "merchantId" and "orderCode" was found succesfully.

Statuses

DATA (StatusId)	STATUS	STATUS NAME	COMMENT
10	NEED_IDENTIFICATION	Should be identified	This status is sent when the user needs to be identified.
2	SENT	Processing	The application has been sent for review.
9	SENT_TO_BRANCH	Sent to branch	A status similar to "SENT" when the income analysis cannot be done via digital channel and requires income verification by forwarding the application to a physical branch.
14	SENT_TO_BACK_OFFICE_2	Application is sent to bank for review	A status similar to "SENT" when the application was not approved at the first committee and needs to be reviewed again.
3	APPROVED	Approved	The application is approved, but additional income verification may be required.
4	LATEST_APPROVED	Needs to be signed	Application approved, revenues confirmed.
12	DOCUMENT_ASSIGNED	Products needs to be sent	Status after finally Approved Status. This status is assigned to the application when the user signs the contract. After that, you should mark the item as Sent.
5	CLOSED_SUCCESSFULLY	Finished	This is the final status, after that the amount is transferred.
6	REJECTED	Rejected	Application is rejected
7	CANCELED	Cancelled	Application is cancelled
11	DRAFT	Draft	This status is sent when the user needs to be identified.
13	SENT_TO_VIDEO_MONITORING	Application is sent to bank for review	A status similar to "SENT" when a revenue analysis fails and needs to be forwarded to video monitoring.

For additional security, Credo Bank requires a p**assword**, to help the bank identify request validity and get statuses safely. It is a secret string, which should be same from client and bank side.

Example of generating Hash Value:

Password = “secret!@#”

Md5(merchantId+orderCode+Password)
String for md5 = "999999999999ORDER_001secret!@#“
Result: 8bcb8d7ac37f7ef5a02a166401568677