

# NLP LAB 2021 - VDA


Ananta Bhattarai, Sophie Schoen, Viviane Rehor

Technische Universität München

Department of Informatics

Research Group Social Computing

Munich, June 8 2021



# Our Vision - Part 1


## 1. Creating a Baseline: Fine-Tuning GPT-2 with Empathic Dialogues datasets

- Data Preprocessing (Encoding, Decoding & Importing Data) ✓
- Fine-Tuning to get  $\pi$  ✓

## 2. Producing turns $y_0, y_1$ to give human feedback on

- With test/validation set of Empathic Dialogues dataset ✓

## 3. Train reward model $r$ with those turns and human feedback $b$ ✓




# Our Vision - Part 2

4. Train policy  $\pi$  using reward model  $r$  with those turns and human feedback  $b$

+ Evaluate Model performance with metrics

5. Improve the idea with input from other papers

5. Maybe add  
Knowledge base  
+ Dialog History



# Recap - Labelling

Input:

```
Annotator sophie: [Sample 305 of 2030]
```

```
A: I had a big fishing trip planned for this past weekend, but it got rained out.
```

```
B: Will you get to make it up?
```

```
Which next turn is better?
```

```
-----  
Dialog 1
```

```
Yeah I can't wait for the boat to go out on the lake.
```


```
Dialog 2
```

```
I am sure I will! I hope I won't. I am so glad I did!
```

Options for Interaction: (typing)

- 1 / 2 : Left or right sample is better
- 3 : Both are good, so random choice
- 4 : Both samples do not fit → kick them out
- 5 / 6 : Copy part of left or right sample to console

# Fleiss Kappa Rating



```
[23] print(kappa_rating)
```

```
0.3452615021627997
```

- allows fixed number of raters
- different items may be rated by different individuals

## Kappa

< 0

0.01–0.20



0.21–0.40

0.41–0.60

0.61–0.80

0.81–0.99

## Agreement

Less than chance agreement

Slight agreement

Fair agreement

Moderate agreement

Substantial agreement

Almost perfect agreement


## Hyperparameters for Reward Model Training

#samples: 2212

Batch size: 4

Learning rate: 2.5e-5

## Reward Model Loss



Total Samples: 2212

Batch Size: 4

## Policy Training

$$R(x, y) = r(x, y) - \beta \log \frac{\pi(y|x)}{\rho(y|x)}.$$

## Policy Responses vs KL


Query	Response	KL
Someone threw a pretzel at me at the baseball game.	That's rude, but I'm glad it didn't cause anyone else's injury.	0.0
I am so angry at Donald Trump because he order the separation of children from their parents.	You are right!	5.7
I got a sudden visit from a friend of mine from another country recently.	My friend is from another country!	7.28
A: I felt bad I missed my grandfathers funeral a while ago  B: Oh no, that is so sad. I am sure it would of meant a lot for you to be there.	I hope so.	8.97



## Policy Response vs KL


Query	Response	KL
<p>A: I have a new weight lifting cycle coming up. I think I'll make great progress during it!</p> <p>B:how that's cool.</p>	-	10.86

## Policy Training vs Returns



## Solution to Large KL Divergence

$$R(x, y) = r(x, y) - \beta \log \frac{\pi(y|x)}{\rho(y|x)}.$$




# Evaluation Metrics - Florian

- Utterance length
- Self repetition
- Utterance repetition
- Word repetition
- Question
- Conversation repetition

- Deepmoji sentiment pos
- Deepmoji sentiment neg
- Deepmoji coherence
- Inference coherence
- USE similarity
- Word2Vec coherence
- **Emotional reaction level**
- **Interpretation level**
- **Exploration level**



TODO



# METEOR automated evaluation metric

- Comparing gold standard (EmpathicDialogue) vs our samples
- BLEU (average of unigram, bigram, trigram and 4-gram) + synonyms, stemming, ...

Model	temperature	Meteor score
fine-tuned GPT-2 124M	0.5	0.18588171
fine-tuned GPT-2 124M	0.7	0.16334082
fine-tuned GPT-2 355M	0.5	<b>0.19231452</b>
fine-tuned GPT-2 355M	0.7	0.16901607