

## E-Library system

### 1.Registration

```
<html>
  <head>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
<link rel="stylesheet" href="global.css"></link>
<link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
  </head>
  <body>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark ">
      

      <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav mr-auto">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-
only">(current)</span></a>
          </li>
          <li class="nav-item active" >
            <a class="nav-link" href="#">About Library</a>
          </li>
          <li class="nav-item active">
```

```

        <a class="nav-link" href="#">Rules & Regulations</a>
    </li>
    <li class="nav-item active">
        <a class="nav-link" href="#">Price Card</a>
    </li>
</ul>
<form class="form-inline my-2 my-lg-0">
    <button class="btn btn-warning my-2 my-sm-0 logbutton"
type="submit" >Login</button>
</form>

</div>
</nav>

<div class="container">
    <div class="row">
        <div class="col-4">

        </div>
        <div class="col-4">
            <form>
                <div class="form-group">
                    <h1>Sign Up</h1>
                    <label><b>First Name</b></label>
                    <input type="text" class="form-control"
id="firstName" placeholder="Enter first name">
                </div>
                <div class="form-group">
                    <label><b>Last Name</b></label>
                    <input type="text" class="form-control"
id="lastName" placeholder="Enter last name">
                </div>

                <div class="form-group">
                    <label><b>Email address</b></label>
                    <input type="email" class="form-control" id="email"
placeholder="Enter email">
                </div>

                <div class="form-group">
                    <label><b>Password</b></label>
                    <input type="password" class="form-control"
id="password" placeholder="Password">
                </div>

                <button type="submit" class="btn btn-warning
subbutton">Sign Up</button>
            </form>

```

```


        </div>

        </div>

    </div>
</body>
</html>

```

## Output



## 2.login page


```
<html>
  <head>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="global.css"></link>
    <link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
  </head>
  <body>
    <div class="container bgimg">
      <div class="row">
        <div class="col-4">

        </div>
        <div class="col-4 loginform">
          <div class="row">
            <div class="col-4">
              <div> </div>
            </div>

            <div class="col-6">
              <h1>LIBRARY</h1>
              <h6>MANAGEMENT SYSTEM</h6>
            </div>
          </div>
          <form class="form-inline">
            <div class="form-group row">
              <label style="width: 150px;"
for="validationCustomUsername">User Name</label>
              <div class="input-group">
```



## Output



### 3.book search

```
<html>
  <head>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="global.css"></link>
    <link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
  </head>
  <body>

    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
      
        <ul class="navbar-nav mr-auto lt">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-
only">(current)</span></a>
          </li>
          <li class="nav-item active">
            <a class="nav-link" href="#">About Library</a>
          </li>
          <li class="nav-item active">
            <a class="nav-link" href="#">Rules & Regulations</a>
          </li>
          <li class="nav-item active">
            <a class="nav-link" href="#">Price Card</a>
          </li>
        </ul>
        <form class="form-inline my-2 my-lg-0">
```

```

        <button type="submit" class="btn btn-warning btn-lg
logbutton">Search</button>
    </form>
</div>
</nav>
<div class="container-fluid">
    <div class="row">
        <div class="col-12">
            <form>
                <div><label><h1>Search Book</h1></label></div>
                <div class="form-group row">
                    <label for="booktitle" class="col-sm-2 col-form-
label">Book Title:</label>
                    <div class="col-sm-10">
                        <input type="text" class="form-control" id="booktitle"
style="width: 50%;" >
                    </div>
                </div>
                <button type="submit" class="btn btn-warning subbutton"
style="margin-left: 200px;">Search</button>
            </form>
        </div>

    </div>
    <div class="row">
        <div class="col-12">
            <table class="table table-bordered">
                <thead>
                    <tr>
                        <th scope="col">Book ID</th>
                        <th scope="col">Book Name</th>
                        <th scope="col">Book Description</th>
                        <th scope="col">Author</th>
                        <th scope="col">Number of books available</th>
                        <th scope="col">Purchase</th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <th scope="row">14167</th>
                        <td>Python Programming</td>
                        <td>Introduction to Python</td>
                        <td>J S Tomasi</td>
                        <td>5</td>
                        <td><a href="#" class="link-
primary">Purchase</a></td>
                    </tr>
                <tr>

```



```

        <th scope="row">13186</th>
        <td>Operating system Principles</td>
        <td>Introduction to OS 7th edition</td>
        <td>Abraham Silberschatz</td>
        <td>15</td>
        <td><a href="#" class="link-
primary">Purchase</a></td>
    </tr>
    <tr>
        <th scope="row">1417</th>
        <td>Network Security Essentials</td>
        <td>Applications and Standards</td>
        <td>William Stallings</td>
        <td>10</td>
        <td><a href="#" class="link-
primary">Purchase</a></td>
    </tr>
    <tr>
        <th scope="row">10091</th>
        <td>Advanced Database Management System</td>
        <td>Basics of database</td>
        <td>Rini Chakrabarti</td>
        <td>20</td>
        <td><a href="#" class="link-
primary">Purchase</a></td>
    </tr>
</tbody>
</table>
</div>
</div>
</body>
</html>

```

Output

Library image icon - ananthisadi

Font Awesome Icons

3booksearch.html

4about.html

File

C:/Users/Admin/Desktop/Ananthi%20Abstract/project/elibrary/3booksearch.html


Share

Star

Print

Fullscreen

Close



[Home](#) [About Library](#) [Rules & Regulations](#) [Price Card](#)

Search

## Search Book

Book Title:

Search

Book ID	Book Name	Book Description	Author	Number of books available	Purchase
14167	Python Programming	Introduction to Python	J S Tomasi	5	<a href="#">Purchase</a>
13186	Operating system Principles	Introduction to OS 7th edition	Abraham Silberschatz	15	<a href="#">Purchase</a>
1417	Network Security Essentials	Applications and Standards	William Stallings	10	<a href="#">Purchase</a>
10091	Advanced Database Management System	Basics of database	Rini Chakrabarti	20	<a href="#">Purchase</a>

images (2).jpeg

Show all

Type here to search

Task View

File Explorer

Shopping

Mail

Calendar

Photos

Settings

Amazon

Google

Edge

Word

PowerPoint

Outlook

OneDrive

Weather

32°C

ENG IN

15:28

09-05-2022

#### 4.about page

```
<html>
  <head>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
    <link rel="stylesheet" href="global.css"></link>
    <link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
  </head>
  <body>
    <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
      
        <ul class="navbar-nav">
          <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-
only">(current)</span></a>
          </li>
          <li class="nav-item active" style="background-color: orange;">
            <a class="nav-link" href="#">About Library</a>
          </li>
          <li class="nav-item active">
            <a class="nav-link" href="#">Rules & Regulations</a>
          </li>
          <li class="nav-item active">
            <a class="nav-link" href="#">Price Card</a>
          </li>
        </ul>
      </div>
    </nav>
```

```

        <div class="container" >
        <form class="form-inline my-2 my-lg-0">
            <button type="submit" class="btn btn-dark btn-lg
loginbutton">Login</button>
        </form>
        </div>
    </nav>
    <div class="container ">
        <div class="row img-about">
            <div class="col" style="text-align: ju;border: 1px solid
gray;">
                <div style="padding-top: 80;"><h1>Welcome to</h1></div>
                <div><h1>Library Management System</h1></div>
            </div>
        </div>
    </div>
    <div class="container"></div>
    <div class="row">
        <div class="col" style="padding: 50;text-align: ju;border: 1px
solid gray;">
            <div><h4>Online library management project in spring spring
and hibernate is
                complete solution for all the manual problem that we
face during the library
                management. Mainly there are 2 main actor of the
application that going to operate
                the application <b>1)Admin/ Librarian and 2)
User/Students.</b><br/>
                Book or Digital books is the main module of the library
management
                system. Book are assets that we are storing in the
database with some
                details like name, author name and version and a PDF
format. So admin
                can perform crud operation and issued the booked to
users</h4></div>
        </div>
    </div>
</body>
</html>

```

Output

