

Date: Tuesday, January 27, 2026 5:29:20PM

**PQ Controls INC.**

Page 1

**Indented Bill of Material NS**

From Item No. [312S104-010] To [312S104-010]

Assembly: 312S104-010 Rev: 0

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| <u>Component Item Number or Subassembly</u> |               | <u>Description / Comment</u>                                                 | <u>Qty Needed</u> | <u>Units</u> |
|---------------------------------------------|---------------|------------------------------------------------------------------------------|-------------------|--------------|
| 1                                           | B-15140       | HOUSING ASSY 312, 2 AXIS NO ON-AXIS DETENT                                   | 1.0000            | EA           |
| 2                                           | C-14943       | 312, HOUSING, MERCURY MARINE V2                                              | 1.0000            | EA           |
| 2                                           | B-15194       | BRASS INSERT, 112/212 HOUSING                                                | 1.0000            | EA           |
| 2                                           | A-09354       | GREASE DOW CORNING 33                                                        | 0.0000            | A/R          |
| 2                                           | B-10252       | STAMPING, RETAINER, BALL M212                                                | 1.0000            | EA           |
| 2                                           | A-06936-0.50S | SCREW #6 X 1/2 PLASTITE 48-2 PAN HD SS TAP                                   | 4.0000            | EA           |
| 2                                           | B-14958       | 312, SHAFT WIRE STRAIN RELIEF                                                | 1.0000            | EA           |
| 2                                           | A-00600-04    | WIRE TIE 4" BLACK 18 LBS PLT1M-M0                                            | 2.0000            | EA           |
| 2                                           | A-15034       | ASSEMBLY PROCEDURE 312 MERCURY MARINE V2                                     | 0.0000            |              |
| 1                                           | B-15145-P     | LED RING ASSY. 312, PREMIER                                                  | 1.0000            | EA           |
| 2                                           | A-14901-01    | ELEC ASSY., LED RING MERCURY MARINE                                          | 1.0000            | EA           |
| 3                                           | A-14901       | SMT ASSY, LED BOARD (312 JOYSTICK)                                           | 1.0000            | EA           |
| 4                                           | B-14900       | PCB LED Ring for Mercury Starfish Joystick                                   | 1.0000            | EA           |
| 4                                           | SC-14635-03   | 0.1uf 16V CERAMIC CAP 0603 Bond C0603C104K4RACTU<br>C1,2                     | 2.0000            | EA           |
| 4                                           | SZ-15157      | FERRITE CHIP, 1K OHM 0.8A (0603 PACKAGE) MPZ1608S102A Bond<br>F1,3,4,5,6,7,8 | 7.0000            | EA           |
| 4                                           | SR-11617-0000 | 1/10W 0 OHM SURFACE (0603)<br>F2                                             | 1.0000            | EA           |
| 4                                           | SD-15069      | SMD LED L955H-LOLPGQBC TRI-COLOR<br>LED1-16, 21-36                           | 32.0000           | EA           |
| 4                                           | SR-12545-4990 | 1/10W 1% 499 OHM THICK FILM (0805)<br>R1,2                                   | 2.0000            | EA           |
| 4                                           | SR-12545-1501 | 1.5K OHM 1/10W 1% THICK FILM<br>R3,4,5                                       | 3.0000            | EA           |
| 4                                           | SU-15162      | TLC59116IPWR (TI) LED Lighting Driver<br>U1,2                                | 2.0000            | EA           |
| 3                                           | A-15059-08    | ACC-437-ND 8 conductor flex cable                                            | 1.0000            | EA           |
| 2                                           | C-14949       | 312, CHROME SURROUND, MERCURY MARINE V2 *                                    | 1.0000            | EA           |
| 2                                           | B-14950       | LIGHT PIPE, LED RING MERCURY V2, HARDCOATED *                                | 1.0000            | EA           |
| 2                                           | A-15252       | PRIMER, DOW CORNING PR-1205 *                                                | 0.0000            | A/R          |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Page 2

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| <u>Component Item Number or Subassembly</u> |               | <u>Description / Comment</u>                                 | <u>Qty Needed</u> | <u>Units</u> |
|---------------------------------------------|---------------|--------------------------------------------------------------|-------------------|--------------|
| 2                                           | A-15251       | RTV SILICONE, DOW CORNING SYLGARD 184 ELASTOMER KIT *        | 0.0000            | A/R          |
| 3                                           | A-15251-A     | RTV SILICONE, DOW CORNING SYLGARD 184 ELASTOMER BASE         | 0.0000            | A/R          |
| 3                                           | A-15251-B     | RTV SILICONE, DOW CORNING SYLGARD 184 ELASTOMER CURING AGENT | 0.0000            | A/R          |
| 2                                           | A-11285-0.375 | SCREW #2 X 3/8" PLASTITE 48-2 SELF TAPPING                   | 3.0000            | EA           |
| 2                                           | A-15060-08    | 487545-5 8 pos Connector plug                                | 1.0000            | EA           |
| 2                                           | A-15282       | ASSEMBLY PROCEDURE, 312 POTTING, MERCURY MARINE              | 0.0000            |              |
| 1                                           | B-15054-104   | SHAFT ASSY 312 FOR TKG2                                      | 1.0000            | EA           |
| 2                                           | B-14957       | SHAFT, 312 TKG2                                              | 1.0000            |              |
| 2                                           | B-10088       | BALL, M212                                                   | 1.0000            | EA           |
| 2                                           | A-10498-03    | PIN GROOVED 5/32 X 1/2 TYPE E LOW CARBON                     | 1.0000            | EA           |
| 2                                           | A-08113-609   | LOCTITE 609 THREADLOCKER GREEN                               | 0.0000            | A/R          |
| 2                                           | B-14945       | 312, X/Y AXIS ENCAPSULATED MAGNET HOLDER *                   | 1.0000            | EA           |
| 3                                           | B-14830       | MAGNET, MLX90333 SMT HALL EFFECT                             | 1.0000            | EA           |
| 2                                           | A-00780-08SS  | ROLL PIN, 1/16 X 1/2 STAINLESS STEEL                         | 1.0000            | EA           |
| 2                                           | A-11050       | ASSEMBLY PROCEDURE M212 SHAFT ASSY                           | 1.0000            |              |
| 1                                           | B-15141       | CENTERING ASSY, 312                                          | 1.0000            | EA           |
| 2                                           | C-10084       | M212 CENTERING FOOT JLG#: 7020555                            | 1.0000            | EA           |
| 2                                           | B-13471       | SPRING, CENTERING LIGHT 112/212                              | 1.0000            | EA           |
| 2                                           | B-14953       | SLEEVE, 312                                                  | 1.0000            | EA           |
| 2                                           | A-10500-37SS  | RETAINING RING, STAINLESS STEEL                              | 1.0000            | EA           |
| 2                                           | B-14952       | BOOT MOLDING 312                                             | 1.0000            | EA           |
| 2                                           | A-00451-09    | O-RING 3/8" NITRILE DURO 2-012                               | 1.0000            | EA           |
| 2                                           | A-05447-S-316 | WASHER FLAT 5/8" X 3/8", ***316 STAINLESS STEEL              | 1.0000            | EA           |
| 2                                           | A-15034       | ASSEMBLY PROCEDURE 312 MERCURY MARINE V2                     | 0.0000            |              |
| 1                                           | C-17011-02    | GRIP ASSEMBLY TKG2 TWIST, REMOTE 2                           | 1.0000            | EA           |
| 2                                           | B-14978       | TOP GRIP HALF V2, CHROME PLATED                              | 1.0000            | EA           |
| 3                                           | D-14939       | TOP HALF, TWIST KNOB GRIP V2, CASTING                        | 0.0000            | EA           |
| 2                                           | B-14955       | 312, PIVOT BLOCK W/ENCAPSULATED MAGNET *                     | 1.0000            | EA           |
| 3                                           | B-14830       | MAGNET, MLX90333 SMT HALL EFFECT                             | 1.0000            | EA           |
| 2                                           | B-13472       | TWIST ARMS, TWIST KNOB GRIP                                  | 2.0000            | EA           |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Page 3

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| Component Item Number or Subassembly |                 | Description / Comment                                      | Qty Needed | Units |
|--------------------------------------|-----------------|------------------------------------------------------------|------------|-------|
| 2                                    | A-13620-01      | BEARING, OIL FILLED .378 ID X .469 OD X .304 H *           | 1.0000     | EA    |
| 2                                    | B-13491-SS      | SPRING, EXTENSION, TWIST KNOB STAINLESS STEEL              | 1.0000     | EA    |
| 2                                    | B-14979         | BOTTOM GRIP HALF V2, CHROME PLATED                         | 1.0000     | EA    |
| 3                                    | C-14940         | BOTTOM HALF, TWIST KNOB GRIP V2, CASTING                   | 0.0000     | EA    |
| 2                                    | B-14951         | GRIP SLEEVE TWIST KNOB V2                                  | 1.0000     |       |
| 2                                    | A-13890         | ADHESIVE, DOUBLE/BUBBLE URETHANE                           | 0.0000     | A/R   |
| 2                                    | A-00703-03      | SCREW 2-56 X 3/16 PHIL PAN MS STAINLESS STEEL              | 3.0000     | EA    |
| 2                                    | A-00161-02S     | LOCK WASHER #2 INTERNAL TOOTH STAINLESS STEEL              | 3.0000     | EA    |
| 2                                    | A-10498-04      | PIN GROOVED 5/32 X 5/8 TYPE E LOW CARBON                   | 1.0000     | EA    |
| 2                                    | A-15002-06S     | 4-40 X 3/4" BUTTON HEAD SOCKET CAP SS                      | 2.0000     | EA    |
| 2                                    | A-00451-02      | O-RING, TWIST KNOB GRIP V2, ID = 1.669                     | 1.0000     | EA    |
| 2                                    | A-01349-13      | ROLL PIN 1/8 X 1" ZINC YELLOW                              | 1.0000     | EA    |
| 2                                    | A-02686-03S     | RING, RETAINING 3/8" SS                                    | 1.0000     | EA    |
| 2                                    | A-15193         | GREASE, CMD EXTREME PRESSURE LUBE #3                       | 0.0000     | A/R   |
| 2                                    | A-17010-02      | ELEC ASSY, MERCURY V2 KNOB, REMOTE 2 VERSION               | 1.0000     | EA    |
| 3                                    | A-16975-REMOTE2 | SMT ASSY, KNOB BOARD (312 JOYSTICK, REMOTE 2)              | 1.0000     | EA    |
| 4                                    | B-16974         | PCB Knob PCB, Mercury Starfish Joystick PRECISION/REMOTE 2 | 1.0000     | EA    |
| 4                                    | SC-10228-01     | TAJA106K010RNJ CAPACITOR TANT 10UF 10V SURFACE MOUNT       | 1.0000     | EA    |
|                                      |                 | C3                                                         |            |       |
| 4                                    | SC-14635-02     | 0.01uf 50V CERAMIC CAP (0603)                              | 5.0000     | EA    |
|                                      |                 | C4,8,10,12,17                                              |            |       |
| 4                                    | SC-14635-03     | 0.1uf 16V CERAMIC CAP 0603 Bond C0603C104K4RACTU           | 7.0000     | EA    |
|                                      |                 | C5,7,9,11,13,16,18                                         |            |       |
| 4                                    | SC-12564-05     | 4.7UF, 16V CAP CERAMIC (0805)                              | 1.0000     | EA    |
|                                      |                 | C6                                                         |            |       |
| 4                                    | SC-14907-01     | 18pF 16V 5% CERAMIC CAPACITOR, 0603 Bond                   | 2.0000     | EA    |
|                                      |                 | C14,15                                                     |            |       |
| 4                                    | SD-15158        | SMD LED, BLUE 470nm (1206 PACKAGE) APTD3216QBC/D           | 5.0000     | EA    |
|                                      |                 | LED6,7,8,9,16                                              |            |       |
| 4                                    | SZ-15157        | FERRITE CHIP, 1K OHM 0.8A (0603 PACKAGE) MPZ1608S102A Bond | 1.0000     | EA    |
|                                      |                 | FER1                                                       |            |       |
| 4                                    | SR-11617-86.60  | 1/10W 1% 86.6 OHM SURFACE MOUNT RESISTORS (0603 PACKAGE)   | 5.0000     | EA    |
|                                      |                 | R13,14,15,16,26                                            |            |       |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Page 4

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| Component Item Number or Subassembly | Description / Comment                                                             | Qty Needed | Units |
|--------------------------------------|-----------------------------------------------------------------------------------|------------|-------|
| 4 SR-11617-0000                      | 1/10W 0 OHM SURFACE (0603)<br>R23,24,25                                           | 3.0000     | EA    |
| 4 SQ-14908                           | MOSFET N-CHANNEL 60V, BS170FTA (Diodes Inc.)<br>Q11                               | 1.0000     | EA    |
| 4 SQ-15155                           | TRANSISTOR, NPN 100mA 50V MUN2211T1G<br>Q2,3,4,5,6 (Which ones can be removed???) | 5.0000     | EA    |
| 4 SR-12545-1002                      | NRC10F1002TRF 10K OHM 1/10W 1% THICK FILM (0805)<br>R1,2,7                        | 3.0000     | EA    |
| 4 SR-12552-1200                      | 1/10W 5% 120 OHM THICK FILM 0805<br>R3                                            | 1.0000     | EA    |
| 4 SR-11617-1001                      | 1/10W 1% 1K OHM SURFACE<br>R4                                                     | 1.0000     | EA    |
| 4 SR-12545-1501                      | 1.5K OHM 1/10W 1% THICK FILM<br>R6                                                | 1.0000     | EA    |
| 4 SU-15156                           | 32 BIT ARM MICROCONTROLLER, 72MHz (LQFP-48) STM32F103C8T6<br>U1                   | 1.0000     | EA    |
| 4 SU-12791-3.3BS                     | MIC5209-3.3YSTR 500MA LO-NOISE LDO REG<br>U3                                      | 1.0000     | EA    |
| 4 SU-14405                           | SN65HVD1050AQDRQ1 CAN TRANSCEIVER W/HIGH SPEED & EMC<br>U4                        | 1.0000     | EA    |
| 4 SY-14550-08                        | ABM3-8.000MHZ-D2Y-T 8MHz 18pF miniature SMT Crystal<br>Y1                         | 1.0000     | EA    |
| 3 A-14857                            | SMT ASSY, KNOB SENSOR BOARD (312 JOYSTICK)                                        | 1.0000     | EA    |
| 4 B-14856                            | PCB Knob Sensor PCB for Mercury Startfish Joystick                                | 1.0000     | EA    |
| 4 SU-15161                           | MLX90333LGO-BCH-100, 3D POSITION HALL SENSOR, DUAL DIE, SPI                       | 1.0000     | EA    |
| 4 SC-14635-03                        | 0.1uf 16V CERAMIC CAP 0603 Bond C0603C104K4RACTU                                  | 4.0000     | EA    |
| 3 A-15062                            | '850-10-007-20-001101 PRECI-DIP 7 pos interconnect pins                           | 1.0000     | EA    |
| 3 A-12827-01-RD                      | RED WIRE, 26GA TEFLON TYPE E 19/38                                                | 0.5833     | FT    |
| 3 A-12827-01-BK                      | BLACK WIRE 26GA TEFLON TYPE E 19/38                                               | 0.5833     | FT    |
| 3 A-12827-01-BR                      | BROWN WIRE 26GA TEFLON TYPE E 19/38                                               | 0.5833     | FT    |
| 3 A-12827-01-GY                      | GRAY WIRE, 26GA TEFLON TYPE E 19/38                                               | 0.5833     | FT    |
| 3 A-15578                            | ADHESIVE, HOT MELT 3779                                                           | 0.0000     | A/R   |
| 3 S1209                              | SOFTWARE, MERCURY KNOB PCB B-16974                                                | 0.0000     |       |
| 2 B-17341-REMOTE2                    | MERCURY MARINE JOYSTICK V2, KNOB DISPLAY ASSY., REMOTE 2                          | 1.0000     | EA    |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Page 5

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| Component Item Number or Subassembly |                 | Description / Comment                                   | Qty Needed | Units |
|--------------------------------------|-----------------|---------------------------------------------------------|------------|-------|
| 3                                    | B-17339         | LENS & RUBBER GASKET ASSEMBLY                           | 1.0000     | EA    |
| 3                                    | B-16972         | OVERLAY, REMOTE 2                                       | 1.0000     | EA    |
| 3                                    | B-16967         | DIFFUSER                                                | 1.0000     | EA    |
| 3                                    | B-16968         | LIGHT BLOCKER                                           | 1.0000     | EA    |
| 3                                    | B-16969         | FOAM GASKET                                             | 1.0000     | EA    |
| 3                                    | A-15783         | KNOB DISPLAY APPEARANCE GUIDE                           | 0.0000     |       |
| 3                                    | A-17357-REMOTE2 | PROCEDURE, LENS ASSEMBLY REMOTE 2 JOYSTICK              | 0.0000     |       |
| 1                                    | A-17399-01      | ELEC ASSY, MERCURY V2 MOTHERBOARD                       | 1.0000     | EA    |
| 2                                    | A-17399         | SMT ASSY, MOTHERBOARD BOARD (312 JOYSTICK)              | 1.0000     | EA    |
| 3                                    | B-17398         | X/Y PCB, MERCURY PRECISION & REMOTE 2 UNITS<br>REV D10  | 1.0000     | EA    |
| 3                                    | SC-14635-13     | 0.01uF 200V 5% CERAMIC CAP (0603)                       | 1.0000     | EA    |
| 3                                    | SC-10228-01     | TAJA106K010RNJ CAPACITOR TANT 10UF 10V SURFACE MOUNT    | 1.0000     | EA    |
| 3                                    | SC-14635-01     | 110pF 16V 5% CERAMIC CAP 0603 GRM1885C1H111JA01D        | 8.0000     | EA    |
| 3                                    | SC-14635-02     | 0.01uf 50V CERAMIC CAP (0603)                           | 10.0000    | EA    |
| 3                                    | SC-14635-03     | 0.1uf 16V CERAMIC CAP 0603 Bond C0603C104K4RACTU        | 17.0000    | EA    |
| 3                                    | SC-09917-02     | CAPACITOR 0.1UF 200V CERAMIC SMT (1210)                 | 1.0000     | EA    |
| 3                                    | SC-12564-05     | 4.7UF, 16V CAP CERAMIC (0805)                           | 1.0000     | EA    |
| 3                                    | SC-14635-14     | 1000pF 200V 10% CERAMIC CAP (0603)                      | 1.0000     | EA    |
| 3                                    | SC-17392-01     | CAP, ALUM ELECTROLYTIC 47uF 20% 50V                     | 1.0000     | EA    |
| 3                                    | SC-09917-06     | 47uF 10V 10% CERAMIC CAP (1210)                         | 1.0000     | EA    |
| 3                                    | SC-14907-01     | 18pF 16V 5% CERAMIC CAPACITOR, 0603 Bond                | 2.0000     | EA    |
| 3                                    | SC-12564-07     | 0.1UF, 50V, CAP CERAMIC (0805)                          | 2.0000     | EA    |
| 3                                    | SC-14635-07     | 1000pf 50V 10% CERAMIC CAP 0603 Bond                    | 2.0000     | EA    |
| 3                                    | SC-12564-11     | 15uF, 20% 35V CAP CERAMIC (0805)                        | 6.0000     | EA    |
| 3                                    | SC-09917-04     | CERAMIC CAPACITOR 10UF 50V 10% X5R (1210)##             | 1.0000     | EA    |
| 3                                    | SC-14635-06     | .0082uF 16V 10% CERAMIC CAP 0603 Bond                   | 1.0000     | EA    |
| 3                                    | SC-09160-02     | CL31A106KOHNNNE 10UF, 16V CAPACITOR, CERAMIC 10% (1206) | 2.0000     | EA    |
| 3                                    | SZ-17393        | EMI FILTER 4.7uF 10V 20% (0805)                         | 2.0000     | EA    |
| 3                                    | SC-12564-10     | 22uF, 20% 35V CAP CERAMIC (0805)                        | 6.0000     | EA    |
| 3                                    | SD-17394        | TVS DIODE 20VWM 32.4VC (DO214AB)                        | 1.0000     | EA    |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Page 6

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| Component Item Number or Subassembly | Description / Comment                                       | Qty Needed | Units |
|--------------------------------------|-------------------------------------------------------------|------------|-------|
| 3 SD-17397                           | TVS DIODE 200W Vr=6.5V, Vbr=7.22V, Vcl=11.2V (SOD-123F)     | 3.0000     | EA    |
| 3 SD-17395                           | SCHOTTKY DIODE 60Vr 5A 0.55Vf (SOD-128)                     | 1.0000     | EA    |
| 3 SD-17396                           | SCHOTTKY DIODE 60V 3A Vf 0.49v (SOD-128)                    | 1.0000     | EA    |
| 3 SD-15273                           | NUP2105LT1G TVS DIODE ARRAY 27V CANBUS PROTECTION ##        | 2.0000     | EA    |
| 3 SD-15275                           | TVS DIODE ESD PROTECTION 5V SOD523 Bond ##                  | 9.0000     | EA    |
| 3 SZ-15157                           | FERRITE CHIP, 1K OHM 0.8A (0603 PACKAGE) MPZ1608S102A Bond  | 12.0000    | EA    |
| 3 SZ-15276                           | FERRITE BEAD 600 OHM 2A (0805) TDK                          | 2.0000     | EA    |
| 3 SL-15277                           | CHOKE COM MODE 1mH 0.8A Bond                                | 1.0000     | EA    |
| 3 SL-14637                           | CHOKE COM MODE 2x51uH 0.3A 744212510                        | 2.0000     | EA    |
| 3 SL-15278-01                        | INDUCTOR 27uH 30% SMD 6038 Bond                             | 1.0000     | EA    |
| 3 SL-15278-02                        | CDRH6D38NP-7R4NC INDUCTOR 7.4uH 30% SMD 6038                | 1.0000     | EA    |
| 3 SQ-14908                           | MOSFET N-CHANNEL 60V, BS170FTA (Diodes Inc.)                | 2.0000     | EA    |
| 3 SQ-15155                           | TRANSISTOR, NPN 100mA 50V MUN2211T1G                        | 3.0000     | EA    |
| 3 SQ-15166                           | TRANSISTOR, PNP 50V DPLS350E-13                             | 3.0000     | EA    |
| 3 SR-12545-1200                      | 120 OHM 1/10W 1% THICK FILM 0805                            | 1.0000     | EA    |
| 3 SR-11617-1001                      | 1/10W 1% 1K OHM SURFACE                                     | 5.0000     | EA    |
| 3 SR-09152-3012                      | 1/4W 1% 30.1K OHM SURFACE MOUN                              | 1.0000     | EA    |
| 3 SR-09152-2003                      | 1/4W 1% 200K OHM SURFACE MT                                 | 1.0000     | EA    |
| 3 SR-12545-3320                      | Resistor 332 ohm 1% 1/8W 0805                               | 3.0000     | EA    |
| 3 SR-09152-01.10                     | 1/4W 1% 1.1 OHM SMT                                         | 1.0000     | EA    |
| 3 SR-11617-1003                      | 1/10W 1% 100K OHM SURFACE MOUNT RESISTORS (0603)            | 1.0000     | EA    |
| 3 SR-11617-1002                      | 1/10W 1% 10K OHM SURFACE MOUNT RESISTORS (0603)             | 1.0000     | EA    |
| 3 SR-15281-6802                      | 1/2W 1% 68K OHM ANTI SURGE SMT 0805 PACKAGE                 | 1.0000     | EA    |
| 3 SR-15281-1202                      | 1/2W 1% 12K OHM ANTI SURGE SMT 0805 PACKAGE                 | 1.0000     | EA    |
| 3 SR-11617-4751                      | 1/10W 1% 4.75K OHM SURFACE (0603)                           | 4.0000     | EA    |
| 3 SU-15169                           | 32 BIT ARM MICROCONTROLLER, 72MHz (LQFP-64) STM32F105R8T6   | 1.0000     | EA    |
| 3 SU-15280                           | REGULATOR, SWITCHING 40V 2A                                 | 1.0000     | EA    |
| 3 SU-15161                           | MLX90333LGO-BCH-100, 3D POSITION HALL SENSOR, DUAL DIE, SPI | 1.0000     | EA    |
| 3 SU-12791-3.3BS                     | MIC5209-3.3YSTR 500MA LO-NOISE LDO REG                      | 1.0000     | EA    |
| 3 SU-14405                           | SN65HVD1050AQDRQ1 CAN TRANSCEIVER W/HIGH SPEED & EMC        | 2.0000     | EA    |
| 3 SY-14550-08                        | ABM3-8.000MHZ-D2Y-T 8MHz 18pF miniature SMT Crystal         | 1.0000     | EA    |

Date: Tuesday, January 27, 2026 5:29:20PM

**Indented Bill of Material NS**

Assembly: 312S104-010 Rev: 0

**PQ Controls INC.**

Page 7

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| <u>Component Item Number or Subassembly</u> |                | <u>Description / Comment</u>                            | <u>Qty Needed</u> | <u>Units</u> |
|---------------------------------------------|----------------|---------------------------------------------------------|-------------------|--------------|
| 2                                           | A-15055-04     | 5-103669-3 4 pos Connector Header                       | 1.0000            | EA           |
| 2                                           | A-15058-08     | 1-104071-0 8 pos Connector Header for Mercury x/y board | 1.0000            | EA           |
| 2                                           | A-15058-05     | 5-104071-2 5 pos connector header                       | 1.0000            | EA           |
| 2                                           | A-07794-01     | CONFORMAL COATING #MS-470C SPRAY                        | 0.0000            | A/R          |
| 2                                           | A-15083        | PRETEST PROCEDURE, 312 MERCURY MARINE                   | 0.0000            |              |
| 2                                           | A-15185        | SOFTWARE FLASHING PROCEDURE, 312 MERCURY MARINE         | 0.0000            |              |
| 1                                           | B-15144        | ENCLOSURE ASSY. 312                                     | 1.0000            | EA           |
| 2                                           | C-14944        | 312, ENCLOSURE                                          | 1.0000            | EA           |
| 2                                           | A-00451-13     | O-RING, 312 JOYSTICK                                    | 1.0000            | EA           |
| 2                                           | A-06936-0.87S  | SCREW #6 X 7/8 PLASTITE 48-2 PAN HD SS                  | 4.0000            | EA           |
| 2                                           | A-13718-01     | FLAT RUBBER WASHER .140 X .312 X 1/32                   | 4.0000            | EA           |
| 2                                           | A-03485-01     | LIQUID TIGHT STRAIN RELIEF HEYCO 3207 SM                | 1.0000            | EA           |
| 2                                           | B-14956        | 312 MOUNTING BRACKET W/STUDS ASSY, MERCURY MARINE       | 1.0000            | EA           |
| 2                                           | A-01261-04S    | LOCK NUT NYLON 4-40 STAINLESS STEEL                     | 3.0000            | EA           |
| 2                                           | A-15306        | HYDROPHOBIC VENT PATCH, LTI ATLANTA #074-1000-000       | 1.0000            | EA           |
| 1                                           | <b>B-16957</b> | <b>KEYPAD ASSY., MERCURY MARINE REMOTE 2 JOYSTICK</b>   | 1.0000            | EA           |
| 1                                           | A-11285-0.25S  | #2 X 1/4" PLASTITE SELF TAPPING 48-2 SS                 | 2.0000            | EA           |
| 1                                           | A-12312-06B    | WASHER, NYLON, .112 ID, .206 OD .053 THK BLACK *        | 2.0000            | EA           |
| 1                                           | A-11285-0.375S | SCREW #2 X 3/8" PLASTITE 48-2 SS                        | 2.0000            | EA           |
| 1                                           | A-14954        | 8M0111425 NEMA cable with orange heat shrink            | 1.0000            | EA           |
| 1                                           | A-15056-04     | 104257-3 4 pos Connector plug                           | 1.0000            | EA           |
| 1                                           | A-15057        | SOCKET, REEL MFG # 1-104480-2, Sockets for 104257-3 p   | 4.0000            | EA           |
| 1                                           | B-15079-02     | 312 BEZEL ASSY., REMOTE/JPID/SNOOK, MERCURY MARINE V2   | 1.0000            | EA           |
| 2                                           | C-14946-01     | 312 BEZEL, UPPER (REMOTE), MERCURY MARINE V2            | 1.0000            | EA           |
| 2                                           | B-14948        | 312, CHROME BEZEL TRIM, MERCURY MARINE V2 *             | 1.0000            | EA           |
| 2                                           | C-14947        | 312 BEZEL, LOWER, MERCURY MARINE V2                     | 1.0000            | EA           |
| 2                                           | A-15004        | DECAL, MERCURY JEWEL P/N 37-8M6001063                   | 1.0000            | EA           |
| 1                                           | B-14941        | GASKET 312, EPDM SPONGE                                 | 1.0000            | EA           |
| 1                                           | A-15230        | # 10-6957 SCREW #10-16 X 3/4 HI-LO RECESSED PAN HD      | 4.0000            | EA           |
| 1                                           | B-17356        | COMPLIANCE LABEL, MERCURY REMOTE 2 JOYSTICK 312S104-010 | 0.0000            | EA           |

Date: Tuesday, January 27, 2026 5:29:20PM

Indented Bill of Material NS

Assembly: 312S104-010 Rev: 0

PQ Controls INC.

Description: 3 AXIS TKG2 CANBUS B-17001\* REMOTE 2 VERSION

| <u>Component Item Number or Subassembly</u> |            | <u>Description / Comment</u>                     | <u>Qty Needed</u> | <u>Units</u> |
|---------------------------------------------|------------|--------------------------------------------------|-------------------|--------------|
| 1                                           | A-14398-01 | DECAL, NORTEC LABEL 1.5 x.0.51" V4975i711A5Z     | 1.0000            | EA           |
| 1                                           | A-15034    | ASSEMBLY PROCEDURE 312 MERCURY MARINE V2         | 0.0000            |              |
| 1                                           | A-15078    | FINAL TEST PROCEDURE, MERCURY MARINE 312S104-001 | 0.0000            |              |
| 1                                           | A-17358    | PROCEDURE, UNIQUE ID PROGRAMMING AND LABELING    | 0.0000            |              |
| 1                                           | S1175      | SOFTWARE, MERCURY MARINE 312S104-009 REMOTE 2    | 0.0000            |              |

1 bill of material printed