



Not Secure http://192.168.15.54:81

Hello World

EEEEEE

```
nanozoo/python 0
hkube/python 0
^ anandude ~ >> docker pull python
Using default tag: latest
latest: Pulling from library/python
866771c43bf5: Pull complete
ed881fbf1b07: Pull complete
9da421ddeb65: Pull complete
a793e3c6bce8: Pull complete
36a6d998ca16: Pull complete
ab1b8c92e120: Pull complete
6052218b0e44: Pull complete
Digest: sha256:61346539f7b26521a230e72c11da5ebd872924745074b19736c7d65ba748c366
Status: Downloaded newer image for python:latest
docker.io/library/python:latest
^ anandude ~ >> docker pull ubuntu
Using default tag: latest
Error response from daemon: pull access denied for ubuntu, repository does not exist or may require 'docker login': denied: requested access to the resource is denied
^ anandude ~ >> docker pull ubuntu
Using default tag: latest
latest: Pulling from library/ubuntu
01d7766a2e4a: Pull complete
Digest: sha256:d1e2e92c075e5ca139d51a140fff46f84315c0fdce203eab2807c7e495eff4f9
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest
^ anandude ~ >> docker images
```

Info → U In Use

IMAGE	ID	DISK USAGE	CONTENT SIZE	EXTRA
alpine:latest	9234e8fb04c4	8.31MB	0B	
backend-app:latest	c00e1b79fd96	1.12GB	0B	
mongo-express:1.0.0	bbc568e1f48f	202MB	0B	U
mongo:7.0	35c7eda371cc	834MB	0B	U
my-nginx-site:latest	7d84b42e81e2	52.5MB	0B	U
nginx:latest	41f689c20910	192MB	0B	
python:latest	d8f270e9e42a	1.12GB	0B	
todo-app-app:latest	2fc7d836e99b	1.12GB	0B	
ubuntu:latest	bbdabc66f1b	78.1MB	0B	

```
^ anandude ~ >> docker create -d --name siet ubuntu
unknown shorthand flag: 'd' in -d
```

Usage: docker create [OPTIONS] IMAGE [COMMAND] [ARG...]

Run 'docker create --help' for more information

```
^ anandude ~ >> docker create d --name siet ubuntu
d6d594c3accc1ca224aa3149607cbc9257eab1dd999112759197f700ec5d2ac
```

```
^ anandude ~ >> docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
0bbe7cf7709f	mongo:7.0	"docker-entrypoint.s..."	5 months ago	Up 2 hours	0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp	chatapp_mongo
6302163075b3	mongo-express:1.0.0	"/sbin/tini -- /dock..."	6 months ago	Up 2 hours	0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp	chatapp_mongo_express

```
^ anandude ~ >> docker ps -a
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
d6d594c3accc	d	"--name siet ubuntu"	24 seconds ago	Created		exciting_bhaskara
c470bb999c2d	my-nginx-site:latest	"/docker-entrypoint.s..."	5 months ago	Exited (0) 5 months ago		laughing_feistel
0bbe7cf7709f	mongo:7.0	"docker-entrypoint.s..."	5 months ago	Up 2 hours	0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp	chatapp_mongo
6302163075b3	mongo-express:1.0.0	"/sbin/tini -- /dock..."	6 months ago	Up 2 hours	0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp	chatapp_mongo_express

```
^ anandude ~ >> docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                                NAMES
0bbe7cf7709f   mongo:7.0                          "docker-entrypoint.s..." 5 months ago   Up 2 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0               "/sbin/tini -- /dock..." 6 months ago   Up 2 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                                NAMES
d6d594c3accc   d                                    "--name siet ubuntu"      24 seconds ago Created                                exciting_bhaskara
c470bb999c2d   my-nginx-site:latest              "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago                                laughing_feistel
0bbe7cf7709f   mongo:7.0                          "docker-entrypoint.s..." 5 months ago   Up 2 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0               "/sbin/tini -- /dock..." 6 months ago   Up 2 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker create --name siet ubuntu
51d178f97b8a1028ac1657dcddf6fbc9d5ca4c4ad57205bf8968c08e36582a0

^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                                NAMES
51d178f97b8a   ubuntu                              "/bin/bash"              9 seconds ago Created                                siet
d6d594c3accc   d                                    "--name siet ubuntu"      6 minutes ago Created                                exciting_bhaskara
c470bb999c2d   my-nginx-site:latest              "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago                                laughing_feistel
0bbe7cf7709f   mongo:7.0                          "docker-entrypoint.s..." 5 months ago   Up 2 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0               "/sbin/tini -- /dock..." 6 months ago   Up 2 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker run -d -it --name kingkong ubuntu
4b1c6d16da2d7207618973089a3e8b534f067f66b6b14ebcb60f184e3b7976e61

^ anandude ~ >> ps
  PID TTY          TIME CMD
 30460 pts/0    00:00:00 zsh
 44939 pts/0    00:00:00 ps

^ anandude ~ >> docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                                NAMES
4b1c6d16da2d   ubuntu                              "/bin/bash"              13 seconds ago Up 12 seconds                                kingkong
0bbe7cf7709f   mongo:7.0                          "docker-entrypoint.s..." 5 months ago   Up 2 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0               "/sbin/tini -- /dock..." 6 months ago   Up 2 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker stop kingkong
kingkong

^ anandude ~ >> docker ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS                                NAMES
0bbe7cf7709f   mongo:7.0                          "docker-entrypoint.s..." 5 months ago   Up 2 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0               "/sbin/tini -- /dock..." 6 months ago   Up 2 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker start kingkong
kingkong

^ anandude ~ >> docker exec -it kingkong /bin/bash
root@4b1c6d16da2d:/# apt update
Get:1 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:2 http://archive.ubuntu.com/ubuntu noble InRelease [256 kB]
Get:3 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [3262 kB]
Get:4 http://archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:5 http://archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:6 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [1242 kB]
Get:7 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1883 kB]
Get:8 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [34.8 kB]
Get:9 http://archive.ubuntu.com/ubuntu noble/universe amd64 Packages [19.3 MB]
Get:10 http://archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [331 kB]
Get:11 http://archive.ubuntu.com/ubuntu noble/main amd64 Packages [1008 kB]
Get:12 http://archive.ubuntu.com/ubuntu noble/restricted amd64 Packages [117 kB]
Get:13 http://archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [3471 kB]
Get:14 http://archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [2017 kB]
Get:15 http://archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [2275 kB]
```



```
root@4b1c6d16da20:/bin# ls
```

```
root@4b1c6d16da2d:/bin# '['
```

```
bash: [: missing `']
```

```
root@4b1c6d16da2d:/b
```

```
/usr/bin/znew: invalid number
```

```
root@4b1c6d16da2d:/bin# su
```

```
root@4b1c6d16da2d:/bin# su
```

```
su: invalid option -- 'i'
```

Try 'lsu - help!' for more

Try "SU -help" for more information.

Usage:

Change the effective user ID and group ID to that of <user>.

A mere - implies -l. If <user> is not given, root is assumed.

Options:

```
-n, -p, --preserve-environment    do not reset environment variables
```

-g, --group <group> specify the primary group

-G, --supp-group <group> specify a supplemental group

```
-s, -l, --login      make the shell a login shell
```

-c, --command <command> pass a single command to the

<code>--session-command <command></code>	pass a single command to the shell with <code>-c</code>
--	---

```
and do not create a new session
```

-f --fast pass -f to the shell (for csh or tcsh)

```
-f, --shell <shell>
```

```
-s, --shell <shell>      full <shell> if /etc/shells allows it
-p, --pty                 create a new pseudo-terminal
```

```
-P, --pty          create a new pseudo-terminal
```

```
-h, --help      display this help
```

```
done.
root@4b1c6d16da2d:/bin# exit
exit
root@4b1c6d16da2d:/bin# exit
exit
^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                                NAMES
4b1c6d16da2d   ubuntu        "/bin/bash"             2 hours ago   Up 2 hours   kingkong
51d178f97b8a   ubuntu        "/bin/bash"             2 hours ago   Created      siet
d6d594c3accc   d             "--name siet ubuntu"    2 hours ago   Created      exciting_bhaskara
c478bb999c2d   my-nginx-site:latest "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago   laughing_feistel
0bbe7cf7709f   mongo:7.0     "docker-entrypoint.s..." 5 months ago   Up 4 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0 "/sbin/tini -- /dock..." 6 months ago   Up 4 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker rm -f d
d
^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                                NAMES
4b1c6d16da2d   ubuntu        "/bin/bash"             2 hours ago   Up 2 hours   kingkong
51d178f97b8a   ubuntu        "/bin/bash"             2 hours ago   Created      siet
c478bb999c2d   my-nginx-site:latest "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago   laughing_feistel
0bbe7cf7709f   mongo:7.0     "docker-entrypoint.s..." 5 months ago   Up 4 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0 "/sbin/tini -- /dock..." 6 months ago   Up 4 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker save ubuntu:latest > anandude.tar
^ anandude ~ >> docker load -i anandude.tar
Loaded image: ubuntu:latest
^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                                NAMES
4b1c6d16da2d   ubuntu        "/bin/bash"             2 hours ago   Up 2 hours   kingkong
51d178f97b8a   ubuntu        "/bin/bash"             2 hours ago   Created      siet
c478bb999c2d   my-nginx-site:latest "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago   laughing_feistel
0bbe7cf7709f   mongo:7.0     "docker-entrypoint.s..." 5 months ago   Up 4 hours   0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp   chatapp_mongo
6302163075b3   mongo-express:1.0.0 "/sbin/tini -- /dock..." 6 months ago   Up 4 hours   0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp       chatapp_mongo_express

^ anandude ~ >> docker run -d -it --name kingkong -p 81:80 httpd
Unable to find image 'httpd:latest' locally
latest: Pulling from library/httpd
206356c42440: Pull complete
7079f4501db6: Pull complete
4f4fb700ef54: Pull complete
242bb693a1d3: Pull complete
80414dfb8f15: Pull complete
47a6bbb8d6d8: Pull complete
Digest: sha256:96b1e8f09ee3adde956e819f7a7c3e70bedef7ad88a26a491734015e5c595333
Status: Downloaded newer image for httpd:latest
docker: Error response from daemon: Conflict. The container name "/kingkong" is already in use by container "4b1c6d16da2d720701897389a3e8b534f067f66b6b14ebcb6f184e3b7976e61". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
^ anandude ~ >> docker run -d -it --name kingkong2 -p 81:80 httpd
7efe439ea79fcf3c15a1970daf7783485bd2d255d46e96824209ddb76f387f80
^ anandude ~ >> docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                                NAMES
7efe439ea79f   httpd         "httpd-foreground"      10 seconds ago Up 10 seconds   0.0.0.0:81→80/tcp, [::]:81→80/tcp   kingkong2
4b1c6d16da2d   ubuntu        "/bin/bash"             2 hours ago   Up 2 hours   kingkong
51d178f97b8a   ubuntu        "/bin/bash"             2 hours ago   Created      siet
c478bb999c2d   my-nginx-site:latest "/docker-entrypoint..." 5 months ago   Exited (0) 5 months ago   laughing_feistel
```



```
0bbe7cf7709f  mongo:7.0      "docker-entrypoint.s..." 5 months ago  Up 4 hours  0.0.0.0:27018→27017/tcp, [::]:27018→27017/tcp  chatapp_mongo
6302163075b3  mongo-express:1.0.0  "/sbin/tini -- /dock..." 6 months ago  Up 4 hours  0.0.0.0:8082→8081/tcp, [::]:8082→8081/tcp  chatapp_mongo_express
```

```
^ anandude ^ ~ >> docker exec -it kingkong2 /bin/bash
```

```
root@7efe439ea79f:/usr/local/apache2# hi
```

```
bash: hi: command not found
```

```
root@7efe439ea79f:/usr/local/apache2# ls
```

```
bin build cgi-bin conf error htdocs icons include logs modules
```

```
root@7efe439ea79f:/usr/local/apache2# cd conf
```

```
root@7efe439ea79f:/usr/local/apache2/conf# ls
```

```
extra httpd.conf magic mime.types original
```

```
root@7efe439ea79f:/usr/local/apache2/conf# nano
```

```
bash: nano: command not found
```

```
root@7efe439ea79f:/usr/local/apache2/conf# cat httpd.conf
```

```
cat: httpd.conf: No such file or directory
```

```
root@7efe439ea79f:/usr/local/apache2/conf# cd /bin
```

```
root@7efe439ea79f:/bin# ls
```

'['	cat	dash	dmesg	expr	gzip	ldd	mawk	nproc	prlimit	scriptreplay	sort	timeout	unshare	zdiff
apt	chage	date	dnsdomainname	factor	hardlink	link	mcookie	nsenter	ptx	sdiff	split	toe	update-alternatives	zdump
apt-cache	chcon	dd	domainname	fallocate	head	linux32	md5sum	numfmt	pwd	sed	sqv	touch	users	zegrep
apt-cdrom	chfn	deb-systemd-helper	dpkg	false	hostid	linux64	mkdir	od	rbash	seq	stat	tput	vdir	zfgrep
apt-config	chgrp	deb-systemd-invoke	dpkg-deb	fgrep	hostname	ln	mkfifo	openssl	readlink	setarch	stdbuf	tr	wall	zforce
apt-get	chmod	debconf	dpkg-divert	find	i386	locale	mknod	pager	realpath	setpriv	stty	true	wc	zgrep
apt-mark	chown	debconf-apt-progress	dpkg-maintscript-helper	findmnt	iconv	localedef	mktemp	partx	rename.ul	setsid	su	truncate	wdctl	zless
arch	chown	debconf-communicate	dpkg-query	flock	id	logger	more	passwd	renice	setterm	sum	tset	whereis	zmore
awk	chrt	debconf-copydb	dpkg-realpath	fmt	infocmp	login	mount	paste	reset	sg	sync	tsort	which	znew
b2sum	chsh	debconf-escape	dpkg-split	fold	infotocap	logname	mountpoint	pathchk	rev	sh	tabs	tty	which.debianutils	
base32	cksum	debconf-set-selections	dpkg-statoverride	getconf	install	ls	mv	perl	rgrep	sha1sum	tac	tzselect	who	
base64	clear	debconf-show	dpkg-trigger	getent	ionice	lsblk	namei	perl5.40.1	rm	sha224sum	tail	uclampset	whoami	
basename	clear_console	df	du	getopt	ipcmk	lscpu	nawk	pidof	rmdir	sha256sum	tar	umount	x86_64	
basenc	cmp	diff	echo	gpaswd	ipcrm	lsipc	newgrp	pinky	run-parts	sha384sum	taskset	uname	xargs	
bash	comm	diff3	egrep	grep	ipcs	lslocks	nice	pldd	runcon	sha512sum	tee	uncompress	yes	
bashbug	cp	dir	env	groups	ischroot	lslogins	nisdomainname	pr	saveLog	shred	tempfile	unexpand	ypdomainname	
c_rehash	csplit	dircolors	expand	gunzip	join	lsmem	nl	printenv	script	shuf	test	uniq	zcat	
captoinfo	cut	dirname	expiry	gzexe	ld.so	lsns	nohup	printf	scriptlive	sleep	tic	unlink	zcmp	

```
root@7efe439ea79f:/bin# cd /usr/local/apache2/conf/
```

```
root@7efe439ea79f:/usr/local/apache2/conf# cat httpd.conf
```

```
#
```

```
# This is the main Apache HTTP server configuration file. It contains the
```

```
# configuration directives that give the server its instructions.
```

```
# See <URL:http://httpd.apache.org/docs/2.4/> for detailed information.
```

```
# In particular, see
```

```
# <URL:http://httpd.apache.org/docs/2.4/mod/directives.html>
```

```
# for a discussion of each configuration directive.
```

```
#
```

```
# DO NOT simply read the instructions in here without understanding
```

```
# what they do. They're here only as hints or reminders. If you are unsure
```

```
# consult the online docs. You have been warned.
```

```
#
```

```
# Configuration and logfile names: If the filenames you specify for many
```

```
# of the server's control files begin with "/" (or "drive:/" for Win32), the
```

```
# server will use that explicit path. If the filenames do *not* begin
```

```
# with "/", the value of ServerRoot is prepended -- so "logs/access_log"
```

```
# with ServerRoot set to "/usr/local/apache2" will be interpreted by the
```

```
# server as "/usr/local/apache2/logs/access_log", whereas "/logs/access_log"
```

```
# will be interpreted as '/logs/access_log'.
```

```

z-index: 10;
backdrop-filter: blur(12px);
-webkit-backdrop-filter: blur(12px);
background: linear-gradient(180deg, rgba(0,10,19,.85), rgba(0,10,19,.35));
border-bottom: 1px solid var(--line);
}

.wrap { max-width: 1120px; margin: 0 auto; padding: 22px 18px; }
.topbar { display: flex; align-items: center; justify-content: space-between; gap: 16px; }

.brand {
  display: flex; align-items: center; gap: 12px;
  min-width: 220px;
}
.logo {
  width: 44px; height: 44px; border-radius: 14px;
  background:
    radial-gradient(18px 18px at 30% 30%, rgba(255,255,255,.65), transparent 60%),
    linear-gradient(135deg, var(--accent), var(--accent2));
  box-shadow: 0 10px 30px rgba(124,92,255,.35), 0 10px 30px rgba(34,211,238,.18);
  position: relative;
  overflow: hidden;
}
.logo::after{
  content: "";
  position: absolute; inset: -40%;
  background: linear-gradient(90deg, transparent, rgba(255,255,255,.35), transparent);
  transform: rotate(25deg);
  animation: sweep 3.8s ease-in-out infinite;
}
@keyframes sweep { 0%,55% { transform: translateX(-35%) rotate(25deg);} 100% { transform: translateX(35%) rotate(25deg);} }

.brand h1 { font-size: 15px; line-height: 1.1; margin: 0; letter-spacing: .2px; }
.brand p { margin: 2px 0 0; font-size: 12px; color: var(--muted); }

nav {
  display: flex; align-items: center; gap: 8px;
  flex-wrap: wrap;
  justify-content: flex-end;
}
.pill {
  border: 1px solid var(--line);
  background: rgba(255,255,255,.04);
  color: var(--text);
  padding: 9px 12px;
  border-radius: 999px;
  font-size: 13px;
  cursor: pointer;
  transition: transform .12s ease, border-color .12s ease, background .12s ease;
  user-select: none;
}
.pill:hover { transform: translateY(-1px); border-color: rgba(234,240,255,.25); background: rgba(255,255,255,.06); }
.pill.primary {
  border-color: rgba(124, 92, 255, 0.45);
}
root@7efe439ea79f:/usr/local/apache2/htdocs#

```