



```
anandude ~ >> cd Docker
anandude ~/Docker >> [200~docker compose down
zsh: bad pattern: ^[[200~docker
anandude ~/Docker >> docker compose up -d~
anandude ~/Docker >> docker compose down
docker compose up -d
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] down 3/3
✓ Container my-mysql Removed 0.1s
✓ Container my-httpd Removed 1.5s
✓ Network docker_default Removed 0.1s
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] up 3/3
✓ Network docker_default Created 0.1s
✓ Container my-mysql Started 1.1s
✓ Container my-httpd Started 1.0s
anandude ~/Docker >> docker compose up -d
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] up 2/2
✓ Container my-httpd Running 0.0s
✓ Container my-mysql Running 0.0s
anandude ~/Docker >> docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
a71c38e780c1   httpd:latest   "httpd-foreground"      12 minutes ago Up 12 minutes 0.0.0.0:81→80/tcp, [::]:81→80/tcp   my-httpd
f9cdaaf8ef64   mysql:latest   "docker-entrypoint.s..." 12 minutes ago Up 12 minutes 3306/tcp, 0.0.0.0:3307→3306/tcp, [::]:3307→3306/tcp   my-mysql
anandude ~/Docker >> |
```

```
anandude ~ >> cd Docker
anandude ~/Docker >> [1]200~docker compose down
zsh: bad pattern: ^[[200~docker
anandude ~/Docker >> docker compose up -d~
anandude ~/Docker >> docker compose down
docker compose up -d
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] down 3/3
✓ Container my-mysql      Removed      0.1s
✓ Container my-httpd      Removed      1.5s
✓ Network docker_default Removed      0.1s
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] up 3/3
✓ Network docker_default Created      0.1s
✓ Container my-mysql      Started      1.1s
✓ Container my-httpd      Started      1.0s
anandude ~/Docker >> docker compose up -d
WARN[0000] /home/anandude/Docker/compose.yaml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion
[+] up 2/2
✓ Container my-httpd Running      0.0s
✓ Container my-mysql Running      0.0s
anandude ~/Docker >> docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
a71c38e780c1   httpd:latest   "httpd-foreground"      12 minutes ago Up 12 minutes 0.0.0.0:81→80/tcp, [::]:81→80/tcp   my-httpd
f9cdaaf8ef64   mysql:latest   "docker-entrypoint.s..." 12 minutes ago Up 12 minutes 33060/tcp, 0.0.0.0:3307→3306/tcp, [::]:3307→3306/tcp my-mysql
anandude ~/Docker >> docker container ls
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
a71c38e780c1   httpd:latest   "httpd-foreground"      13 minutes ago Up 13 minutes 0.0.0.0:81→80/tcp, [::]:81→80/tcp   my-httpd
f9cdaaf8ef64   mysql:latest   "docker-entrypoint.s..." 13 minutes ago Up 13 minutes 33060/tcp, 0.0.0.0:3307→3306/tcp, [::]:3307→3306/tcp my-mysql
anandude ~/Docker >> docker info
Client:
Version:      29.2.1
Context:      default
Debug Mode:   false
Plugins:
buildx: Docker Buildx (Docker Inc.)
  Version:  0.31.1
  Path:     /usr/lib/docker/cli-plugins/docker-buildx
compose: Docker Compose (Docker Inc.)
  Version:  5.1.0
  Path:     /usr/lib/docker/cli-plugins/docker-compose

Server:
Containers: 8
  Running: 2
  Paused: 0
  Stopped: 6
Images: 4
Server Version: 29.2.1
Storage Driver: overlays
```

```
Containers: 8
Running: 2
Paused: 0
Stopped: 6
Images: 4
Server Version: 29.2.1
Storage Driver: overlayfs
  driver-type: io.containerd.snapshotter.v1
Logging Driver: json-file
Cgroup Driver: systemd
Cgroup Version: 2
Plugins:
  Volume: local
  Network: bridge host ipvlan macvlan null overlay
  Log: awslogs fluentd gcplogs gelf journald json-file local splunk syslog
CDI spec directories:
  /etc/cdi
  /var/run/cdi
Swarm: inactive
Runtimes: runc io.containerd.runc.v2
Default Runtime: runc
Init Binary: docker-init
containerd version: dea7da592f5d1d2b7755e3a161be07f43fad8f75.n
runc version:
init version: de40ad0
Security Options:
  seccomp
    Profile: builtin
  cgroupns
Kernel Version: 6.18.13-zen1-1-zen
Operating System: Arch Linux
OSType: linux
Architecture: x86_64
CPUs: 4
Total Memory: 7.6416iB
Name: arch
ID: cf1badf8-8175-486a-8435-f0e750e98294
Docker Root Dir: /var/lib/docker
Debug Mode: false
Experimental: false
Insecure Registries:
  ::1/128
  127.0.0.0/8
Live Restore Enabled: false
Firewall Backend: iptables
```

```
anandude ~/Docker >> docker inspect my-httpd
```

```
[
  {
    "Id": "a71c38e780c160a4f8a975a4120a30785c9694e0330b0db7205f26fb0a76fb0f",
    "Created": "2026-03-04T09:25:51.066293851Z",
    "Path": "httpd-foreground",
```

33% 4.55 GiB 27.75 GB

🔍 📁 📄 📌 📌 📌

🎵 🔌 51% 📶 66 K 🔊 45 🔌 0 03:15 pm 🔌

anandude ~/Docker >> docker inspect my-httpd

```
[
  {
    "Id": "a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f",
    "Created": "2026-03-04T09:25:51.066293851Z",
    "Path": "httpd-foreground",
    "Args": [],
    "State": {
      "Status": "running",
      "Running": true,
      "Paused": false,
      "Restarting": false,
      "OOMKilled": false,
      "Dead": false,
      "Pid": 18533,
      "ExitCode": 0,
      "Error": "",
      "StartedAt": "2026-03-04T09:25:51.547988416Z",
      "FinishedAt": "0001-01-01T00:00:00Z"
    },
    "Image": "sha256:96b1e8f09ee3adde950e819f7e7c3e706edef7ad88a20a491734015e5c595333",
    "ResolvConfPath": "/var/lib/docker/containers/a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f/resolv.conf",
    "HostnamePath": "/var/lib/docker/containers/a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f/hostname",
    "HostsPath": "/var/lib/docker/containers/a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f/hosts",
    "LogPath": "/var/lib/docker/containers/a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f/a71c38e780c160a4f8a975a4120a30785c9094e0330b0db7205f26fb0a76fb0f-json.log",
    "Name": "/my-httpd",
    "RestartCount": 0,
    "Driver": "overlayfs",
    "Platform": "linux",
    "MountLabel": "",
    "ProcessLabel": "",
    "AppArmorProfile": "",
    "ExecIDs": null,
    "HostConfig": {
      "Binds": [
        "/home/anandude/Docker/html:/usr/local/apache2/htdocs:rw"
      ],
      "ContainerIDFile": "",
      "LogConfig": {
        "Type": "json-file",
        "Config": {}
      },
      "NetworkMode": "docker_default",
      "PortBindings": {
        "80/tcp": [
          {
            "HostIp": "",
            "HostPort": "81"
          }
        ]
      }
    }
  }
]
```



```
"80/tcp": [
  {
    "HostIp": "",
    "HostPort": "81"
  }
],
"RestartPolicy": {
  "Name": "no",
  "MaximumRetryCount": 0
},
"AutoRemove": false,
"VolumeDriver": "",
"VolumesFrom": null,
"ConsoleSize": [
  0,
  0
],
"CapAdd": null,
"CapDrop": null,
"CgroupnsMode": "private",
"Dns": null,
"DnsOptions": null,
"DnsSearch": null,
"ExtraHosts": [],
"GroupAdd": null,
"IpcMode": "private",
"Cgroup": "",
"Links": null,
"OomscoreAdj": 0,
"PidMode": "",
"Privileged": false,
"PublishAllPorts": false,
"ReadonlyRootfs": false,
"SecurityOpt": null,
"UTSMode": "",
"UsernsMode": "",
"ShmSize": 67108864,
"Runtime": "runc",
"Isolation": "",
"CpuShares": 0,
"Memory": 0,
"NanoCpus": 0,
"CgroupParent": "",
"BlkioWeight": 0,
"BlkioWeightDevice": null,
"BlkioDeviceReadBps": null,
"BlkioDeviceWriteBps": null,
"BlkioDeviceReadIops": null,
"BlkioDeviceWriteIops": null,
"CpuPeriod": 0,
"CpuQuota": 0,
```

```
"CpuCount": 0,
"CpuPercent": 0,
"IOMaximumIOps": 0,
"IOMaximumBandwidth": 0,
"MaskedPaths": [
  "/proc/acpi",
  "/proc/asound",
  "/proc/interrupts",
  "/proc/kcore",
  "/proc/keys",
  "/proc/latency_stats",
  "/proc/sched_debug",
  "/proc/scsi",
  "/proc/timer_list",
  "/proc/timer_stats",
  "/sys/devices/virtual/powercap",
  "/sys/firmware",
  "/sys/devices/system/cpu/cpu0/thermal_throttle",
  "/sys/devices/system/cpu/cpu1/thermal_throttle",
  "/sys/devices/system/cpu/cpu2/thermal_throttle",
  "/sys/devices/system/cpu/cpu3/thermal_throttle"
],
"ReadOnlyPaths": [
  "/proc/bus",
  "/proc/fs",
  "/proc/irq",
  "/proc/sys",
  "/proc/sysrq-trigger"
]
},
"Storage": {
  "RootFS": {
    "Snapshot": {
      "Name": "overlayfs"
    }
  }
},
"Mounts": [
  {
    "Type": "bind",
    "Source": "/home/anandude/Docker/html",
    "Destination": "/usr/local/apache2/htdocs",
    "Mode": "rw",
    "RW": true,
    "Propagation": "rprivate"
  }
],
"Config": {
  "Hostname": "a71c38e780c1",
  "Domainname": "",
  "User": "",
  "AttachStdin": false,
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
100	48.98M	100	48.98M	0	0	2.34M	0
				00:20	00:20		2.70M

→ Downloading mongodb-org-mongos_8.2.4_x86_64.deb...

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
100	38.58M	100	38.58M	0	0	3.58M	0
				00:10	00:10		3.88M

→ WARNING: Skipping verification of source file PGP signatures.

→ Validating source files with sha256sums...

mongodb.sysusers ... Passed
mongodb.tmpfiles ... Passed
LICENSE ... Passed

→ Validating source_x86_64 files with sha256sums...

mongodb-org-server_8.2.4_x86_64.deb ... Passed
mongodb-org-mongos_8.2.4_x86_64.deb ... Passed

→ Making package: clutter-gtk 1.8.4-5 (Wed 04 Mar 2026 03:11:57 PM IST)

→ Retrieving sources...

→ Cloning clutter-gtk-1.8.4 git repo...

Cloning into bare repository '/home/anandude/.cache/yay/clutter-gtk/clutter-gtk-1.8.4'...

remote: Enumerating objects: 2952, done.

remote: Total 2952 (delta 0), reused 0 (delta 0), pack-reused 2952 (from 1)

Receiving objects: 100% (2952/2952), 525.87 KiB | 334.00 KiB/s, done.

Resolving deltas: 100% (2061/2061), done.

→ WARNING: Skipping verification of source file PGP signatures.

→ Validating source files with sha256sums...

clutter-gtk-1.8.4 ... Passed

→ Making package: clutter 1.26.4-4 (Wed 04 Mar 2026 03:12:02 PM IST)

→ Retrieving sources...

→ Cloning clutter git repo...

Cloning into bare repository '/home/anandude/.cache/yay/clutter/clutter'...

remote: Enumerating objects: 69366, done.

remote: Counting objects: 100% (48/48), done.

remote: Compressing objects: 100% (36/36), done.

remote: Total 69366 (delta 17), reused 43 (delta 12), pack-reused 69318 (from 1)

Receiving objects: 100% (69366/69366), 22.52 MiB | 205.00 KiB/s, done.

Resolving deltas: 100% (55245/55245), done.

→ WARNING: Skipping verification of source file PGP signatures.

→ Validating source files with sha256sums...

clutter ... Skipped

→ Making package: mongosh-bin 2.7.0-1 (Wed 04 Mar 2026 03:14:01 PM IST)

→ Retrieving sources...

→ Downloading mongosh-2.7.0-linux-x64.tgz...

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	0	0	0
100	91.65M	100	91.65M	0	0	2.52M	0
				00:36	00:36		3.01M

→ WARNING: Skipping verification of source file PGP signatures.

→ Validating source_x86_64 files with sha256sums...

mongosh-2.7.0-linux-x64.tgz ... Passed

→ Making package: cogl 1.22.8-5 (Wed 04 Mar 2026 03:14:39 PM IST)

→ Retrieving sources...

→ Cloning cogl-1.22.8 git repo...

```

| ^~~~~~
cogl-gles2-context.c: In function 'gl_shader_source_wrapper':
cogl-gles2-context.c:860:11: warning: 'g_memdup' is deprecated: Use 'g_memdup2' instead [-Wdeprecated-declarations]
 860 |         string_copy[i] = g_memdup (string[i], string_length);
      |         ^~~~~~
      | ^~~~~~
In file included from /usr/include/glib-2.0/glib/gstring.h:37,
                 from /usr/include/glib-2.0/glib/giochannel.h:36,
                 from /usr/include/glib-2.0/glib.h:56:
/usr/include/glib-2.0/glib/gstrfuncs.h:338:23: note: declared here
 338 | gpointer      g_memdup      (gconstpointer mem,
      |         ^~~~~~
      | ^~~~~~
CC      cogl-error.lo
CC      cogl-closure-list.lo
CC      cogl-fence.lo
CC      deprecated/cogl-clip-state.lo
CC      deprecated/cogl-fixed.lo
CC      deprecated/cogl-vertex-buffer.lo
deprecated/cogl-vertex-buffer.c: In function 'validate_gl_attribute':
deprecated/cogl-vertex-buffer.c:174:28: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
 174 |     detail_seperator = strstr (gl_attribute, "::");
      |         ^
      | ^
deprecated/cogl-vertex-buffer.c: In function 'validate_cogl_attribute':
deprecated/cogl-vertex-buffer.c:243:28: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
 243 |     detail_seperator = strstr (cogl_attribute, "::");
      |         ^
      | ^
deprecated/cogl-vertex-buffer.c: In function 'validate_custom_attribute_name':
deprecated/cogl-vertex-buffer.c:316:28: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
 316 |     detail_seperator = strstr (attribute_name, "::");
      |         ^
      | ^
deprecated/cogl-vertex-buffer.c: In function 'canonicalize_attribute_name':
deprecated/cogl-vertex-buffer.c:403:28: warning: assignment discards 'const' qualifier from pointer target type [-Wdiscarded-qualifiers]
 403 |     detail_seperator = strstr (attribute_name, "::");
      |         ^
      | ^
CC      deprecated/cogl-material-compat.lo
CC      deprecated/cogl-program.lo
CC      deprecated/cogl-auto-texture.lo
CC      deprecated/cogl-shader.lo
CC      deprecated/cogl-clutter.lo
CC      deprecated/cogl-framebuffer-deprecated.lo
CC      deprecated/cogl-texture-deprecated.lo
CC      cogl-glib-source.lo
CC      cogl-xlib-renderer.lo
CC      cogl-xlib.lo
CC      winsys/cogl-texture-pixmap-x11.lo
In file included from /usr/include/glib-2.0/glib/gthread.h:34,
                 from /usr/include/glib-2.0/glib/gasyncqueue.h:34,
                 from /usr/include/glib-2.0/glib.h:34,
                 from ./cogl-Flags.h:35,
                 from ./cogl-debug.h:35,
                 from winsys/cogl-texture-pixmap-x11.c:40:
winsys/cogl-texture-pixmap-x11.c: In function 'cogl_texture_pixmap_x11_get_gtype':
/usr/include/glib-2.0/glib/gatomic.h:131:5: warning: argument 2 of '__atomic_load' discards 'volatile' qualifier [-Wdiscarded-qualifiers]

```



```

57 | void gluTessCallback (GLUTessellator* tess, GLenum which, _GLUfuncptr CallBackFunc);
    |
cogl-path.c:1229:1: note: '_cogl_path_tessellator_combine' declared here
1229 | _cogl_path_tessellator_combine (double coords[3],
    | ~~~~~
CC      libcogl_path_la-cogl-path-enum-types.lo
In file included from /usr/include/glib-2.0/glib/gthread.h:34,
         from /usr/include/glib-2.0/glib/gasyncqueue.h:34,
         from /usr/include/glib-2.0/glib.h:34,
         from /usr/include/glib-2.0/gobject/gbinding.h:30,
         from /usr/include/glib-2.0/glib-object.h:24,
         from cogl-path-enum-types.h:7,
         from cogl-path-enum-types.c:14:
cogl-path-enum-types.c: In function 'cogl_path_fill_rule_get_type':
/usr/include/glib-2.0/glib/gatomic.h:131:5: warning: argument 2 of '__atomic_load' discards 'volatile' qualifier [-Wdiscarded-qualifiers]
131 |     __atomic_load (&gpg_temp_atomic, &gpg_temp_newval, __ATOMIC_SEQ_CST); \
    |     ~~~~~
/usr/include/glib-2.0/glib/gthread.h:274:7: note: in expansion of macro 'g_atomic_pointer_get'
274 |     (!g_atomic_pointer_get (location) &&
    |     ~~~~~
cogl-path-enum-types.c:23:7: note: in expansion of macro 'g_once_init_enter'
23 |     if (g_once_init_enter (&enum_type_id_volatile))
    |     ~~~~~
CCLD      libcogl-path-la
make[3]: Leaving directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-path'
make[2]: Leaving directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-path'
Making all in cogl-pango
make[2]: Entering directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango'
CC      libcogl_pango_la-cogl-pango-display-list.lo
CC      libcogl_pango_la-cogl-pango-fontmap.lo
CC      libcogl_pango_la-cogl-pango-render.lo
CC      libcogl_pango_la-cogl-pango-glyph-cache.lo
CC      libcogl_pango_la-cogl-pango-pipeline-cache.lo
CCLD      libcogl-pango-la
GISCAN   CoglPango-1.0.gir
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:246: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout)' at 'COGL_DEPRECATED_IN_1_16_FOR'
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:269: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout)' at 'COGL_DEPRECATED_IN_1_16_FOR'
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:289: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout_line)' at 'COGL_DEPRECATED_IN_1_16_FOR'
cogl-pango.h:175: Warning: CoglPango: cogl_pango_show_layout: argument framebuffer: Unresolved type: 'CoglFramebuffer*'
cogl-pango.h:196: Warning: CoglPango: cogl_pango_show_layout_line: argument framebuffer: Unresolved type: 'CoglFramebuffer*'
GISCAN   CoglPango-2.0.gir
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:246: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout)' at 'COGL_DEPRECATED_IN_1_16_FOR'
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:269: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout)' at 'COGL_DEPRECATED_IN_1_16_FOR'
/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango/cogl-pango.h:289: syntax error, unexpected identifier in 'COGL_DEPRECATED_IN_1_16_FOR (cogl_pango_show_layout_line)' at 'COGL_DEPRECATED_IN_1_16_FOR'
GICOMP   CoglPango-1.0.gir
GICOMP   CoglPango-2.0.gir
make[2]: Leaving directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-pango'
Making all in cogl-gles2
make[2]: Entering directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-gles2'
CC      cogl-gles2-api.lo
CCLD      libcogl-gles2-la
make[2]: Leaving directory '/home/anandude/.cache/yay/cogl/src/cogl-1.22.8/cogl-gles2'

```