

```
Deleted: sha256:3e014bed0e37c9ab2092e6ca7c93854e0ef4bce93de4448e9e3f78ba10b3eda
Deleted: sha256:730513e40bab28e5513c9398fcf148c285ac2e6bc24e650c5804e081285c7fa
Deleted: sha256:063cc378df5a5c3059ffca67bc2d25392a01cc2f9d8b8767388fb417e284dc2e
Deleted: sha256:e17df26c9e2bec4e63eed45acaa78b253ac74e1cd8dd74da33b059f9ef787d47
anandude ~ - >> docker volume rm $(docker volume ls -q)
Dd40e5f4e81b8054ebd1540f5292c7c90e223718e7daa76fcd40909e10ee34e3
58e4912ff910d4ca739ae38c0bcf844b0bd323d7c7d0a0bf2d4c437f3b486ec
93a3f518a17acd581fddd43161d5d0c990ee9e74eb599f9f58795a42ec3eb188
2925a4e630d8a2b0602ec1fc986a7ea836704f6f5a05027f0908713643bfe3c
backend_mongo_data
fa9d7c90c29d31c0cb31e2243d121b4f4f140c39bc90d0c94087b497fa040547
project_mongo_data
todo-app_mongo_data
anandude ~ - >> sudo systemctl stop docker
sudo rm -rf /var/lib/docker
sudo systemctl start docker
Deploying root access for anandude. Password pls:
Stopping 'docker.service', but its triggering units are still active:
docker.socket
anandude ~ - >> mkdir Docker
anandude ~ - >> cd Docker
anandude ~ -/Docker >> touch Dockerfile
anandude ~ -/Docker >> nvim Dockerfile
anandude ~ -/Docker >> cat Dockerfile

File: Dockerfile
1 FROM ubuntu:latest
2 RUN apt update
3 RUN apt install apache2
4 COPY index.html /var/www/html/
5 RUN apt install systemctl -y
6 RUN systemctl start apache2
7 RUN systemctl enable apache2
8 ENTRYPOINT apachectl -D FOREGROUND

anandude ~ -/Docker >> touch index.html
anandude ~ -/Docker >> docker build -t myapache .
unknown shorthand flag: 't' in -t

Usage: docker [OPTIONS] COMMAND [ARG...]

Run 'docker --help' for more information
anandude ~ -/Docker >> docker build -t myapache .
docker: unknown command: docker build

Run 'docker --help' for more information
anandude ~ -/Docker >> docker build -t myapache .
[+] Building 96.0s (6/11)
=> [internal] load build definition from Dockerfile
=> transferring dockerfile: 250B
=> [internal] load metadata for docker.io/library/ubuntu:latest
docker:default
0.2s
0.0s
7.3s
```

```
Run 'docker --help' for more information
^ anandude @ ~:~/Docker >> docker build -t myapache .
[+] Building 98.0s (6/11)
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 230B
=> [internal] load metadata for docker.io/library/ubuntu:latest
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [1/7] FROM docker.io/library/ubuntu:latest@sha256:d1e2e92c075e5ca139d51a1d0fff46f84315c0fde203eb2807c7e493eff4f9
=> => resolve docker.io/library/ubuntu:latest@sha256:d1e2e92c075e5ca139d51a1d0fff46f84315c0fde203eb2807c7e493eff4f9
=> => sha256:010770da2e4a627ae0ebf2cd12c47e675e9221174f6570854203e84ffe68b0 29.73MB / 29.73MB
=> => extracting sha256:010770da2e4a627ae0ebf2cd12c47e675e9221174f6570854203e84ffe68b0
=> [internal] load build context
=> => transferring context: 31B
=> ERROR [2/7] RUN apt update
-----
> [2/7] RUN apt update:
0.371
0.371 WARNING: apt does not have a stable CLI interface. Use with caution in scripts.
0.371
1.508 Get:2 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
1.964 Err:1 http://archive.ubuntu.com/ubuntu noble InRelease
1.964 403 Forbidden [IP: 172.16.3.1 8090]
2.480 Err:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease
2.480 403 Forbidden [IP: 172.16.3.1 8090]
4.448 Err:4 http://archive.ubuntu.com/ubuntu noble-backports InRelease
4.448 403 Forbidden [IP: 172.16.3.1 8090]
5.222 Get:5 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [1258 kB]
11.70 Get:6 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1883 kB]
26.32 Get:7 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [3262 kB]
45.36 Get:8 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [34.8 kB]
45.78 Reading package lists...
46.01 E: The repository 'http://archive.ubuntu.com/ubuntu noble InRelease' is not signed.
46.01 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
46.01 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble-updates/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
46.01 E: The repository 'http://archive.ubuntu.com/ubuntu noble-updates InRelease' is not signed.
46.01 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble-backports/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
46.01 E: The repository 'http://archive.ubuntu.com/ubuntu noble-backports InRelease' is not signed.
-----

1 warning found (use docker --debug to expand):
 - JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (line 8)
Dockerfile:2
-----
1 | FROM ubuntu:latest
2 | >>> RUN apt update
3 | RUN apt install apache2
4 | COPY index.html /var/www/html/
-----
ERROR: failed to build: failed to solve: process "/bin/sh -c apt update" did not complete successfully: exit code: 189
^ anandude @ ~:~/Docker >> gcsny Dockerfile
```

```
ERROR: failed to build: failed to solve: process "/bin/sh -c apt update" did not complete successfully: exit code: 100
```

```

^ ananduse ➤ ~/Docker >> gean Dockerfile
^ ananduse ➤ ~/Docker >> docker build -t myapache _
[+] Building 29.5s (6/11)
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 252B
=> [internal] load metadata for docker.io/library/ubuntu:latest
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load build context
=> => transferring context: 29B
=> CACHED [1/7] FROM docker.io/library/ubuntu:latest@sha256:d1e2e92c875e5ca139d51a0ff44f84315cbdfce203eab2887c7e495eff4f9
=> => resolve docker.io/library/ubuntu:latest@sha256:d1e2e92c875e5ca139d51a0ff44f84315cbdfce203eab2887c7e495eff4f9
=> ERROR [2/7] RUN apt update -y

```

```

0.376
0.376 WARNING: apt does not have a stable CLI interface. Use with caution in scripts.
0.376
2.044 Get:2 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
3.412 Err:1 http://archive.ubuntu.com/ubuntu noble InRelease
3.412 403 Forbidden [IP: 172.16.3.1 8090]
4.458 Err:3 http://archive.ubuntu.com/ubuntu noble-updates InRelease
4.458 403 Forbidden [IP: 172.16.3.1 8090]
5.723 Err:4 http://archive.ubuntu.com/ubuntu noble-backports InRelease
5.723 403 Forbidden [IP: 172.16.3.1 8090]
6.289 Get:5 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [1258 kB]
11.97 Err:6 http://archive.ubuntu.com/ubuntu noble-security/main amd64 Packages [13.8 kB]
12.97 Err:7 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1838 kB]
19.49 Err:8 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [3262 kB]
25.36 Reading package lists...
25.67 E: The repository 'http://archive.ubuntu.com/ubuntu noble InRelease' is not signed.
25.67 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
25.67 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble-updates/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
25.67 E: The repository 'http://archive.ubuntu.com/ubuntu noble-updates InRelease' is not signed.
25.67 E: Failed to fetch http://archive.ubuntu.com/ubuntu/dists/noble-backports/InRelease 403 Forbidden [IP: 172.16.3.1 8090]
25.67 E: The repository 'http://archive.ubuntu.com/ubuntu noble-backports InRelease' is not signed.

```

```
1 warning found (use docker --log to expand):
- JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (Line 8)
Dockerfile:2
-----
1 | FROM ubuntu:latest
2 | >>> RUN apt update -y
3 | RUN apt install apache2
4 | COPY index.html /var/www/html/
```

```
ERROR: failed to build: failed to solve: process "/bin/sh -c apt update -y" did not complete successfully: exit code: 100
```

```
anandude@-:/Docker >> docker build -t nyapache .
```

[+] Building 277.1s (7/7) FINISHED

```

=> => unpacking to docker.io/library/mypache:latest
^ anandude ~ -/Docker >> geany index.html
^ anandude ~ -/Docker >> docker run -d -p 8888:80 --name webserver myapache
32a6edf52f5a49281e8b27d485d7efed2f4e609e65a9f7f8310d7e6c2bb256f1
^ anandude ~ -/Docker >> cat index.html
File: index.html
1 <h1>Hello World !</h1>

^ anandude ~ -/Docker >> docker build -t myapache .
[+] Building 13.4s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile                0.1s
=> => transferring dockerfile: 110B                                0.0s
=> [internal] load metadata for docker.io/library/httpd:latest    11.1s
=> [internal] load .dockerignore                                  0.1s
=> => transferring context: 2B                                       0.0s
=> [internal] load build context                                  0.1s
=> => transferring context: 69B                                       0.0s
=> CACHED [1/2] FROM docker.io/library/httpd:latest@sha256:96b1e8f09ee3adde956e819f7a7c3e706ede7ad88a26a491734015e5c 0.2s
=> => resolve docker.io/library/httpd:latest@sha256:96b1e8f09ee3adde956e819f7a7c3e706ede7ad88a26a491734015e5c 0.2s
=> [2/2] COPY index.html /usr/local/apache2/htdocs/              0.2s
=> => exporting to image                                             1.2s
=> => exporting layers                                              0.4s
=> => exporting manifest sha256:cbe2065c80dfda33ff35d9441390718227eb996afb03ba7282e735b4e9d4a4f0 0.1s
=> => exporting config sha256:e9e95adc72054f6f9074de6092bb31c4974dc81155a26f4246700ecdd66b9f82 0.1s
=> => exporting attestation manifest sha256:745850126754c3e2fb9879171b5c9d7b02234fe41b5708cd938b47978c5dd34 0.2s
=> => exporting manifest list sha256:7010ef050131a0e93f642c9e333c252ae42947e180edc9038c5da28a0cc64eb 0.1s
=> => naming to docker.io/library/mypache:latest                  0.0s
=> => unpacking to docker.io/library/mypache:latest              0.1s
^ anandude ~ -/Docker >> docker run -d -p 8888:80 --name webserver myapache
docker: Error response from daemon: Conflict. The container name "/webserver" is already in use by container "32a6edf52f5a49281e8b27d485d7efed2f4e609e65a9f7f8310d7e6c2bb256f1". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
^ anandude ~ -/Docker >> docker rm -f webserver
webserver
^ anandude ~ -/Docker >> docker build -t myapache .
[+] Building 3.8s (7/7) FINISHED                                docker:default
=> [internal] load build definition from Dockerfile                0.0s
=> => transferring dockerfile: 110B                                0.0s
=> [internal] load metadata for docker.io/library/httpd:latest    1.8s
=> [internal] load .dockerignore                                  0.0s
=> => transferring context: 2B                                       0.0s
=> [1/2] FROM docker.io/library/httpd:latest@sha256:96b1e8f09ee3adde956e819f7a7c3e706ede7ad88a26a491734015e5c 0.2s
=> => resolve docker.io/library/httpd:latest@sha256:96b1e8f09ee3adde956e819f7a7c3e706ede7ad88a26a491734015e5c 0.1s
=> [internal] load build context                                  0.1s
=> => transferring context: 31B                                       0.0s
=> CACHED [2/2] COPY index.html /usr/local/apache2/htdocs/        0.0s
=> => exporting to image                                             0.4s
=> => exporting layers                                              0.0s
=> => exporting manifest sha256:cbe2065c80dfda33ff35d9441390718227eb996afb03ba7282e735b4e9d4a4f0 0.0s

```

```
⇒ ⇒ naming to docker.io/library/mypache:latest                                0.0s
⇒ ⇒ unpacking to docker.io/library/mypache:latest                            0.0s
^ anandude ~ -/Docker >> docker run -d -p 8080:80 --name webserver myapache
266e1aa48e92aefc1b955b25b9932ef051f1db4ab9bef1a701a55f383d80b71
^ anandude ~ -/Docker >> docker run -d -p 8080:81 --name web myapache
622f039d5ce4964e6f95995e60c89a271558ae9ef08543c25f2ce971080b2345
docker: Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint web (277f42aef74e1cb468065f010ab37375c33b9c0c797f74e088e648ef7a5f752): Bind for :::8080 failed: port is already allocated

Run 'docker run --help' for more information
^ anandude ~ -/Docker >> docker run -d -p 8080:81 --name web1 myapache
47227d8e98cf94da2687f1e742a3b4a6b785280925cb77cd47fb93b91f4ed91d
docker: Error response from daemon: failed to set up container networking: driver failed programming external connectivity on endpoint web1 (63ce95ac432df02280e0804a40b024ec501c7a1a8e74d1bf0ddebde54e04c0d): Bind for 0.0.0.0:8080 failed: port is already allocated

Run 'docker run --help' for more information
^ anandude ~ -/Docker >> docker run -d -p 8081:81 --name web1 myapache
docker: Error response from daemon: Conflict. The container name "/web1" is already in use by container "47227d8e98cf94da2687f1e742a3b4a6b785280925cb77cd47fb93b91f4ed91d". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
^ anandude ~ -/Docker >> docker run -d -p 8081:80 --name web1 myapache
docker: Error response from daemon: Conflict. The container name "/web1" is already in use by container "47227d8e98cf94da2687f1e742a3b4a6b785280925cb77cd47fb93b91f4ed91d". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information
^ anandude ~ -/Docker >>
^ anandude ~ -/Docker >> geany Dockerfile
^ anandude ~ -/Docker >> cat Dockerfile

File: Dockerfile
1 FROM httpd:latest
2
3 COPY index.html /usr/local/apache2/htdocs/
4
5 EXPOSE 80

^ anandude ~ -/Docker >> docker build -t web -f ~/Docker/Dockerfile
unknown shorthand flag: 't' in -t

Usage: docker [OPTIONS] COMMAND [ARG...]

Run 'docker --help' for more information
^ anandude ~ -/Docker >> docker build -t web -f ~/Docker/Dockerfile .
[+] Building 30.4s (2/2) FINISHED
⇒ [internal] load build definition from Dockerfile
⇒ transferring dockerfile: 110B
⇒ ERROR [internal] load metadata for docker.io/library/httpd:latest
-----
> [internal] load metadata for docker.io/library/httpd:latest:
-----
```



```
ERROR: failed to build: failed to solve: DeadlineExceeded: ubuntu:latest: failed to resolve source metadata for docker.io/library/ubuntu:latest: failed to do request: Head "https://registry-1.docker.io/v2/library/ubuntu/manifests/latest": dial tcp 52.73.255.25:443: i/o timeout
^ anandude ~/Docker >> docker build -t web -f ~/Docker/Dockerfile .
[+] Building 12.8s (6/11)
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 254B
=> [internal] load metadata for docker.io/library/ubuntu:latest
=> [internal] load .dockerignore
=> => transferring context: 2B
=> [internal] load build context
=> => transferring context: 31B
=> CACHED [1/7] FROM docker.io/library/ubuntu:latest@sha256:d1e2e92c075e5ca139d51a140fff46f84315c0fdec203eeb2807c7e495eff4f9
=> => resolve docker.io/library/ubuntu:latest@sha256:d1e2e92c075e5ca139d51a140fff46f84315c0fdec203eeb2807c7e495eff4f9
=> ERROR [2/7] RUN apt update
-----
> [2/7] RUN apt update:
0.394
0.394 WARNING: apt does not have a stable CLI interface. Use with caution in scripts.
0.394
0.394 E: Invalid operation update
-----

1 warning found (Use docker --debug to expand):
- JSONArgsRecommended: JSON arguments recommended for ENTRYPOINT to prevent unintended behavior related to OS signals (line 10)
Dockerfile:2
-----
1 | FROM ubuntu:latest
2 | >>> RUN apt update
3 | RUN apt install apache2 -y
4 |
-----
ERROR: failed to build: failed to solve: process "/bin/sh -c apt update" did not complete successfully: exit code: 100
^ anandude ~/Docker >>> docker build -t web -f ~/Docker/Dockerfile .
[+] Building 50.4s (2/2) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 254B
=> ERROR [internal] load metadata for docker.io/library/ubuntu:latest
-----
> [internal] load metadata for docker.io/library/ubuntu:latest:
-----
Dockerfile:1
-----
1 | >>> FROM ubuntu:latest
2 | RUN apt update
3 | RUN apt install apache2 -y
-----
ERROR: failed to build: failed to solve: ubuntu:latest: failed to resolve source metadata for docker.io/library/ubuntu:latest: failed to do request: Head "https://registry-1.docker.io/v2/library/ubuntu/manifests/latest": read tcp 192.1
68.15.54:58806->18.211.231.153:443: read: connection reset by peer
^ anandude ~/Docker >> docker build -t web -f ~/Docker/Dockerfile .
[+] Building 16.1s (6/11)
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 254B
```

