

Ananya Srivastava-2300290100049


Sec-6-A

Compiler Design Lab

Experiment 1 (a)

Write C program to search a string "cdlab" in the following input string: "We are performing an experiment related to cdlab. cdlab will explore the concept of compiler construction."

Solution:

A screenshot of a code editor window with a dark theme. The window has a title bar with 'main.c' and a 'Publish' button. The code is a C program to search for the string 'cdlab' in a longer string. It includes <stdio.h> and <stdlib.h>. The main function declares two character arrays: 'ch' for 'cdlab' and 's' for the input string. It uses nested for loops to compare characters. If a match is found, it prints 'cdlab is found' and returns 1. Otherwise, it prints 'cdlab is not found' and returns 0.

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 int main(void) {
5     char ch[]="cdlab";
6     char s[]="We are performing an experiment related to the cdlab, cdlab, will explore
the concept of compiler construction.";
7     int i,j;
8     int found=0;
9     for(i=0;s[i]!='\0';i++){
10         for(j=0;ch[j]!='\0';j++){
11             if(s[i+j]==ch[j]){
12                 break;
13             }
14         }
15         if(ch[j]=='\0'){
16             found=1;
17             break;
18         }
19     }
20     if(found)
21         printf("cdlab is found\n");
22     else
23         printf("cdlab is not found\n");
24     return 0;
25 }
```

Output:

