

CS231 (Section A)
Surprise Quiz 3 (Bonus Marks: 8 x 0.0375% = 0.3%)

1. What is the meaning of the “entrypoint” address in an executable?

- A) Offset of SHDR table from the beginning of ELF file
- B) Offset of PHDR table from the beginning of ELF file
- C) Address of “main” method
- D) Address of “_start” method

2. Where is the entrypoint address stored inside the ELF binaries?

- A) Program header table
- B) Section header table
- C) ELF header
- D) Segments
- E) Sections

3. Which one of these is primarily required at compile/link time?

- A) ELF header
- B) PHDR
- C) SHDR
- D) All of the above

4. Which one of these is primarily required at runtime (execution)?

- A) ELF header
- B) PHDR
- C) SHDR
- D) All of the above

5. Where are string literals stored in an ELF binary?

- A) .text
- B) .data
- C) .bss
- D) .rodata

6. Where are initialized global/static variables stored in an ELF binary?

- A) .text
- B) .data
- C) .bss
- D) .rodata

7. Where are uninitialized global/static variables stored in an ELF binary?

- A) .text
- B) .data
- C) .bss
- D) .rodata

8. Which section occupies memory space at runtime but takes up (almost) no space in the ELF file on disk?

- A) .text
- B) .data
- C) .bss
- D) .rodata

Answer Key

1. D) Address of “_start” method
2. C) ELF header
3. C) SHDR
4. B) PHDR
5. D) .rodata
6. B) .data
7. C) .bss
8. C) .bss