

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687762524855

अनुबंध तिथि | Generated Date : 27-May-2026

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2026/B/7550826](#)

खरीद का माध्यम | Procurement Mode: Bid

अनुसूची नाम | Schedule Name: Schedule 1

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Local Bodies	पद Designation : CLREK
मंत्रालय Ministry : -	संपर्क नंबर Contact No. : -
विभाग Department : Urban Development Department Uttar Pradesh	ईमेल आईडी Email ID : con1.np.mathura@gembuyer.in
संगठन का नाम Organisation Name : NAGAR PANCHAYAT BARSANA MATHURA	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone: Mathura	पता Address : NAGAR PANCHAYAT BARSANA DISTT- MATHURA, Mathura, UTTAR PRADESH-281405, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: PAO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: E.O.	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: E.O.	पद Designation : ASSISTANT CLERK
	ईमेल आईडी Email ID : pao2.np.mathura@gembuyer.in
	जीएसटीआईएन GSTIN : -
	पता Address: NAGAR PANCHAYAT BARSANA DISTT- MATHURA, Mathura, UTTAR PRADESH-281405, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : C9YM240012811372
कंपनी का नाम Company Name : Shri Ramya Enterprises
संपर्क नंबर Contact No. : 06395953484
ईमेल आईडी Email ID : aryanshg99@gmail.com
पता Address : 0,sadar bazar,Kishni,MAINPURI, Mainpuri, UTTAR PRADESH-206303, -
एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-53-0023654
जीएसटीआईएन GSTIN: 09BTGPG2894C1ZN (R)
एमएसई सामाजिक श्रेणी MSE Social Category : General
एमएसई लिंग श्रेणी MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Octagonal Pole Double Arm 9 m ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Octagonal Pole (V2) (Q3) मॉडल Model: IGNITE_9M_GIP एचएसएन कोड HSN Code: HSN not specified by seller उद्गम देश Country Of Origin: India	20	pieces	283,740	NA	5,674,800
कुल ऑर्डर मूल्य Total Order Value (in INR)						5,674,800

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : -					

1	ईमेल आईडी Email ID : con1.np.mathura@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : NAGAR PANCHAYAT BARSANA DISTT- MATHURA, Mathura, UTTAR PRADESH-281405, India	Unbranded Octagonal Pole Double Arm 9 m	-	20	27-May-2026	26-Jul-2026
Product Specification for Unbranded Octagonal Pole Double Arm 9 m						
विनिर्देश Specification		उप-विनिर्देश Sub-Spec		मूल्य Value		
GENERIC	The Octagonal pole Designing, Engineering, Fabrication and testing before dispatch with required height and required no of light fittings with luminaire carriage etc, for illumination of open areas		Yes			
	Height of Octagonal pole (in Meters)		9			
	Type of bracket for suitable fitment of luminaire on the Octagonal pole		Double Arm			
	Each bracket length (in mm)		1000			
	No of LED Luminaires can be fitted in the bracket of each octagonal pole (in Nos)		2			
	On site warranty (in Months)		12			
OCTAGONAL POLE CONSTRUCTION	Material of Octagonal pole		Grade ISH430LA as per IS:5986:2017 latest			
	No of section (in Nos.)		1			
	Cross section of Octagonal pole (no of sides)		8 sided polygon			
	Internal distance between parallel faces at the base of pole (in mm)		135			
	Internal distance between parallel faces at the top of pole (in mm)		70			
	Octagonal pole sheet thickness (in mm)		3			
	Type of welding		Seamless Single longitudinal Saw weld (No circumference weld allowed)			
	No of longitudinal welds (in Nos)		1			
	No. of stiffners per pole		No			
	Metal protection treatment of fabricated mast section		Hot dip Galvanised, as per IS:4759 latest: 610 g/m2			
	Luminaire carriage / brackets		Fabricated suitably and hot dip galvanized for fixing and holding required no. of light fixtures			
	Door opening on base of the pole (opening permits clear access to equipment like MCB, Switches, cables, etc.,)		Door opening: 500 mm height from base plate, Size: 100 mm x 500 mm with Gasket			
	Type of locking arrangement for door		Pad lock with key			
BASE PLATE	Base plate material		Grade: E250, Quality:BR (as per IS:2062:2011 latest)			
	Base plate size - (Length in mm x Width in mm x Thickness in mm)		300x300x20			
	Necessary accessories on each pole		Suitable foundation Bolts - 4 nos.,Nuts per bolt - 3 nos.,Washers - 3 nos.,Instruction manual,Anchor Plate 300 mm (L) x 300 mm (W) x 3 mm thick,4 Nos. of terminal block (each 32 A rating)			
	Foundation Bolt type		J-Type			
	Bolt size		M20x600			
	Conformity of specification for Bolts and Nuts		as per IS:1367 (Part 2) , Grade A			
	Galvanization of foundation bolts and nuts and octagonal pole shall be Galvanized		As per IS:4759 latest			
	Earthing terminals on the base of the pole, for lightning and electrical protection		Using 12 mm dia SS Bolts of suitable length			
WIND LOAD	Compliance to wind velocity test for the pole structure		IS 875:1987 part 3 latest			
	Regional wind withstand capacity which the pole structure support is suitable to withstand (in m/s)		33			
	Gust Factor		1.15			
	The designed Life of the Pole shall be (in Years)		25			
	Galvanized lightning finial for each pole (in Nos)		Without Lightning Finial			
	Aviation obstruction lights on top of each pole with vertical stand and with LED/GLS (in Nos)		Without Aviation Light			
	Junction box on the Carriage Assembly as required, from which the interconnections for the designed number of the light fixtures on the carriages		No			
	Material of Junction Box		Without Junction Box			
	Ingress protection class of Junction Box		IP 65 (as per IS/IEC60529:2001 latest)			

ADD ON ITEMS	Cable (ISI Marked Cable) connections from the top junction box to the individual luminaries of each pole	Without Cable Connection				
	Cable (ISI Marked Cable) connections from the Bottom of the pole i.e. from pole's door opening (Base compartment) to top junction box of each pole	Without Cable Connection				
	Terminal Box with Circuit breakers and backlite sheet for cable termination at door opening (Base compartment) for each pole	Without MCBs				
	No.of MCB per Junction Box (in Nos.)	Without MCBs				
	Suitable winch mechanism (raising and lowering mechanism) according to pole height and according to no.of LED luminaires with necessary interlocking , wires and ropes for maintenance	Without Winch Mechanism				
	Additional requirement	NA				
CERTIFICATIONS	Availability of type test reports for the entire system including for Pole construction , wind load (velocity) tests, Winch Mechanism, from Central Govt., Lab/NABL. ILAC accredited lab to prove conformity of the specification	Yes				
	Test report Number and date	B73563693 10.04.2023				
	Name and address of lab	Bharat Test House				
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes				
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.						
खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए Buyer Defined Additional Specification for Unbranded Octagonal Pole Double Arm 9 m <table><tr><th>विनिर्देश Specification</th><th>मूल्य Value</th></tr><tr><td>establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w</td><td>establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w</td></tr></table>			विनिर्देश Specification	मूल्य Value	establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w	establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w
विनिर्देश Specification	मूल्य Value					
establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w	establishment and Installation of 9 Mt Pole with 6LED Street light 170 to 200w					
ईपीबीजी विवरण ePBG Detail <table><tr><td>सलाहकार बैंक Advisory Bank :</td><td>NA</td></tr><tr><td>ईपीबीजी प्रतिशत (%) ePBG Percentage(%):</td><td>NA</td></tr></table>			सलाहकार बैंक Advisory Bank :	NA	ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA
सलाहकार बैंक Advisory Bank :	NA					
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA					
नियम और शर्तें Terms and Conditions 1. General Terms and Conditions- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace. 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract. 2. Buyer Added Bid Specific Terms and Conditions- 2.1 <i>Generic</i> OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms. 2.2 <i>Generic</i> Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid. 2.3 <i>Certificates:</i> Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any. 2.4 <i>Certificates:</i> ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification. 2.5 <i>Buyer Added Bid Specific ATC:</i> Buyer Added text based ATC clauses Bidders can also submit the EMD in favour of Executive Officer Nagar Barsana, Matura Bidder has to uplo ad scanned copy / proof of the FDR/EMD along with bid and has to ensu						

re delivery of hard copy to the Buyer within Bid End date. (I). It is mandatory for the service provider to be at least 3 years old from the date of publication of the bid The agency must have been working in any government institution department for at least 3 years from the date of publication of the release. (II). It Will Be Mandatory For The Firm To Upload The EMD Copy Any Exemption Not Allowed & Send EMD Before The Bid End Date. (III). All new attached documents should be within the bid duration, The Bid holder will have to submit a Three Year Original Scanned Experience, Acknowledgements with I.T.R. Forms & Balance Sheet And CA Verified Turnover Certificate With UDIN No, Labour Department Certificated, GST Certificated, PAN Card, Bank A/C Details, A duly attested self declaration on stamp paper of Rs. 10/- undertaking that the Agency/Firm has not been blacklisted by any Government Department/Autonomous Bodies as on the date of submission of the Bid.,

Note:

1. Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.