

I/O + Operation:

1. Take two numbers as input: length and width of a rectangle and print the area of that.
2. Take a number as input: radius of a sphere and print the volume of that.
3. Take two numbers as input: radius and height of a cylinder and print the volume of that.
4. Take two numbers as input: radius and height of a cone and print the volume of that.

Condition:

5. Take a number N as input and print whether it is even or odd.
6. Take three numbers as input: the three angles of a triangle and whether the triangle is valid or not (angle value should be such that $0 < \text{value} < 180$).
[Recall that a triangle is valid if the sum of all the three angles is equal to 180 degrees.]
7. Take two integers: x and y as input and print “x is divisible by y” as output if that holds. Otherwise, print “x is not divisible by y”.
[Recall that you can use the % operator to get the remainder when one number is divided by another. In particular, $n\%d$ evaluates to the remainder when n is divided by d. For example, $8\%3$ is 2 because if you divide 8 by 3, you get a remainder of 2.]
8. Write a C program that takes as input two positive integers n and d and outputs whether d is a proper divisor of n.
[Recall that a proper divisor of a positive integer n is a divisor of n that is not equal to n. So, 1, 2, and 3 are proper divisors of 6 but 6 isn't.]
9. Take an integer as input for a year and check whether it is a leap year or not.

Looping:

10. Take an integer N as input and find its factorial (N!).
11. Write a C program to print the nth Fibonacci number.
12. Take an integer N as input and check whether N is a prime number or not.
[A natural number (1, 2, 3, 4, 5, 6 etc.) is called a prime number if it is greater than 1 and has only two factors: 1 and the number itself.]
13. Write a C program that takes as input a positive integer n and outputs its largest proper divisor.
14. Write a C program that takes as input a positive integer n and outputs the number of proper divisors of n.
15. A positive integer n is called *Nice* if it has at least three proper divisors and is equal to the sum of its three largest proper divisors. For example, 6 is *Nice* because its

three largest divisors (in descending order) are 3, 2, and 1 and $6=3+2+1$. Write a C program that takes as input a positive integer n and outputs whether or not it is *Nice*.

16. Take an integer N as input and check whether N is a power of 2.

17. Take an integer N as input and print the largest power of 2 that is also a divisor of N .

18. Take an integer N as input and print the largest power of 2 that properly divides N .

[Recall that a proper divisor of a positive integer n is a divisor of n that is not equal to n . So, 1, 2, and 3 are proper divisors of 6 but 6 isn't.]

19. Take two numbers as input: x and y . Now, print n for which the following relationship holds:

$$x = y^n$$

Otherwise, print "could not find n ". Assume that n is a natural number and

$$2 < n < 15.$$

20. Take an integer N as input and print the number of digits in N .

[e.g. $N=2359$ should output 4, $N=900$ should output 3 etc.]

21. Take a number N as input and print how many even and odd digits it has.

22. Take an integer N as input, reverse it and then print that.

[e.g. $N=2359$ should output 9532, $N=900$ should output 9 etc.]

23. Take a number N as input and print whether it is a palindrome or not.

[A palindromic number is a number that remains the same when its digits are reversed. For example, 984489 and 12321 are palindromes, however, 1234 and 985489 are not.]

24. Take a number N as input and print whether it is an *Armstrong* number or not.

[An Armstrong number is an n -digit number that is equal to the sum of the n th powers of its digits. For example, 407 is an Armstrong number as

$$407 = 4^3 + 0^3 + 7^3 = 64 + 0 + 343 = 407]$$

25. Take an integer N as input, swap the last and second last digit of it and then print that.

26. Take an integer N having an even number of digits as input, split the first and second half as separate numbers. *[For example, split 984489 into 984 and 489]*

27. Take an integer N having an even number of digits as input, set zero to the odd positions of that integer and output that. *[For example, 984489 should produce 904080 and 1234 should produce 1030]*

Nested Looping:

28. Take an integer N as input and print all prime numbers from 2 to N inclusive.

29. Print the following pattern for input n.

n=3	*** ** *
n=5	***** ***** *** ** *

30. Print the following pattern for input n.

n=3	* *** *****
n=5	* *** ***** ***** *****