23/10/24 Date\_\_\_\_

ceate class Book relich contains 4 members 1. authoris southern prints . heice sind + "annon" - summer innum-Page + "ionitus" : sonitus "In clude a constructor to cet the value " for the members. Include methods to set & get the details of the object. Imude to String () method that could display the complete details of the book. create n-book objects. import java · util · ceanner commen sz. him reconnecting class Book NI From . 52 = 11. Evi COOLS berin book [ni]; } Ching name, author; is double princ; int num page; BOOKE void get-details () : Ecanner SI=new Ciannee ( Ryctem. in); sore Name; ); neine=SI. next Int (); sop ("Author :"); author = CI. next Inte); sop (" exice: "); where is refre =sinext Double(); sof(" lages:") num page = si nextInt ();

CAL S 45/11/52 public exing to sking () & Staining name, author, neice, nun page name = "Name" + this. name + " author="Author" + this author + "In price = "price: " + this pare +" In" numpage = "page + this page + "In" setuen name + author + price + num page losting () mediod that and siftley the esterpular estado of the sock of create reson colots. class Run import java-util. commen mmvzg } scanner sz-new scanner (Lystem in int n= sz. next Int (2); 125/3 BOOTT b=new BOOK [n]; for Cintai = of icn; itt { bli]=new book (2) DIIJ. get etetails (1); xxx 30Pz(btij.folteing()); Number of books: void gre-autuly () Name: Ikigai source was 12 Hame Akigui Author: Author: XYZ XYZ ic) holl trangle 12 perice 1: XYZ live : Pagenum: 287 250 fage number : / .... 287