
# **SCREENSHOTS**


#### **SOURCE CCODE EXECUTION:**

```
oi@avpi:~$ $GOBIN/main
                                      cana v1.3.2 (linux arm) is starting ...
Loading configuration from /home/pi/projects/src/sam
ple_config.json ...
2018-11-28 09:57:55
2018-11-28 09:57:55
                               INF
                                      Loading database /home/pi/db ...
                                      0 B of records loaded in 10.29896ms.
                               INF
                               IMP
                                      Backups are disabled.
                               IMP
                                      TLS certificate fingerprint is NKt5FgVXPynl7gTPue32P
9ezo08y4qSw9ftHQ1z9hPw=
 2018-11-28 09:57:55]
                                      API authentication is disabled.
                                      Running on https://10.0.0.240:8443/ ...
[2018-11-28 09:57:58] WAR Unexpected location header: ''.
[2018-11-28 09:58:27] INF New event (Pool size is 1): login_ok{when:2018-11-28
02:58:27.737744357 -0700 MST m=+32.736810384 what:'Successful login.'}.
[2018-11-28 09:58:27] INF 10.0.0.141 'POST /auth' > User requested new API to
2018-11-20 10:00:03] INF New event (Pool size is 2): login_ok{when:2018-11-28
03:00:03.992756623 -0700 MST m=+128.991819650 what: 'Successful login.'}.
2018-11-28 10:00:03] INF 10.0.0.141 'POST /auth' > User requested new API to
```


#### **LOGIN PAGE:**



# **CREATING A FOLDER:**




### **CREATING A FILE:**



# FILE CREATED WITH A NAME (ex: GMAIL):



## Options to encrypt:



# Enter password to be encrypted



# Password Encrypted using AES

