eVS Label

USPS Web Tools™ Application Programming Interface Reference

Document Version 2.9 (08/04/2016)



Table of Contents

INTRO	DUCTION	3
Before yo	ou get started:	3
1 EV	/S LABEL API	4
2.1 eVS	'S Label Request	4
2.1.1	•	
2.1.2	Request Parameters	4
2.1.3	·	
2.1.4	·	
2.2 eVS	'S Label Response	30
2.2.1	Response Parameters	30
2.2.2	Response Example	32
2.2.3	Tagged Label Diagram - Express	34
2.2.4	Tagged Label Diagram – Express Customs Form	35
2.2.5	Tagged Label Diagram – Priority and First Class	36
2.2.6	Tagged Label Diagram – Priority Customs Form	37
2.2.7	Tagged Label Diagram – Library Mail	38
2.2.8	Tagged Label Diagram – Media Mail	39
2.2.9	Tagged Label Diagram – BPM	40
2.3 eV	S Cancel Request	41
2.3.1	eVS Cancel Request Parameters	41
2.3.2	eVS Cancel Request Examples	41
2.3.3	eVS Cancel Response	41
2.3.4	eVS Cancel Response Examples	42

Introduction

This document contains a Reference Guide to the eVS Label API. See the Developer's Guide (eCommerce API Technical Guides site) to learn the administrative process for gaining access to the Web Tools APIs as well as the basic mechanism for calling the APIs and processing the results. The Developer's Guide also contains information on testing and trouble-shooting.

For label specifications such as package dimensions, delivery information, etc., please refer to the Domestic Mail Manual (DMM) at http://pe.usps.com/.

For information specific to domestic mailpieces sent to an Army Post Office (APO), Fleet Post Office (FPOs), and or Diplomatic Post Offices (DPO) see the DMM at http://pe.usps.com/text/dmm300/608.htm#1255642

Before you get started:

Whether you are a new or existing mailer, USPS strongly suggests a conversation with you to discuss your business requirements so your account will be properly configured. To initiate this conversation please contact the National Customer Support Center (NCSC) at 877-264-9693 Option 4 and request a referral to an Operations Integration Specialist (OIS) and Technical Integration Specialist (TIS). USPS will align the appropriate team to assist with swift onboarding.

Depending on your needs, your account may be configured in many flexible ways; however, each account will be configured with credentials in a master/child relationship. Minimally, credentials will be established as follows:

- A master Mailer ID is created
 - Child Mailer IDs are created for each origin site and may be created as needed by the requirements of your business units and brands.
- A permit number is created
 - Additional permit numbers may be created as needed by the requirements of your business units and brands
- A CAPS Debit account is created for payment processing
 - Additional CAPS Debit accounts may be created as needed

Your Operations Integration Specialist and Technical Integration Specialist will be involved at the local and national levels to ensure successful launch and introduction to appropriate production support teams.

1 eVS Label API

2.1 eVS Label Request

The Request Parameter sections present the XML input tags for generating Live requests and the restrictions on the values allowed. An error message will be returned if an incorrect value is entered. Also, be aware of the maximum character amounts allowed for some tags. If the user enters more than those amounts, an error will not be generated. **The Web Tool will simply pass in the characters up to the maximum amount allowed and disregard the rest.** This is important since the resulting value could prevent a correct response.

When building the XML request, pay particular attention to the **order and case** for tags. An error message will be returned if an incorrect value is entered. Remember that all data and attribute values in this document are for illustration purposes and are to be replaced by your actual values. For instance, a line of sample code may be:

<ZipDestination>12345</ZipDestination>

In this instance, you will replace "12345" with the destination ZIP Code for the domestic-bound package.

2.1.1 API Signature

Scheme	Host	Path	API	XML
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=eVS	&XML=(see below)
https://	secure.shippingapis.com	/ShippingAPI.dll	?API=eVSCertify	&XML=(see below)

Note: The "eVSCertify" API signature is for testing purposes and will not generate usable labels and barcodes.

2.1.2 Request Parameters

Tag Name	Occurs	Description	Туре	Validation
eVSRequest	required once	API=eVS	(group)	
eVSRequest/ @USERID	required		NMTOKEN	
eVSRequest/ @PASSWORD	optional		NMTOKEN	
eVSRequest/ Option	optional	For future use.	empty	
eVSRequest/ Revision	optional	For future use.	string	
eVSRequest/ ImageParameters	optional		(group)	

Tag Name Occu		Description	Туре	Validation	
eVSRequest/ ImageParameters / ImageParameter	optional	 BARCODE ONLY label option returns a barcode and Package ID Code (PIC) number without the return and delivery name and address. CROP reduces the image size to half-sheet (approximately) 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page) 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page) SEPARATECONTINUEPAGE – will force the continuation page (if the item count causes the need for a continuation page) onto a separate page. For example: <imageparameter>4X6LABEL</imageparameter> 	string	Default=4X6LABEL Enumerations= BARCODE ONLY CROP 4X6LABELL 4X6LABELL 4X6LABELP 5EPARATECONTINUEPAGE	
eVSRequest/ ImageParameters / XCoordinate	Value of the horizontal coordinate w upper left corner of the label is place eVSRequest/ Combination of X and Y Coordinates validated to fit on the page.		integer	minValue=0 maxValue=34 default=500 (centered)	
eVSRequest/ ImageParameters optional / YCoordinate		Value of the vertical coordinate where the upper left corner of the label is placed. Combination of X and Y Coordinates will be validated to fit on the page. For example:< YCoordinate>458: </td <td>integer</td> <td>minValue=0 maxValue=34 default=450 (centered)</td>	integer	minValue=0 maxValue=34 default=450 (centered)	
eVSRequest / ImageParameters / LabelSequence	optional	To be used in the case of multiple packages. Not required if only one package.	string	minOccurs="0" maxOccurs="1"	
eVSRequest / ImageParameters / LabelSequence / PackageNumber		Required if Label Sequence is selected	integer	minInclusive value = "1" maxInclusive value = "999"	

Tag Name	Occurs	Description	Туре	Validation
eVSRequest / ImageParameters / LabelSequence/ TotalPackages		Required if Label Sequence is selected	integer	minInclusive value = "1" maxInclusive value = "999"
eVSRequest/ FromName	required once	Values for either First and Last Name of Sender or Firm must be sent. For example: <fromname>MT<!-- FromName--></fromname>	string	minLength=0 maxLength=100
eVSRequest/ FromFirm	required once	Values for either First and Last Name of Sender or Firm must be sent. For example: <fromfirm>USPS</fromfirm>	string	minLength=0 maxLength=50
eVSRequest/ FromAddress1	required once	From address line 1. Use this tag for an apartment or suite number. For example: <fromaddress1>STE 150<!-- FromAddress1--></fromaddress1>	string	minLength=0 maxLength=50
eVSRequest/ FromAddress2	required once	From address line 2. For example: <fromaddress2>6600 ROCKLEDGE DR</fromaddress2>	string	minLength=1 maxLength=50
eVSRequest/ FromCity	required once	From city. For example: <fromcity>BETHESDA<!-- FromCity--></fromcity>	string	minLength=1 maxLength=28
eVSRequest/ FromState	required once	From state. For example: <fromstate>MD<!-- FromState--></fromstate>	string	minLength=2 maxLength=2
eVSRequest/ FromZip5	required once	From ZIP code.		pattern=\d{5}
eVSRequest/ FromZip4	required once	From ZIP+4 extension. For example: <fromzip4></fromzip4>	string	minLength=0 pattern=\d{4}
eVSRequest/ FromPhone	required once	From Phone #. 10 digits required (including area code), with no punctuation. For example: <fromphone>2125551234<!-- FromPhone--></fromphone>	string	pattern=\d{10}

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ POZipCode	optional	ZIP Code of Post Office or collection box where item is mailed. May be different than FromZip5. For example: <pozipcode>20770<!-- POZipCode--></pozipcode>	string	minLength=0 maxLength=5
eVSRequest/ AllowNonCleanse dOriginAddr	Allow Non-Cleansed Origin Address. Enter "true" if you DO NOT want the API to check the address for accuracy or "false" if the cleansing should be allowed		boolean	default=false enumeration = true false
eVSRequest/ ToName	required once	Enter a value for the recipient's name. For example: <toname>Smith</toname>	string	minLength=0 maxLength=100
eVSRequest/ ToFirm	required once	Enter a value for the recipient's firm. For example: <tofirm>ABC CORPORATION<!-- ToFirm--></tofirm>	string	minLength=0 maxLength=50
eVSRequest/ ToAddress1	required once	Recipient address line 1. Use this tag for an apartment or suite number. For example: <toaddress1></toaddress1>	string	minLength=0 maxLength=50
eVSRequest/ ToAddress2	required once	Recipient address line 2. Must be a valid address. For example: <toaddress2>1234 MAIN ST</toaddress2>	string	minLength=1 maxLength=50
eVSRequest/ ToCity	required once	Recipient city. For example: <tocity>ANYTOWN<!-- ToCity--></tocity>	string	minLength=0 maxLength=28
eVSRequest/ ToState	required once Recipient state. For example: <tostate>MN</tostate>		string	minLength=0 pattern=\w{2}
eVSRequest/ ToZip5	required once	Recipient ZIP code. For example: <tozip5>12345<!-- ToZip5--></tozip5>	string	minLength=0 pattern=\d{5}
eVSRequest/ ToZip4	required once	Recipient ZIP+4 extension. For example: <tozip4></tozip4>	string	minLength=0 pattern=\d{4}

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ ToPhone	required once	Recipient Phone #. If value is entered, 10 digits required (including area code), with no punctuation. For example: <tophone>2125551234</tophone>	string	pattern=\d{10}
eVSRequest/ POBox	optional	Indicates if destination address is a PO Box. For example: <pobox>true</pobox>	boolean	default=false
eVSRequest/ ToContactPrefere nce	optional	This indicates how the recipient will be notified that the package is available for pickup. Specify WAIVED if notification is not desired and use tag. For example: <tocontactpreference>EMAIL<!--</td--><td>string</td><td>whiteSpace=collapse enumeration = EMAIL EMAILSMS SMS WAIVED</td></tocontactpreference>	string	whiteSpace=collapse enumeration = EMAIL EMAILSMS SMS WAIVED
eVSRequest/ ToContactMessag ing	optional	This contains the text messaging address or is blank depending on the ToContactPreference tag. If the EMAILSMS or SMS enumeration is used in ToContactPreference, this value must be a syntactically-valid e-mail address. If EMAIL or WAIVED is used, this value must be blank. For example: <tocontactmessaging>user@anydomain.gov <!-- ToContactMessaging--></tocontactmessaging>		maxLength=64 whiteSpace=collapse pattern=\w{0} pattern=([\w_\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4}
eVSRequest/ ToContactEmail	optional	This contains E-mail address or is blank depending on the ToContactPreference tag. If the EMAILSMS or EMAIL enumeration is used in ToContactPreference, this value must be a syntactically-valid e-mail address. If SMS or WAIVED is used, this value must be blank. Note: No e-mail is returned when generating a Sample Label request. For example: <tocontactemail>John.Smith@abc.com</tocontactemail>	string	minLength=0 pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4}

Tag Name Occurs De		Description	Description Type		
eVSRequest/ AllowNonCleanse dDestAddr	optional	Allow Non-Cleansed Destination Address. Enter "true" if you DO NOT want the API to check the address for accuracy or "false" if the cleansing should be allowed For example: <allownoncleanseddestaddr>true</allownoncleanseddestaddr>	boolean	default=false enumeration= true false	
eVSRequest/ WeightInOunces	required once	Package weight. Items must weigh 70 pounds (1120 ounces) or less. For example: <weightinounces>80</weightinounces>	string	pattern=\d{0,4}	
eVSRequest/ ServiceType	Mail service type desired. /SRequest/ required		string	enumeration = EXPRESS PRIORITY EXPRESS PRIORITY FIRST CLASS PARCEL SELECT GROUND LIBRARY MEDIA BPM STANDARD MAIL MARKETING PARCEL	

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ Container	optional	Use to specify special containers or container attributes that may affect postage; otherwise leave blank. Note: 'RECTANGULAR' OR 'NONRECTANGULAR' required when Service Type = 'PRIORITY' and packaging is not USPS supplied flat or regional rate packaging. For example: <container>FLAT RATE ENVELOPE<!--</td--><td></td><td>whiteSpace=collapse enumeration = VARIABLE FLAT RATE ENVELOPE LEGAL FLAT RATE ENVELOPE PADDED FLAT RATE ENVELOPE GIFT CARD FLAT RATE ENVELOPE SM FLAT RATE ENVELOPE WINDOW FLAT RATE ENVELOPE SM FLAT RATE BOX MD FLAT RATE BOX LG FLAT RATE BOX REGIONALRATEBOXA REGIONALRATEBOXB RECTANGULAR NONRECTANGULAR</td></container>		whiteSpace=collapse enumeration = VARIABLE FLAT RATE ENVELOPE LEGAL FLAT RATE ENVELOPE PADDED FLAT RATE ENVELOPE GIFT CARD FLAT RATE ENVELOPE SM FLAT RATE ENVELOPE WINDOW FLAT RATE ENVELOPE SM FLAT RATE BOX MD FLAT RATE BOX LG FLAT RATE BOX REGIONALRATEBOXA REGIONALRATEBOXB RECTANGULAR NONRECTANGULAR
eVSRequest/ Width	optional	Value must be numeric. Units are inches. Required when Service Type = 'PRIORITY', 'PARCEL SELECT NPS', 'LIBRARY', 'MEDIA', 'BPM' For example: <width>5.5<!-- Width--></width>	decimal	minExclusive=0.0 totalDigits=10
eVSRequest/ Length	optional	Value must be numeric. Units are inches. Required when Service Type = 'PRIORITY', 'PARCEL SELECT NPS', 'LIBRARY', 'MEDIA', 'BPM' For example: <length>11</length>	decimal	minExclusive=0.0 totalDigits=10
eVSRequest/ Height	optional	Value must be numeric. Units are inches. Required when Service Type = 'PRIORITY', 'PARCEL SELECT NPS', 'LIBRARY', 'MEDIA', 'BPM' For example: <height>11<!-- Height--></height>	decimal	minExclusive=0.0 totalDigits=10

Tag Name	Tag Name Occurs Description		Туре	Validation
eVSRequest/ Machinable	Outlough		string	default=True enumeration = True False Irregular
eVSRequest/ ProcessingCatego ry	optional	For future use.	string	
eVSRequest/ PriceOptions	optional	Indicates if retail or commercial pricing should be returned. Potional For example: <priceoptions>Commercial Base</priceoptions>		Default=Commercial Base enumeration = Retail Commercial Plus Commercial Base
eVSRequest/ InsuredAmount	optional	Use this tag for entering an insurance amount, if applicable. For example: <insuredamount>100.00</insuredamount>	decimal	default=0 minInclusive=0 maxInclusive=9999.99 totalDigits=8 whiteSpace=collapse

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ AddressServiceRe quested		You can request the USPS to alert you when a customer changes their address. This feature is especially useful to ensure correct billing. The words "Address Service Requested" will appear on the shipping label immediately below the return address. By using this tag, you will receive the following service with Priority Mail: For 12 months after an address change, the mailpiece is forwarded at no charge. However, a separate notice of the new address is returned to you and an address correction fee is charged. For months 13-18 after an address change, the mailpiece is returned with the new address attached at no charge. After 18 months, or if undeliverable, the mailpiece is returned with the reason for nondelivery attached at no charge. Enter "True" or "False." False is assumed if no value is entered. For fees for this service with Package Services, refer to the Domestic Mail Manual. For example: <addressservicerequested>true </addressservicerequested>	boolean	default=false
eVSRequest/ ExpressMailOptio ns	optional	Groups Express Mail Delivery and Signature options. Valid when ServiceType='EXPRESS'	(group)	

Tag Name	Occurs	Descrip	otion		Туре	Validation
		Indicates desired deliver	y option:			
			_			
		Service Option	ServiceID			
		Normal Delivery	4			
		(default)	1			whiteSpace=collapse
		No Weekend Delivery	2			default=1
		No Holiday Delivery	3			enumeration =
		No Weekend or Holiday Delivery	4			1
		No Saturday Delivery	4 5			2
o\/SPoguest/			6			3 4
eVSRequest/ ExpressMailOptio		No Sunday Delivery Sunday Delivery	7			5
ns/	optional	Holiday Delivery	8		string	6
DeliveryOption		No Sunday or Holiday	0			7
Denveryoption		Delivery	9			8
		Scheduled End of Day	E			9
		Scheduled End of Day				E
		No Sun/ Hol Delivery	F			F
		Scheduled End of Day	'			G
		No Weekend/ Hol				
		Delivery	G			
		For example: <deliveryo DeliveryOption></deliveryo 				
eVSRequest/		No Signature Required fo	•			
ExpressMailOptio		"true" if you do not wan	_			default=true
ns/	optional	receipt of the package o	r "false" if yo	ou do.	boolean	
WaiverOfSignatur e		For example: <waiverof< td=""><td>Signature/></td><td></td><td></td><td></td></waiverof<>	Signature/>			
		Date Package Will Be Ma				
		be today plus 0 to 3 days	•	•		
		the date in either format				minLength=0
eVSRequest/	optional	such as 14-Feb-2011, or			string	pattern=\d{1,2}/ \d{1,2}/
ShipDate	'	as 02/ 14/ 2011.	, , , , ,	, , ,		\d\d(\d\d)?
		For example: <shipdate,< td=""><td>/></td><td></td><td></td><td></td></shipdate,<>	/>			
		User-assigned Number f		•		
		to 30 characters accepte		8 will be		
eVSRequest/		shown on the shipping la	abel image.			minLength=0
CustomerRefNo	optional	For everyla:			string	maxLength=30
		For example:	122/			
		<customerrefno>XYZ #2 CustomerRefNo></customerrefno>	123 </td <td></td> <td></td> <td></td>			
		customerkeino>				

Tag Name	Occurs	Descript	ion		Туре	Validation
eVSRequest/ CustomerRefNo2	optional	User-assigned Number for to 30 characters accepted shown on the shipping lab positioned below eVSRequestomerRefNo tag on the For example: <customerrefno>XYZ #12 CustomerRefNo></customerrefno>	but only 18 pel image. V uest/ e label imag	3 will be Will be	string	minLength=0 maxLength=30
eVSRequest/ ExtraServices	optional	Groups extra services eler	ments		(group)	
		Use to specify extra service available services are: Service Name	ses. Curren Service ID	tly		whiteSpace=collapse
		Insurance Insurance (PME) Return Receipt Certified Mail Return Receipt Electronic	100 101 102 105 110			enumeration = 100 101 102 105 110 118 119 120 125 155
		Return Receipt Express Mail Adult Signature Adult Signature Restricted Delivery	118 119 120			
eVSRequest/	optional, repeatin	Insurance (PM) USPS Tracking Electronic Signature Confirmation	125 155		string	
ExtraServices/ ExtraService	g up to unbound ed times	Electronic 10:30 AM Delivery (PME)	156 161			156 161 170
		Certified Mail Restricted Delivery Certified Mail Adult	170			171 172
		Signature Required Certified Mail Adult Signature Restricted	171			174 177 178
		Delivery Signature Confirmation Electronic Restricted	172			179
		Delivery Insurance Restricted Delivery	174 177			
		Insurance Restricted Delivery (PME)	178			
		Insurance Restricted Delivery (PM)	179			

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ HoldForPickup	optional	For future use.	(group)	
eVSRequest/ OpenDistribute	optional	For future use.	(group)	
eVSRequest/ PermitNumber	optional	For future use.	string	
eVSRequest/ PermitZIPCode	optional	For future use.	string	
eVSRequest/ PermitHolderNa me	optional	For future use.	string	
eVSRequest/ CRID	optional	Customer Registration ID. For example: <crid>544762<!-- CRID--></crid>	string	minLength=0 maxLength=15
eVSRequest/ MID	optional	Mailer ID (MID). For example: <mid>847654321<!-- MID--></mid>	string	Length=6 or 9 positions if populated
eVSRequest/ LogisticsManager MID	optional	The MID of the company that manages the mailing. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: < LogisticsManagerMID>489001< / LogisticsManagerMID>	string	Length=6 or 9 positions if populated
eVSRequest/ VendorCode	optional	Code from vendor software to identify the developer of the shipping system. For example: < VendorCode>1234 <vendorcode></vendorcode>	string	minLength=0 maxLength=4
eVSRequest/ VendorProductVe rsionNumber	optional	Shipping software's product version number For example: < VendorProductVersionNumber>5.02.1B VendorProductVersionNumber	string	minLength=0 maxLength=8
eVSRequest/ SenderName	optional	Name of E-mail Sender. For example: <sendername>Adam Smith</sendername>	string	minLength=0 maxLength=50

Tag Name	Occurs	Description	Туре	Validation
eVSRequest/ SenderEMail	optional	E-mail Address of Sender. Valid e-mail addresses must be used. For example: <senderemail>cpapple@email.com<!-- SenderEMail--></senderemail>	string	minLength=0 pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4}
eVSRequest/ RecipientName	optional	Name of E-mail Recipient For example: <recipientname></recipientname>	string	minLength=0 maxLength=50
eVSRequest/ RecipientEMail	optional	E-mail Address of Recipient. Valid e-mail addresses must be used. For example: <recipientemail><!--</td--><td>string</td><td>minLength=0 pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4}</td></recipientemail>	string	minLength=0 pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4}
eVSRequest/ ReceiptOption	optional	Label & Receipt print layout options. Enter "SEPARATE PAGE" if you want the shipping label and online customer record printed on two separate pages, "SAME PAGE" if you want them printed on the same single page, or "NONE" if no receipt is requested. For example: <receiptoption>SAME PAGE<!--</td--><td>string</td><td>default=SAME PAGE enumeration = SEPARATE PAGE NONE</td></receiptoption>	string	default=SAME PAGE enumeration = SEPARATE PAGE NONE
eVSRequest/ ImageType	required once	Label Image Type. For example: <imagetype>PDF<!-- ImageType--></imagetype>	string	enumeration = PDF TIF None
eVSRequest/ HoldForManifest	optional	Restricted use. Holds manifest record for possible inclusion in SCAN request.	string	enumeration = Y N
eVSRequest/ NineDigitRouting Zip	optional	Indicates if nine digit routing zip code is included in the barcode. For example: <ninedigitroutingzip>false<!-- NineDigitRoutingZip--></ninedigitroutingzip>	boolean	default=false
eVSRequest/ ShipInfo	optional	Indicates if revenue protection information is printed on the label. For example: <shipinfo>false<!-- ShipInfo--></shipinfo>	boolean	default=false

Tag Name	Occurs	Description	Type	Validation
eVSRequest/		Indicates if the 'CARRIER – LEAVE IF NO		
CarrierRelease	optional	RESPONSE' is to be printed on the label. This endorsement cannot be applied to Express Mail or items requiring a signature at delivery (e.g. Signature Confirmation, Insurance > \$500).	boolean	default=false
		For example: <carrierrelease>false<!-- CarrierRelease--></carrierrelease>		
eVSRequest/		Indicates the time the package will be		
DropOffTime	optional	dropped off. Time is specified in military time. For example: <dropofftime>13:00</dropofftime>	boolean	default=label creation time
eVSRequest/		Indicates that the CommitmentName and		
ReturnCommitme nts	optional	Scheduled DeliveryDate will be returned in the response. For example: <returncommitments>false<!-- ReturnCommitments--></returncommitments>	boolean	default=false
eVSRequest/ PrintCustomerRef No	optional	Print <customerrefno> in the additional information section.</customerrefno>	boolean	default=false
eVSRequest/ Content	optional	Groups Content	(group)	
eVSRequest/ Content/		Use to specify ContentType. Currently available types are:		
ContentType	required once	ContentType HAZMAT CrematedRemains Lives Perishable Fragile Pharmaceuticals MedicalSupplies For example: < ContentType >Lives </td <td>string</td> <td>enumeration = HAZMAT CrematedRemains Lives Perishable Fragile Pharmaceuticals MedicalSupplies</td>	string	enumeration = HAZMAT CrematedRemains Lives Perishable Fragile Pharmaceuticals MedicalSupplies

Tag Name	Occurs	Description	Type	Validation
eVSRequest/ Content/ ContentDescripti		Use to specify Content Description. Required when <contenttype>Lives<!-- ContentType--> is supplied. Valid Values</contenttype>		
on	optional	ContentDescription		enumeration =
	– max	Bees		Bees
	one	DayOldPoultry	String	DayOldPoultry
	occurren	AdultBirds		AdultBirds
	ce	Other		Other
		For example: < ContentDescription > DayOldPoultry ContentDescription Use to specify Sortation Level. Needed if non-		
eVSRequest/ SortationLevel	optional	machinable. For example:< SortationLevel>MIX SortationLevel	String	
eVSRequest/ DestinationEntryF acilityType	optional	Use to specify Destination Entry Facility Type. For example: < <destinationentryfacilitytype>DNDC<!-- DestinationEntryFacilityType</td--><td>String</td><td>enumeration = None (default) DNDC DSCF DDU</td></destinationentryfacilitytype>	String	enumeration = None (default) DNDC DSCF DDU

for shipping to/from Overseas Military and Diplomatic Post Office(APO/FPO/DPO) and US Possessions, Territories and Freely Associated States (PTFAS).

Please see the below "CustomsContentType" tag for specific customs forms and data requirements and logic.

eVSRequest / ShippingContents	required once or optional	Required only if a customs form is required based on Customs Content Type and Weight.	(group)
eVSRequest / ShippingContents / ItemDetail	g up to	required once repeating up to 30 times if generating an Integrated Customs Form, otherwise not required	(group)

Tag Name	Occurs	Description	Туре	Validation
eVSRequest / ShippingContents / ItemDetail /Description	Optional /require d	Description of the item. Required only if a customs form is required based on Customs Content Type and Weight. For example: <description>Policy guidelines document</description>	string	minLength=1 maxLength=256
eVSRequest / ShippingContents / ItemDetail /Quantity	Optional /require d	Quantity of the item. Integer value required. Required only if a customs form is required based on Customs Content Type and Weight. For example: <quantity>1</quantity>	integer	whitespace=collapse maxInclusive value=9999
eVSRequest / ShippingContents / ItemDetail / Value	Optional /require d	The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. Required only if a customs form is required based on Customs Content Type and Weight. For example: <value>55.00</value>	decimal	minExclusive value=0 totalDigits value=8 maxInclusive value=99999.99
eVSRequest / ShippingContents / ItemDetail / NetPounds	optional/ required	Provide the pounds OR ounces component of the weight of the individual item listed with <description> when a customs form is required based on Customs Content Type and Weight. For example: <netpounds>1</netpounds></description>	integer	totalDigits value=2 minInclusive value=0 maxInclusive value=70
eVSRequest / ShippingContents / ItemDetail / NetOunces	optional/ required	Provide the ounces OR pounds component of the weight of the individual item listed with <description> when a customs form is required based on Customs Content Type and Weight. For example: <netounces>5</netounces></description>	decimal	totalDigits value=5 minInclusive value=0 maxInclusive value=1120
eVSRequest / ShippingContents / ItemDetail / HSTariffNumber	optional	For commercial items only. If known, the HS tariff number must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. For example: <hstariffnumber>490110</hstariffnumber>	string	minLength=0 maxLength=12

Tag Name	Occurs	Description	Туре	Validation
eVSRequest / ShippingContents / ItemDetail / CountryofOrigin	optional	Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries (see http://pe.usps.com/text/imm/immctry.htm) and Localities or be "United States". For example: <countryoforigin>United States</countryoforigin>	string	minLength=0 maxLength=100
eVSRequest / CustomsContentT ype	Required	Specifies the content of the package or envelope. For example: <customscontenttype>DOCUMENTS</customscontenttype> When sending TO or FROM an APO/FPO/DPO or PTFAS, additional Customs information is required. This requirement is triggered when • The "eVSRequest/ ToState" is an APO/FPO/DPO or PTFAS • The "eVSRequest/POZipCode" is specified and is an APO/FPO/DPO or PTFAS • The "eVSRequest/POZipCode" is NOT specified and The "eVSRequest/FromState" is an APO/FPO/DPO or PTFAS When one of the above conditions occurs, The Customs Content Type tag is required. If the Content Type is "DOCUMENTS" and the "WeightInOunces" is specified and is less than 16 oz. no additional Customs tags are required from this section (2.1.3). More information can be found in the DMM at: http://pe.usps.com/text/dmm300/608.ht m#1255642	string	minOccurs=0 enumeration= MERCHANDISE GIFT DOCUMENTS SAMPLE RETURN OTHER HUMANITARIAN DANGEROUSGOODS

Tag Name	Occurs	Description	Туре	Validation
eVSRequest / ContentComment s	optional	Required tag if <customscontenttype> =Other Enter any comments. For example: <contentcomments></contentcomments></customscontenttype>	string	minOccurs=0
eVSRequest / RestrictionType	optional	Restriction Types	string	minOccurs=0 Enumeration= Quarantine Sanitary Inspection Phytosanitary Inspection Other
eVSRequest / RestrictionComm ents	optional	Restriction Comments. Required when <restrictiontype>="Other"</restrictiontype>	string	minOccurs=0
eVSRequest / AESITN	optional	AES/ITN Exemption is a code that indicates the reason why you did not need to file electronic export information	string	minOccurs=0
eVSRequest / ImportersReferen ce	optional	Use tag when ServiceType is equal to Priority Importers Reference. The Importer's Reference might be a tax code, importer code, or VAT number used for sales tax	string	minOccurs=0
eVSRequest / ImportersContact	optional	Use tag when ServiceType is equal to Priority Importers Contact. Enter, if known, the Importer's telephone number, fax number, or email address, as such information might facilitate customs clearance or delivery.	string	minOccurs=0
eVSRequest / ExportersReferen ce	optional	Use tag when ServiceType is equal to Priority Exporters Reference. The Exporter's Reference might be a tax code, importer code, or VAT number used for sales tax	string	minOccurs=0
eVSRequest / ExportersContact	optional	Use tag when ServiceType is equal to Priority Exporters Contact. Enter, if known, the Exporter's telephone number, fax number, or email address, as such information might facilitate customs clearance or delivery.	string	minOccurs=0
eVSRequest / InvoiceNumber	optional	Use tag when ServiceType is equal to Priority Invoice Number	string	minOccurs=0

Tag Name	Occurs	Description	Type	Validation
eVSRequest / LicenseNumber	optional	Use tag when ServiceType is equal to Priority License Number	string	minOccurs=0
eVSRequest / CertificateNumbe r	optional	Use tag — when ServiceType is equal to Priority Certificate Number	string	minOccurs=0
eVSRequest / NonDeliveryOptio n	optional	In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <fromaddress> above. "REDIRECT" to return package to address specified in the below tags. "ABANDON" to dispose of undeliverable package. For example: <nondeliveryoption>RETURN</nondeliveryoption></fromaddress>	string	enumeration=RETURN enumeration=REDIRECT enumeration=ABANDON
eVSRequest / AltReturnAddress 1	optional	Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is for an apartment or suite number. For example: <altreturnaddress1>Apt 1</altreturnaddress1> Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address. 2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container>	string	minOccurs=0

Tag Name	Occurs	Description	Туре	Validation
eVSRequest / AltReturnAddress 2	optional	Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is the Recipient address line 2. Must be a valid address. For example: <altreturnaddress2>123 Main Ave <!-- AltReturnAddress2--> Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address. 2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container></altreturnaddress2>	string	minOccurs=0
eVSRequest / AltReturnAddress 3	optional	Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is the Recipient city. Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address. 2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container>	string	minOccurs=0
eVSRequest / AltReturnAddress 4	optional	Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is the Recipient state. Use 2-letter USPS abbreviation. Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address. 2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container>	string	minOccurs=0

Tag Name	Occurs	Description	Type	Validation
eVSRequest / AltReturnAddress 5		Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is the recipient ZIP code.		
	optional	Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address.	string	minOccurs=0
		2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container>		
eVSRequest / AltReturnAddress 6		Required if NonDeliveryOption tag=REDIRECT. Suggested use of this tag is the recipient ZIP+4 extension		
	optional	Note: 1. Six AltReturn Address lines are provided but only one line is required. Use as many as needed for complete address. 2. Requirement ignored when <container> specified is a flat rate envelope or small flat rate box variation.</container>	string	minOccurs=0
eVSRequest / AltReturnCountry	optional	Required if NonDeliveryOption tag=REDIRECT. Country. Tag must equal United States for this API.	string	minOccurs=0
eVSRequest Request	required once		(alias)	

2.1.4 Request Example

```
Test XML Request - Standard without generating Military / PTFAS Integrated Customs Form:
 <?xml version="1.0" encoding="UTF-8" ?>
<eVSCertifyRequest mlns:xsi="http://www.w3.org/2001/XMLSchema-instance" USERID="XXXXXXX">
<Option>1</ Option>
<Revision></ Revision>
<ImageParameters>
<LabelSequence>
 <PackageNumber>2</ PackageNumber>
 <TotalPackages>3</TotalPackages>
</ LabelSequence>
</ ImageParameters>
FromName>Joe Smith</ FromName>
kFromFirm>ABC Corp.</ FromFirm>
FromAddress1>Apt. 3C</ FromAddress1>
FromAddress2>6406 Ivy Lane
FromAddress2>
FromCity>Greenbelt/ FromCity>
<FromState>MD</ FromState>
FromZip5>20770
FromZip4>1234
FromPhone>5708208072
FromPhone>
<POZipCode></ POZipCode>
AllowNonCleansedOriginAddr>false</ AllowNonCleansedOriginAddr>
kToName>Tom Collins</ ToName>
kToFirm>XYZ Corp.</ ToFirm>
ToAddress1>Suite 4D</ ToAddress1>
kToAddress2>8 Wildwood Drive</ ToAddress2>
<ToCity>Old Lyme</ ToCity>
<ToState>CT</ ToState>
<ToZip5>06371</ ToZip5>
<ToZip4></ToZip4>
<ToPhone></ ToPhone>
<POBox></ POBox>
AllowNonCleansedDestAddr></ AllowNonCleansedDestAddr>
WeightInOunces>32</ WeightInOunces>
ServiceType>Express</ ServiceType>
<Container>FLAT RATE ENVELOPE</ Container>
<Width></ Width>
<Length></ Length>
<Height></ Height>
Machinable></ Machinable>
ProcessingCategory></ ProcessingCategory>
PriceOptions></ PriceOptions>
kInsuredAmount></ InsuredAmount>
AddressServiceRequested></ AddressServiceRequested>
<ExpressMailOptions>
```

```
<DeliveryOption></ DeliveryOption>
<WaiverOfSignature></ WaiverOfSignature>
</ ExpressMailOptions>
<ShipDate></ ShipDate>
<CustomerRefNo></ CustomerRefNo>
<ExtraServices>
<ExtraService></ ExtraService>
</ ExtraServices>
HoldForPickup></ HoldForPickup>
<OpenDistribute></ OpenDistribute>
kPermitNumber></ PermitNumber>
kPermitZIPCode></ PermitZIPCode>
PermitHolderName></ PermitHolderName>
<CRID></ CRID>
SenderName></ SenderName>
SenderEMail></ SenderEMail>
RecipientName>Joseph Smoth</ RecipientName>
<RecipientEMail>jsmith1234@aol.com
/ RecipientEMail>
<ReceiptOption></ ReceiptOption>
<ImageType>TIF</ ImageType>
kHoldForManifest></ HoldForManifest>
NineDigitRoutingZip></ NineDigitRoutingZip>
</ eVSCertifyRequest>
 Test XML Request – and creating a Military / PTFAS Integrated Customs Form:
 <?xml version="1.0" encoding="UTF-8" ?><eVSCertifyRequest mlns:xsi="http://www.w3.org/2001/</pre>
 XMLSchema-instance" USERID="XXXXXXX">
   <Option>1</ Option>
  <Revision></ Revision>
  <ImageParameters>
   <LabelSequence>
    <PackageNumber>2</ PackageNumber>
    <TotalPackages>3</ TotalPackages>
   </ LabelSequence>
  </ ImageParameters>
  <FromName>Joe Smith</FromName>
  <FromFirm>ABC Corp.</FromFirm>
  <FromAddress1>Apt. 3C/ FromAddress1>
  <FromAddress2>6406 Ivy Lane/ FromAddress2>
  <FromCity>Greenbelt</FromCity>
  <FromState>MD</ FromState>
  <FromZip5>20770</FromZip5>
  <FromZip4>1234</FromZip4>
  <FromPhone>5708208072</FromPhone>
  <POZipCode></ POZipCode>
  <AllowNonCleansedOriginAddr>false</ AllowNonCleansedOriginAddr>
  <ToName>Tom Collins</ToName>
  <ToFirm>XYZ Corp.</ToFirm>
```

```
<ToAddress1>Suite 4D</ToAddress1>
<ToAddress2>8 Wildwood Drive</ ToAddress2>
<ToCity>Old Lyme</ToCity>
<ToState>CT</ ToState>
<ToZip5>06371</ToZip5>
<ToZip4></ToZip4>
<ToPhone></ ToPhone>
<POBox></POBox>
<AllowNonCleansedDestAddr></AllowNonCleansedDestAddr>
<WeightInOunces>12</WeightInOunces>
<ServiceType>priority</ServiceType>
<Container>Rectangular</Container>
<Width>1</Width>
<Length>1</Length>
<Height>1</Height>
<Machinable></Machinable>
<ProcessingCategory></ProcessingCategory>
<PriceOptions></PriceOptions>
<InsuredAmount>1000/InsuredAmount>
<AddressServiceRequested>true</AddressServiceRequested>
<ExpressMailOptions>
 <DeliveryOption></DeliveryOption>
 <WaiverOfSignature></WaiverOfSignature>
</ExpressMailOptions>
<ShipDate></ShipDate>
<CustomerRefNo></CustomerRefNo>
<ExtraServices>
 <ExtraService></ExtraService>
</ExtraServices>
<HoldForPickup></HoldForPickup>
<OpenDistribute></OpenDistribute>
<PermitNumber></PermitNumber>
<PermitZIPCode></PermitZIPCode>
<PermitHolderName></PermitHolderName>
<CRID></CRID>
<SenderName></SenderName>
<SenderEMail></SenderEMail>
<RecipientName>Robert Meier</RecipientName>
<RecipientEMail></RecipientEMail>
<ReceiptOption></ReceiptOption>
<ImageType>TIF</ImageType>
<HoldForManifest></HoldForManifest>
<NineDigitRoutingZip></NineDigitRoutingZip>
<ShipInfo>true</ShipInfo>
<CarrierRelease></CarrierRelease>
<ReturnCommitments>true</ReturnCommitments>
<PrintCustomerRefNo></PrintCustomerRefNo>
```

```
<Content>
  <ContentType></ContentType>
  <ContentDescription></ContentDescription>
 </Content>
<ShippingContents>
  <ItemDetail>
  <Description>Description 1
  <Quantity>9999</Quantity>
  <Value>1.11</Value>
  <NetPounds></NetPounds>
  <NetOunces>1</NetOunces>
  <HSTariffNumber>123456789012/HSTariffNumber>
  <CountryOfOrigin>Australia</CountryOfOrigin>
  </ltemDetail>
  <ItemDetail>
  <Description>Description 2</Description>
  <Quantity>2</Quantity>
  <Value>2.22</Value>
  <NetPounds></NetPounds>
  <NetOunces>2</NetOunces>
  <HSTariffNumber>234567</HSTariffNumber>
 <CountryOfOrigin>Australia</CountryOfOrigin>
 </ltemDetail>
 <ItemDetail>
  <Description>Description 3/Description>
  <Quantity>3</Quantity>
  <Value>3.33</Value>
  <NetPounds></NetPounds>
  <NetOunces>3</NetOunces>
  <HSTariffNumber>123456
  <CountryOfOrigin>Australia</CountryOfOrigin>
 </ltemDetail>
 <ItemDetail>
  <Description>Description 4</Description>
  <Quantity>4</Quantity>
  <Value>4.44</Value>
  <NetPounds></NetPounds>
  <NetOunces>4</NetOunces>
  <HSTariffNumber>234567
  <CountryOfOrigin>Australia</CountryOfOrigin>
 </ltemDetail>
 <ItemDetail>
  <Description>Description 5</Description>
  <Quantity>5</Quantity>
  <Value>5.55</Value>
  <NetPounds></NetPounds>
  <NetOunces>5</NetOunces>
```

```
<HSTariffNumber>123456
   <CountryOfOrigin>Australia</CountryOfOrigin>
 </ltemDetail>
 <ItemDetail>
  <Description>Description 6</Description>
  <Quantity>6</Quantity>
  <Value>6.66</Value>
  <NetPounds></NetPounds>
  <NetOunces>6</NetOunces>
  <HSTariffNumber>234567
   <CountryOfOrigin>Australia</CountryOfOrigin>
 </ltemDetail>
</ShippingContents>
<CustomsContentType>Document</CustomsContentType>
<ContentComments>1234567890123456789012345</ContentComments>
<RestrictionType>Phytosanitary Inspection</RestrictionType>
<RestrictionComments>1234567890123456789012345</RestrictionComments>
<AESITN>12345678901234567890123456789012345</AESITN>
<ImportersReference>123456789012345678901234567890
<ImportersContact>Importers Contact: This field can be 50 chars long
/ImportersContact>
<ExportersReference>12345678901234</ExportersReference>
<ExportersContact>Exporters Contact: This field can be 50 chars long</ExportersContact>
<InvoiceNumber>Invoice89012345/InvoiceNumber>
<LicenseNumber>License Number12</LicenseNumber>
<CertificateNumber>CertificateX</CertificateNumber>
</eVSCertifyRequest>
```

2.2 eVS Label Response

2.2.1 Response Parameters

Tag Name	Occurs	Description	Туре	Validation
eVSResponse	required once		(group)	
eVSResponse/ BarcodeNumber	required once	Tracking Number	string	
eVSResponse/ LabelImage	optional	Label image, if requested (where ImageType> tag not "None")	base64Bina ry	
eVSResponse/ ReceiptImage	optional	Separate Receipt image, if requested using <receiptoptions> tag</receiptoptions>	base64Bina ry	
eVSResponse/ ToName	required once	Name of Recipient	string	
eVSResponse/ ToFirm	required once	Company Name	string	
eVSResponse/ ToAddress1	required once	To Address Line 1	string	
eVSResponse/ ToAddress2	required once	To Address Line 2	string	
eVSResponse/ ToCity	required once	To City	string	
eVSResponse/ ToState	required once	To State	string	
eVSResponse/ ToZip5	required once	To ZIP Code	string	
eVSResponse/ ToZip4	required once	To ZIP Code+4	string	
eVSResponse/ Postnet	required once		string	
eVSResponse/ RDC	required once		string	

Tag Name	Occurs	Description	Туре	Validation
eVSResponse/ Postage	required once	Amount of Postage Required, includes amount for fragile special handling if requested, does not include insurance or other extra service fees.	decimal	
eVSResponse/ ExtraServices	optional		(group)	
eVSResponse/ ExtraServices/ ExtraService	optional, repeating up to unbound ed times	Groups extra service information	(group)	
eVSResponse/ ExtraServices/ ExtraService/ ServiceID	required once	Extra Service ID echoed from request	string	
eVSResponse/ ExtraServices/ ExtraService/ ServiceName	required once	Extra Service name	string	
eVSResponse/ ExtraServices/ ExtraService/ Price	required once	Extra Service fee	decimal	
eVSResponse/ HoldForPickup	optional	For future use.		
eVSResponse/ Zone	required once	Postal Zone. Indicates the number of postal rate zones between the origin and destination ZIP codes.	string	
eVSResponse/ DimensionalWeight	optional	Dimensional Weight of package, if greater than specified in <pre><weightinounces>.</weightinounces></pre>	string	
eVSResponse/ CarrierRoute	required once	Carrier Route	string	
eVSResponse/ PermitHolderName	required once	Permit Holder Name	string	
eVSResponse/ InductionType	required once	Permit Holder Induction Type	string	

Tag Name	Occurs	Description	Туре	Validation
eVSResponse/ LogMessage	required once	A text message for integrators of this API. It may contain additional information about this particular request/ response, or general information about the API or Web Tools. In typical implementations, whenever this tag is encountered, the message is written to the console log file for later analysis.	string	
eVSResponse/ Commitment	optional	Returned when <returncommitments> = "true" in the request.</returncommitments>		
eVSResponse/ Commitment/ CommitmentName	required once	Commitment name. Example "1-Day".	string	
eVSResponse/ Commitment/ ScheduledDeliveryDate	required once	Date of delivery. Format "YYYY-MM-DD". Example "2015-06-03".	string	
eVSResponse	required once		(alias)	


2.2.2 Response Example

Test XML Response - Standard without generating Military / PTFAS Integrated Customs Form:

- <?xml version="1.0" encoding="UTF-8" ?>
- _ <eVSCertifyResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <BarcodeNumber>420063719270110101010XXXXXXXXXX/ BarcodeNumber>
- <LabelImage>SUkqAAgAAAASAP4ABAAB
- <!-- over 115000 suppressed -->
- </ LabelImage>
- <ToName>TOM COLLINS</ToName>
- <ToFirm>XYZ CORP.</ToFirm>
- <ToAddress1>STE 4D</ToAddress1>
- <ToAddress2>8 WILDWOOD DR</ToAddress2>
- <ToCity>OLD LYME</ToCity>
- <ToState>CT</ ToState>
- <ToZip5>06371</ToZip5>
- <ToZip4>1844</ToZip4>

```
<Postnet>063711844088</ Postnet>
   <RDC>0007</ RDC>
   <Postage>18.11</ Postage>
   <Zone>00</ Zone>
   <CarrierRoute>R###</ CarrierRoute>
   <PermitHolderName>TEST - DO NOT MAIL</PermitHolderName>
   <InductionType>ePostage</ InductionType>
   <LogMessage></ LogMessage>
</eVSCertifyResponse>
Test XML Response – and creating a Military / PTFAS Integrated Customs Form:
<<?xml version="1.0" encoding="UTF-8" ?>
<eVSCertifyResponse xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <BarcodeNumber>420063719270110101010XXXXXXXXXX/ BarcodeNumber>
   <LabelImage>SUkqAAgAAAASAP4ABAAB
    <!-- over 115000 suppressed -->
   </ LabelImage>
   <ToName>TOM COLLINS</ToName>
   <ToFirm>XYZ CORP.</ToFirm>
   <ToAddress1>STE 4D</ToAddress1>
   <ToAddress2>8 WILDWOOD DR</ToAddress2>
   <ToCity>OLD LYME</ToCity>
   <ToState>CT</ToState>
   <ToZip5>06371</ToZip5>
   <ToZip4>1844</ToZip4>
  Postnet>090943300994</Postnet>
  <RDC>0006</RDC>
  <Postage>5.05</Postage>
  <ExtraServices><ExtraService>
  <ServiceID>155</ServiceID>
  <ServiceName>USPS Tracking Electronic/ServiceName>
  <Price>0.00</Price>
  </ExtraService>
  </ExtraServices>
  <Zone>01</Zone>
  <CarrierRoute>C000</CarrierRoute>
  <PermitHolderName>TEST - DO NOT MAIL</PermitHolderName>
  <InductionType>eVS</InductionType>
  <LogMessage/>
  <Commitment>
  <CommitmentName>Military</CommitmentName>
  <ScheduledDeliveryDate/>
  </Commitment>
  </eVSCertifyResponse>
```

2.2.3 **Tagged Label Diagram - Express**



Use Priority Mail Express packaging or stickers. Securely affix label to mail piece. Do not tape over barcode. Money-back guarantee begins with acceptance processing of this item when the item is returned to the Post Office after being collected during delivery/collection, from a Priority Mail Express Collection box, or brought to a USPS retail location. This Online Receipt must be presented to Postal personnel if applying for a service related refund. Refunds for unused postage paid labels can be requested online 10 days from the print date.

A

<u>ي</u> 0


PRIORITY MAIL EXPRESS 2-DAY™ www.usps.com Г CUSTOMER Online Receipt DO NOT MAIL 9270 1901 0650 7600 0243 95 POSTAL SERVICE UNIT 15345 61ST MAINT CO APO AP 20770-9998 FOR PICKUP OR TRACKING CALL 1-800-222-181 JOSEPH CLEAN X WAIVER OF SIGNATURE void if waiver of signature is obtaining signature of addresses õ Postage and fees are subject to change after package characteristics are validated when package is presented to the Post Office. (777) 123-4567 Postage \$ 32.94 \$ 32.94 08/06/16 Flat Rate PHONE PRIORITY * MAIL * EXPRESS × JON SENDER 2600 CAMPUS RD HONOLULU HI 96822-2224 ā CUSTOMER INFORMATION 08/04/16 10:30 AM Address ONITED STATES
POSTAL SERVICE® 4 × Label 11-0 June 2001 Saturday ┙ FROM:

2.2.4 Tagged Label Diagram - Express Customs Form

l e	(,1234567	'89012345678901234	CP72-C	USTOM	S DECL	ARATION		P	RIORITY MAIL	EXPRESS
1 1			Origin Post: Date of Mailing:			of Mailing:			U.S. POS	STAGE
R	DIRK POTTER'S	FIRM	US POSTAL SERVICE 11/12/15			/12/15			PAI	D
	STE 1		Importer's 123456789	reference	e: 78901234	567890	THE		GOO	3LE
М	126 SHADETREE SHAVERTOWN F		Importer's	contact:			751119		eV\$	3
	SHAVERTOWN	PA 10700-9037		Net W		S FIELD CAN	BE 50 CHARS LONG	Origin	Insured Va	lue: \$
Deta	illed description of con	tents	Qty		/oz)	(US\$)	HS Tariff Number	ong	insuica va	0.00
	cription 1		9999	0	1	1.11	123456783011	AU	SDR Value	
— თ Desi	cription 2		2	0	2	2.22	34507	AU		0.00
	cription 3		3	0	3	3 23	123456	AU	Insured Fe	e: \$
△	cription 4		4	0	4	44	234567	AU	Postal cha	raes/
	ee Continuation Page	••			. (11			Fees: \$	15.13
Gate	gory of items: DOCUI	MENT	TOTAL	*	14	23.31	Corporate Account #:			
	rter's reference:	Exporter's contact:			ions.		I certify the particulars give			
	45678901234	EXPORTERS CONTACT:			50 ¢HAR	STONG	The form does not contain articles prohibited by legis	lation or by po	stal or customs	regulations.
	ITN/Exemption 56789012345678901234			dificate		12 CERTIFICA	l have met all applicable ex निक्यू and regulations.	port filing requ	irements under	federal
===== 8 ==		livery Information					Sender's Signature and	Date		
	duled Delivery Delive	ery Date: Delivery Ti	me:	Addresso	e's Signa	ature	DIRK POTTER		11/	12/2015
Date	" /16/15		AM/PM				Return to Sender Instru	ctions in cas	e of nondelive	ery
	710/13		AM/PHI		_		•			
2 <u> </u>	11/0	1.3 Lbs.			24					
	714.	(12345678901	2345678	390123	4					
		4 · L · · · · · · · · · · · · · · · · · · ·								
	P WE	BTOOLS TE	ST							
	IFIRM GH	IJKLMNOPORS	N//UT	VXY7	·					
	- ILINUT 000			*/(12		Overs	eas Military	/Dinle	matic	Mail
		_			- '	Overs	cas minitary	, Dipi	mutio	Widii
	APO AE	09094-3300								
PS Fo	rm 2976-B (March 2015)	Web Tools	o not duplica	te this for	m without I	USPS approval.		This	item may be op	ened officially.



2.2.5 Tagged Label Diagram - Priority and First Class



Cut on dotted line.

Online e-Label Record

USPS Tracking™ Svc Number: 9205 5901 0650 7600 3032 58 PRIORITY MAIL 3-DAY™ with electronic option

JSPS Tracking service*

Adhere shipping label to package with tape or glue
 DO NOT TAPE OVER BARCODE. Be sure all edges are secure. Self-adhesive label is recommended.

1. Please use a laser or laser-quality printer.

Instructions

Place label so that it does not wrap around the edge

of the package.

Please use this shipping label on the "ship date" selected when you requested the label.

Each shipping label number is unique and can be used only once - DO NOT PHOTOCOPY.

Ship Date: From: JON SENDER 2600 CAMPUS RD HONOLULU HI 96822-2224 Print Date: 08/04/16

To: JOSEPH CLEAN POSTAL SERVICE UNIT 15345 61ST MAINT CO APO AP 20770-9998

6. If a mailing receipt is required, present the article and Online e-Label Record at a Post Office for postmark.


Check the status of your shipment on the Track & Confirm page at www.usps.com

2.2.6 Tagged Label Diagram – Priority Customs Form

F R O M	DIRK POTTER DIRK POTTER'S FIF STE 1 126 SHADETREE RI SHAVERTOWN PA	D	Origin Post US POSTAI Importer's re	3 . SERVICE ference: ₁₂₃ ,	DECLARA Date of Maili 11/10 456789012345	ing:)/15 678901234		U.S. P F GO	AIL MILITARY OSTAGE PAID OGLE ⊵VS	TM
Deta	ailed description o	f contents	Qty	Net Wei (lbs:o	- 1	alue USS)	HS Tariff Numbers	Origin Country	Insured Value: \$	0.00
Pes Des Des Des Des Des Des Des Des Des D	scription 1 scription 2 scription 3 scription 4 ee Continuation Pa	age **	9999 2 3 4	0 0 0	1 2 3 4	1.11 2.22 3.33 4.14	23 5 78 25- 128 234	01 AU 4567 AU 4566 AU 4567 AU	SDR Value: \$ Insured Fee: \$ Postal charges/ Fees: \$	0.00
9/ Cate	gary of items: DOCU	MENT Exporter's contact:	TOTAL	0.0	1.0 2	23.31	I certify the particula correct. This form do dangerous articles, o	es not contain any	undeclared	
123	45678901234	EXPORTERS CONTACT: THIS FIL	D CAN BE SO	enarston	H; I		postal or customs reg export filing requirem	pulations. I have m	et all applicable	
1234	TN/Exemption 5678901234567890123		(L) ense Ce E89012345		Io(s) NUMBER12	2 CERTIF	Sender's Signature an		11/10/2	2015
2 590	O 12.0th						Return to Sender Inst	ru ction s in case of	nondelivery:	
\$026		【123456789012 TOOLS—TEST KLMNOPQRSTU√W		901234		erse	as Militar	y/Diplom	natic M	ail
PS Form 2976-A (March 2015) W	leb Tools Do not a	duplicate this form without US	SPS approva	il.			This	item may be open	ed officially.	

Detailed description of contents Description 5 Description 6	205 59 Qty	901 00 Net Wei (lbs/o	ight	Value (US\$)	For commercial items only HS Tariff Number	Origin (Country AU AU
Description 5	5	(lbs/o	5 5	(US\$) 5.55	HS Tariff Number	AU
· · ·	-	- 1		0.00	12345 8456	
	,	E -	O	0	MOT MI	
SAMM				ut USPS appre		This item may be opened official

Tagged Label Diagram - Library Mail 2.2.7



<ToName>
<ToFirm>
<ToAddress1>
<ToAddress2>
<ToAddress2>
<ToAddress2>
<ToCity><ToState><ToZip5><ToZip4> USPS Tracking™ Svc Number: Ship Date: Online e-Label Record Library Mail with electronic option USPS Tracking service* Print Date: <u >cubelbate> <BarcodeNumber> From: .: L Cut on dotted line. If a mailing receipt is required, present the article and Online e-Label Record at a Post Office for postmark. Adhere shipping label to package with tape or glue
 DO NOT TAPE OVER BARCODE. Be sure all edges are secure. Self-adhesive label is recommended. Place label so that it does not wrap around the edge of the package.


Please use this shipping label on the "ship date" selected when you requested the label. Each shipping label number is unique and can be used only once - DO NOT PHOTOCOPY.

1. Please use a laser or laser-quality printer.

Instructions

UNITED STATES POSTAL SERVICE Thank you for shipping with the United States Postal Service! Check the status of your shipment on the Track & Confirm page at www.usps.com

2.2.8 Tagged Label Diagram - Media Mail




USPS Tracking™ Svc Number Online e-Label Record Media Mail with electronic option USPS Tracking service* <BarcodeNumber> Print Date: <LabelDate> From: ĕ Cut on dotted line. If a mailing receipt is required, present the article and Online e-Label Record at a Post Office for postmark. Adhere shipping label to package with tape or glue - DO NOT TAPE OVER BARCODE. Be sure all edges are secure. Self-adhesive label is recommended. Place label so that it does not wrap around the edge of the package. Please use this shipping label on the "ship date" selected when you requested the label. Each shipping label number is unique and can be used only once - DO NOT PHOTOCOPY.

Please use a laser or laser-quality printer.

Instructions

2.2.9 Tagged Label Diagram - BPM



<'ToName>
<'ToFirm>
<ToAddress1>
<ToAddress2>
<ToAddress2>
<ToCity><ToState><ToZip5><ToZip4> USPS Tracking™ Svc Number: Ship Date: Online e-Label Record <BarcodeNumber> BPM with electronic option USPS Tracking service* Print Date: <LabelDate> <u>ت</u> Cut on dotted line. If a mailing receipt is required, present the article and Online e-Label Record at a Post Office for postmark. Adhere shipping label to package with tape or glue
 DO NOT TAPE OVER BARCODE. Be sure all edges are secure. Self-adhesive label is recommended. 3. Place label so that it does not wrap around the edge Please use this shipping label on the "ship date" selected when you requested the label. Each shipping label number is unique and can be used only once - DO NOT PHOTOCOPY. 1. Please use a laser or laser-quality printer.

of the package.

Instructions

UNITED STATES POSTAL SERVICE Thank you for shipping with the United States Postal Service! Check the status of your shipment on the Track & Confirm page at www.usps.com

2.3 eVS Cancel Request

The eVS Cancel request allows an eVS label to be removed from processing.

Note: If a record is canceled before it manifests, it may still appear on the scan form.

2.3.1 eVS Cancel Request Parameters

Tag Name	Occurs	Description	Туре	Validation
eVSCancelRequest	required once		(group)	
eVSCancelRequest/ @USERID	required		NMTOKE N	
eVSCancelRequest/ @PASSWORD	optional		NMTOKE N	
eVSCancelRequest / BarcodeNumber	required	BarcodeNumber of original label.	Length of 22, 30 or 34 numbers.	
eVSCancelRequest	required			

2.3.2 eVS Cancel Request Examples

<eVSCancelRequest USERID="xxxx"> <BarcodeNumber>420902109411202901089817001111</BarcodeNumber> </eVSCancelRequest>

2.3.3 eVS Cancel Response

Tag Name	Occurs	Description	Type	Validation
eVSCancelResponse	required once		(group)	
eVSCancelResponse/ @USERID	required		NMTOKEN	
eVSCancelResponse/ @PASSWORD	optional		NMTOKEN	

Tag Name	Occurs	Description	Туре	Validation
eVSCancelResponse / BarcodeNumber	required	Returned in the eVS Label Request	Length of 22, 30 or 34 numbers.	
eVSCancelResponse / Status	required	Success or Failure Indicator	string	"Cancelled" "Not Cancelled"
eVSCancelResponse / Reason	required		string	"Order Cancelled Successfully" "Order Already Cancelled" "Order Not Found"
eVSCancelResponse	required			

2.3.4 eVS Cancel Response Examples

- <?xml version="1.0"?>
- <eVSCancelResponse>
- <BarcodeNumber>420902109411202901089817001111
- <Status>Cancelled</ Status>
- <Reason>Order Cancelled Successfully</Reason>
- </ eVSCancelResponse>
- <?xml version="1.0"?>
- <eVSCancelResponse>
- <BarcodeNumber>420902109411202901089817001111
- <Status>Not Cancelled</ Status>
- <Reason>Order Already Cancelled</ Reason>
- </ eVSCancelResponse>
- <?xml version="1.0"?>
- <eVSCancelResponse>
- <BarcodeNumber>420902109411202901089817001111
- <Status>Not Cancelled</ Status>
- <Reason>Order Not Found</ Reason>
- </ eVSCancelResponse>