DEALS IN MEDICAL EQUIPMENTS & SURGICAL DISPOSABLES

To, Date CodenCode Software Solution 18-sep-2018

Karachi

Product Code: AEX-001
Product Name: MEHRAN

### Quotation



# ANESTHESIA MACHINE WITH BUILT IN VENTILATOR AND MECHANICAL 03 FLOWMETER WITH 02 VAPORIZERS (ISOFLURANE & AMP; SEVOFLURANE)

THE **MORPHEUS M** ISA WORKSTATION FOR GASEOUS ANESTHESIA AND IT CAN BE USED ON ADULT, CHILDREN ANDNEWBORN PATIENTS. THE MORPHEUS M IS SUITABLE FOR ADMINISTRATION OF OXYGEN – AIR– NITROUS OXIDE – HALOTHANE – ENFLURANE – ISOFLURANE – SEVOFLURANE – DESFLURANEMIXTURES.

THE UNIT FOR ANESTHESIA MORPHEUS M IS COMPLETEDWITH:

ELECTRONIC LUNG VENTILATOR WITH 12" TFT COLOR SCREEN DISPLAY

VALVESGROUP: OPEN, SEMI-CLOSED, CLOSED, HEATED, WITH SODA LIME ABSORBER SIARETEX RAPID CONNECTION DEVICE, SELECTATEC COMPATIBLEFOR 2 VAPORIZERS GASSUPPLY GROUP

**CYLINDERYOKE** 

### **LUNG VENTILATOR:**

THE LUNG VENTILATOR INCORPORATES A 12" TFT HIGH RESOLUTION COLOR DISPLAYSCREEN WITH SPIROMETRY MEMBRANE KEYBOARD AND ENCODER.

**VENTILATION MODALITIES:** 

MANUAL, VC-VAC, APCV, SPON, SIMV+PS(VOLUMETRIC), PSV, APNEA, BACK-UP

### **MEASURED PARAMETERS:**

PAW; PEEP; VTE; EXPMV; RATE; I:E; FIO2

PMAX; PMEAN; PAUSE; VTI; FLOWI; FLOWE; TINSP; TESP; TPAUSE; CS; RI

&NBSP:

&NBSP:

### **DISPLAYED VENTILATION CURVES:**

- PAW&NBSP:
- FLOW
- VOLUME
- LOOP (VOLUME/PAW ; VOLUME/FLOW)

READING IS MADE THROUGH AN EXCLUSIVE SIARESTÉRILIZABLE FLOW SENSOR OPERATING

## ELATE C.C (PVT) LTD.

DEALS IN MEDICAL EQUIPMENTS & SURGICAL DISPOSABLES

BY MAGNETIC INDUCTION AND POSITIONED INSIDETHE EXPIRATORY VALVE OF THE BREATHING SYSTEM. THIS TECHNOLOGICAL DEVELOPMENTALLOWS ELIMINATING ALL MANAGEMENT COSTS RAISING FROM CONTINUOUS REPLACEMENT OFFLOW SENSORS POSITIONED DIRECTLY ON THE PATIENT'S MOUTH AND MAKES THE DEVICE UNIQUEIN ITS GENDER.

#### ADJUSTABLE PARAMETERS:

**O2 BUILT-IN MIXER DEVICE FROM 21% TO 99%** 

I:E ADJUSTABLE RATIO: 1:1 - 1:1.5 - 1:2 - 1:3 - 2:1- 3:1

**TIDAL VOLUME: 5-1500 ML** 

INSPIRATION FLOW: FROM 1 TO 80L/MIN INSPIRATION TIME: 0.2 TO 5 SECONDS PEEP OFF, 3 ÷ 30 CMH2O (STEP 1 CMH2O)

FLOW TRIGGER FROM OFF, 1 TO 15 L/MIN (STEP 1 L/MIN)
BREATHING SYSTEM: SYSTEMIS FULLY AUTOCLAVABLE

&NBSP:CO2 ABSORBER 1 KG

CANISTER REPLACEMENTALSO DURING INTERVENTIONS

THE HEATED VALVE GROUPREDUCES CONDENSATION AND HEAT THE FRESH GAS.

### **ALARMS:**

GAS FAILURE, HIGH& LOW AIRWAY PRESSURE, SATURATION S (FIO2), APNOEA, LOW

**BATTERY** 

BATTERY BACKUP: 120MINUTES SCAVENGING SYSTEMPASSIVE

### 

### STANDARD ACCESSORIES

SUPPLIED WITH 02 VAPORIZER

**USER'S MANUAL** 

SERVICE MANUAL

**02 SUPPLY HOSE** 

N2O SUPPLY HOSE

AIR SUPPLY HOSE

TOP SPECIAL CO2 ABSORBER CANISTER OF 1 KG(NO.01 CANISTER WITH METAL COVER)

O2 CELL

MANUAL VENTILATION KIT

**ELECTRIC POWER SUPPLY CABLE** 

**BREATHING BAGS** 

RE-USEABLE SILICON AUTOCLAVE BREATHINGCIRCUIT (ADULT, PEADS/ NEONATE)

MOUNT AND Y-PIECE

PIN INDEX CYLINDER YOKES FOR OXYGEN & AMP; N2O (ONE EACH AS BACKUP)

PIN INDEX CYLINDER (2X O2 AND 2 X N2O)

PRICE: 120,000

DEALS IN MEDICAL EQUIPMENTS & SURGICAL DISPOSABLES