

POST ANIMALES

The screenshot shows a REST client interface with the URL `http://localhost:8000/api/animales`. The method is set to **POST**. The request body is a JSON object:

```
{  "nombre": "Max",  "tipo": "perro",  "peso": 15.5,  "enfermedad": null,  "comentarios": "Muy juguetón"}
```

. The response status is **201 Created** with a response time of 731 ms and a body size of 414 B. The response body is a JSON object:


```
{  "nombre": "Max",  "tipo": "perro",  "peso": 15.5,  "enfermedad": null,  "comentarios": "Muy juguetón",  "updated_at": "2026-02-09T15:27:26.000000Z",  "created_at": "2026-02-09T15:27:26.000000Z",  "id": 1}
```

GET ANIMALES


The screenshot shows a REST client interface with the URL `http://localhost:8000/api/animales`. The method is set to **GET**. The response status is **200 OK** with a response time of 175 ms. The response body is a JSON array containing one object:

```
[  {    "id": 1,    "nombre": "Max",    "tipo": "perro",    "peso": 15.5,    "enfermedad": null,    "comentarios": "Muy juguetón",    "created_at": "2026-02-09T15:27:26.000000Z",    "updated_at": "2026-02-09T15:27:26.000000Z"  }]
```

POST DUEÑOS



GET DUEÑOS



PUT - Actualizar animal

http://localhost:8000/api/animales/1

GET http://localhost:8000/api/animales/1

Docs Params Authorization Headers (9) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1 {
2   "nombre": "Max",
3   "tipo": "gato",
4   "peso": 28,
5   "enfermedad": "Resfriado",
6   "comentarios": "Cambió de perro a gato ja ja"
7 }
```

Body Cookies (2) Headers (7) Test Results

JSON Preview Visualize

```
1 {
2   "id": 1,
3   "nombre": "Max",
4   "tipo": "perro",
5   "peso": "15.58",
6   "enfermedad": null,
7   "comentarios": "Hay juguetón",
8   "created_at": "2026-02-05T15:27:26.600000Z",
9   "updated_at": "2026-02-05T15:27:26.600000Z"
10 }
```

200 OK

DELETE ANIMAL

http://localhost:8000/api/animales/1

DELETE http://localhost:8000/api/animales/1

Docs Params Authorization Headers (9) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Schema Beautify

```
1 {
2   "nombre": "Max",
3   "tipo": "gato",
4   "peso": 28,
5   "enfermedad": "Resfriado",
6   "comentarios": "Cambió de perro a gato ja ja"
7 }
```

Body Cookies (2) Headers (7) Test Results

JSON Preview Visualize

```
1 {
2   "message": "Animal eliminado"
3 }
```

200 OK · 182 ms · 251 B

GET por ID - Ver uno específico

The screenshot shows a REST client interface with the following details:

- URL:** `http://localhost:8000/api/animales/1`
- Method:** `GET`
- Headers:** `Accept: application/json`
- Body:** (Empty)
- Response:** `404 Not Found` (208 ms, 262 B)
- Response Body (JSON):**

```
{  "message": "Animal no encontrado"}
```