

Design System — Best Invest Properties

Date: 25 September 2026
Source: the approved Best Invest Properties prototype

This document describes the colours, typefaces, spacing and components of the approved design, in the form needed to build the interface in Bubble.

1. System principle

There is one palette for the whole product, but surfaces are split into **three lightness tiers**.

Tier	Where it applies	Page background	Side panel background
1 — public site	landing, catalogue, property, analysis, calculator, registration, legal	#F7FCFF	—
2 — accounts	investor dashboard, developer portal	#F7FCFF	#EAF2F8
3 — administration	all admin screens	#F7FCFF	#EAF2F8

All three tiers are light. Dark surfaces are used **sparingly**: the landing hero, the headers of some internal screens (#0F3A60) and the toast (#1D3E56).

2. Palette

2.1 Text and headings

HEX	RGB	Purpose
#0F3A60	15, 58, 96	main body text colour, dark headers
#153A5C	21, 58, 92	modal titles, active chip state
#174B67	23, 75, 103	page titles, links, text on gold
#1B4258	27, 66, 88	admin headings, text on gold buttons
#36566B	54, 86, 107	main paragraph text
#354F63	53, 79, 99	text in modals
#34495C	52, 73, 92	secondary text in tables and cards
#566E80	86, 110, 128	muted labels, metadata
#526779	82, 103, 121	side panel labels
#5B7485	91, 116, 133	faintest label, service notes
#8FA6B8	143, 166, 184	input placeholder

2.2 Actions

HEX	RGB	Purpose
#205A87	32, 90, 135	primary action, accent figures, active links
#087CB8	8, 124, 184	bright accent: main search form button, "Open full review"
#174470	23, 68, 112	dark action, Developer column on the flow diagram
#0F3F8F	15, 63, 143	the word "BEST" in the logo

2.3 Gold accent

The only warm colour in the system. Used for the active navigation item, developer confirmation actions, "TOP INVESTMENT" badges and the logo.

HEX	RGB	Purpose
#DDB45E	221, 180, 94	main gold: active menu item bar, "Open review" buttons
#D9B25B	217, 178, 91	rules either side of "PROPERTIES" in the logo
#E3BC63	227, 188, 99	middle stop of the "INVEST" gradient
#C9982F	201, 152, 47	bottom stop of the "INVEST" gradient
#F8E4A6	248, 228, 166	top stop of the "INVEST" gradient
#F8EFDC	248, 239, 220	gold fill: "Under review" block, "YOU" step on the diagram

"INVEST" gradient in the logo: `linear-gradient(180deg, #F8E4A6 0%, #E3BC63 52%, #C9982F 100%)` .

2.4 Surfaces

HEX	RGB	Purpose
#F7FCFF	247, 252, 255	background of all pages
#FFFFFF	255, 255, 255	cards, tables, panels, active menu item
#E5F6FF	229, 246, 255	text on dark headers, light chip fill
#F0F7FC	240, 247, 252	input background, neutral fill
#EAF2F8	234, 242, 248	portal and admin side navigation background
#DCEEF9	220, 238, 249	highlighted fill
#D3E5F2	211, 229, 242	modal note background, saved state
#BFD5E5	191, 213, 229	text on dark headers, borders
#8DD8FA	141, 216, 250	light accent on dark backgrounds

2.5 Semantic colours

State	HEX	RGB	Purpose
Success	#2F7D63	47, 125, 99	"CHECKED", "Introduction made", approved
Success — background	#E4EFE8	228, 239, 232	"Available", "APPROVED" chip fill
Error	#B3453D	179, 69, 61	error text, Reject button, GAP tag
Error — dark	#8E362F	142, 54, 47	confirm button for a destructive action

State	HEX	RGB	Purpose
Error — background	#FCF5F4	252, 245, 244	"Verification unsuccessful" block
Pending	#F8EFDC	248, 239, 220	"Awaiting approval", "PENDING REVIEW"

2.6 Lines and shadows

All borders and shadows are tinted blue, `rgba(23, 75, 103,  $\alpha$ )`, not neutral grey — this is what keeps light surfaces from looking grey.

Token	Value	Use
hairline	<code>rgba(23, 75, 103, .05)</code>	table row borders, internal card dividers
soft	<code>rgba(23, 75, 103, .10)</code>	block borders, table header underline
base	<code>rgba(23, 75, 103, .14)</code>	secondary button and field borders
strong	<code>rgba(23, 75, 103, .18)</code>	input borders
Card shadow	<code>0 12px 34px rgba(23, 75, 103, .07)</code>	standard for all cards
Lift shadow	<code>0 10px 24px rgba(23, 75, 103, .22)</code>	buttons and raised elements
Modal shadow	<code>0 26px 60px rgba(10, 31, 56, .4)</code>	confirmation dialog
Modal overlay	<code>rgba(10, 31, 56, .55)</code>	backdrop behind the dialog

3. Typography

One typeface — Archivo. Hierarchy comes from weight, size, letter spacing and the gold accent.

Archivo: 400, 500, 600, 700
 Fallback: system-ui, sans-serif
 Monospace: ui-monospace, Menlo, monospace

Monospace is used sparingly: unit numbers, file names, section numbers on legal pages.

3.1 Size scale

Size	Weight	Tracking	Use
56 px	700	−.018em	landing hero title
44 px	600	—	legal page title (desktop)
34 px	700	−.012em	header-screen title
32 px	700	—	large statistic figures
30 px	700	−.012em	admin H1, mobile legal title
28 px	700	−.012em	admin screen H1
26 px	700	—	metric figures
22–23 px	600	−.006em	panel titles, modal title
20–21 px	600	−.006em	property names in lists

Size	Weight	Tracking	Use
16.5 px	400	—	main paragraph, inputs
15.5 px	400	—	base interface size: buttons, table rows, labels
14 px	400	—	secondary text, notes
13.5 px	400	—	small labels, chips, explanations
13 px	400	—	table metadata
12.5 px	400	.1–.12em	status chips, references
12 px	400	.16–.24em	upper-case section labels
11.5 px	400	.16em	smallest labels
11 px	700	.1em	source tags <code>SOURCE</code> / <code>GAP</code>

3.2 Letter spacing

Value	Use
–.018em	hero title
–.012em	upper-case H1 headings
–.006em	panel and card titles
.1em	status chips
.12em	table column headers, references
.14em	metric labels
.16em	section labels inside cards
.18em	section labels on the page
.2em	screen eyebrow
.24em	side navigation title ("ADMIN", "DEVELOPER")
.42em	the word "PROPERTIES" in the logo

3.3 Rules

- H1 headings are **upper case**, weight 700, negative tracking.
- Section labels are upper case, 12 px, tracking .16–.18em, colour `#566E80`.
- Line height: 1.6–1.75 for paragraphs, 1.05–1.2 for headings.
- All numeric values (prices, yields, scores) use `font-variant-numeric: tabular-nums` so columns do not "jump".
- Long paragraphs are limited to `max-width: 62–74ch`.

4. Radii

Value	Use
40px / 999px	pills: all buttons, chips, tabs
16px	cards, panels, large blocks
12px	nested blocks, toast, summary panels

Value	Use
10px	inputs, notes
7px	small list blocks, document rows
4px	status chips, progress bars
3px	smallest indicators

Buttons are **always pills**. There are no rectangular buttons.

5. Components

5.1 Buttons

Tone	Background	Text	Border
Primary	#205A87	#FFFFFF	none
Bright	#087CB8	#1B4258 or #FFFFFF	none
Gold (developer actions)	#DDB45E	#1B4258	none
Secondary	transparent	#1B4258	1px rgba(23,75,103,.14)
Text	transparent	#566E80	none
Destructive	transparent	#B3453D	1px rgba(197,86,79,.5)
Confirm destructive action	#8E362F	#FFFFFF	none
On dark background	rgba(255,255,255,.08)	#FFFFFF	1px rgba(255,255,255,.4)

Sizes: large padding: 11px 18px, regular 10px 16px, small 7px 12px. Minimum height in modals — 44 px.

5.2 Cards

```
background: #FFFFFF
border: 1px solid rgba(23,75,103,.05)
border-radius: 16px
box-shadow: 0 12px 34px rgba(23,75,103,.07)
padding: 20–26px
```

Variants: empty state — the same card with border: 1px dashed rgba(23,75,103,.14); accented — with a 3px solid left bar in the state colour.

5.3 Inputs

```
background: #F0F7FC (in developer forms – #FFFFFF)
border: 1px solid rgba(23,75,103,.18)
border-radius: 10px
padding: 13px 14px
font-size: 15.5–16.5px
placeholder: #8FA6B8
```

Error state: border #B3453D , message below the field at 13.5 px in #8E362F . Every field is labelled Required or Optional — the label is mandatory, not decorative.

5.4 Status chips

```
font-size: 12.5–13px  
letter-spacing: .1em  
padding: 4–5px 9–10px  
border-radius: 4px
```

State	Background	Text
Available / approved	#E4EFE8	#205A87 / #2F7D63
Pending	rgba(221,180,94,.16–.22)	#174B67 / #205A87
Rejected / risk	rgba(197,86,79,.18)	#B3453D
Neutral	rgba(23,75,103,.05–.10)	#34495C

5.5 Tables

Header: 12 px, tracking .12em, weight 500, colour #566E80 , bottom border rgba(23,75,103,.1) . Rows: 15.5 px, bottom border rgba(23,75,103,.05) , padding 11–12 px. Minimum width 520–620 px with horizontal scroll on narrow screens.

5.6 Toast

```
position: fixed; bottom: 26px; left: 50%  
background: #1D3E56; color: #FFFFFF  
border-radius: 12px; padding: 13px 18px  
box-shadow: 0 14px 34px rgba(10,31,56,.32)  
max-width: min(460px, 86vw)
```

Auto-dismiss after ~3.8 s; click closes; "Dismiss" label on the right.

5.7 Modal

```
background: #FFFFFF; border-radius: 12px; max-width: 470px  
box-shadow: 0 26px 60px rgba(10,31,56,.4)  
overlay: rgba(10,31,56,.55)
```

Structure: title 23 px / 600 → text 16.5 px → optional note on #D3E5F2 → optional reason field → Cancel / confirm buttons (on the right). Confirm button colour: #205A87 for regular and gold actions, #8E362F for destructive ones.

5.8 Logo

The mark (a 1·2·3 podium with a wave) at 48 px height + a text block: "BEST" in #0F3F8F + "INVEST" with the gold gradient, and below them "PROPERTIES" — 10 px, tracking .42em, in #0F3F8F , with #D9B25B rules either side. The landing page uses the full logo; inside the product, a

simplified one.

6. Spacing

The grid is a multiple of 4 px. Typical values: 4, 6, 8, 9, 12, 14, 16, 18, 20, 22, 26, 30, 34, 38 px.

Context	Spacing
Card inner padding	20–26 px
Between cards in a column	16 px
Between screen sections	22–38 px
Page padding (desktop)	34px 36px 56px
Page padding (mobile)	22px 18px 40px
Between buttons in a row	9 px

7. Responsive behaviour

The interface switches layout at **one breakpoint — 760 px**. It is not a fluid grid: the mobile and desktop versions differ structurally.

Element	Desktop (> 760 px)	Mobile (≤ 760 px)
Portal/admin side navigation	210 px column, gold left bar on the active item	horizontal scrolling strip, active item is a white pill
Catalogue filters	left column	drawer with a selected-count badge
"Top 5" rail	right column, 268 px	moves above the list
Legal page contents	sticky column, 150–230 px	horizontal strip of pills
Legal page section	34px + text grid	single column
Legal page title	44 px	30 px
Tables	full width	horizontal scroll, min-width kept
Main navigation	horizontal links	burger menu, drop-down panel

Scrolling is styled with the `.bip-scroll` class: 9 px track, thumb `rgba(23,75,103,.2)`, radius 16 px.

8. Accessibility

Contrast is calculated with the WCAG 2.2 formula (relative luminance, sRGB). Threshold for normal text: AA ≥ 4.5:1, AAA ≥ 7:1.

Pair	Contrast	Rating
#0F3A60 on #F7FCFF	11.33:1	AAA
#174B67 on #F7FCFF	9.08:1	AAA
#36566B on #FFFFFF	7.78:1	AAA
#FFFFFF on #205A87	7.31:1	AAA

Pair	Contrast	Rating
#B3453D on #FFFFFF	5.48:1	AA
#1B4258 on #DDB45E	5.47:1	AA
#566E80 on #FFFFFF	5.33:1	AA
#2F7D63 on #FFFFFF	4.96:1	AA
#5B7485 on #FFFFFF	4.90:1	AA
#FFFFFF on #087CB8	4.58:1	AA (borderline)
#8FA6B8 on #FFFFFF	2.53:1	fails — placeholder only

Requirements:

- use #8FA6B8 **only** as a placeholder, never as meaningful text;
- #5B7485 (4.90:1) passes AA with a small margin — do not use it for text smaller than 12 px or on tinted surfaces where contrast would fall below the threshold;
- status is never conveyed by colour alone — a chip always contains text;
- the direction of the "Risk & Investor Protection" scale must be labelled in words;
- minimum touch target — 44×44 px for all interactive elements.