

SUC-RMS

UI Component Map

Neon Bootstrap Admin Theme · Customization Audit

System: SUC Faculty
Reclassification MIS

Client: CHMSU-FT / CHED

Base Template: Neon Bootstrap Admin
v2.0

Prepared: April 2026

This document maps every major UI component in the SUC-RMS prototype against the Neon Bootstrap Admin Theme. Each component is classified as **Kept As-Is**, **Customized**, **Concept Only** (rebuilt), or **New / Added**.

Status Legend

KEPT AS-IS	Used directly from Neon template with no modification
CUSTOMIZED	Neon concept adopted, but restyled / restructured
CONCEPT ONLY	Pattern inspired by Neon; implementation rebuilt from scratch
NEW / ADDED	Not present in Neon; built entirely for SUC-RMS

1. Overall Page Structure & Layout

Neon uses a **sidebar-menu + page-container** layout with jQuery-powered navigation, Bootstrap 3.x grid, and entypo icon font. The SUC-RMS prototype adopted the same **sidebar-left + topbar + main-content** mental model but rebuilt it with Bootstrap 5.3 and Bootstrap Icons.

Component	Status	Description / Customization	Notes
Page Container Layout	CUSTOMIZED	Neon: <i>div.page-container > div.sidebar-menu + div.main-content</i> . SUC-RMS: same concept using CSS flex + Bootstrap 5 classes. Structure identical in purpose; class names differ.	Bootstrap 3→5 migration
Sidebar Menu	CUSTOMIZED	Neon uses <i>div.sidebar-menu</i> with jQuery-driven accordion sub-menus, Entypo icons, and <i>sidebar-user-info</i> block. SUC-RMS replaces jQuery with pure CSS/Bootstrap 5 and swaps Entypo for Bootstrap Icons. Visual hierarchy (logo → user → nav links) is retained.	Icon lib swapped
Sidebar Section Labels	CUSTOMIZED	Neon has no explicit section label dividers. SUC-RMS adds <i>div.sidebar-section-label</i> ('Applications', 'Administration', 'Account') as a UX improvement.	New grouping pattern
Top Navigation Bar	CUSTOMIZED	Neon uses <i>header.navbar</i> with Bootstrap 3 navbar classes and right-aligned dropdowns. SUC-RMS uses a custom <i>nav.topbar</i> with brand + user row, logout button, and mobile sidebar toggle.	Simplified structure

Component	Status	Description / Customization	Notes
Mobile Sidebar Toggle	KEPT AS-IS	Mobile hamburger icon toggling the sidebar is present in both Neon (<i>sidebar-mobile-menu visible-xs</i>) and SUC-RMS (<i>#sidebarToggle d-md-none</i>). Same UX pattern, adapted class names.	Pattern identical
CSS Framework	REPLACED	Neon ships Bootstrap 3.x + <i>neon-core.css</i> + <i>neon-theme.css</i> + <i>neon-forms.css</i> . SUC-RMS completely replaces this with Bootstrap 5.3 CDN + a custom <i>assets/css/style.css</i> .	Full CSS rewrite
Icon Library	REPLACED	Neon uses Entypo icon font (<i>entypo-*</i> classes). SUC-RMS uses Bootstrap Icons 1.11 (<i>bi-*</i> classes) via CDN. No Entypo used.	Completely swapped

2. Authentication Pages

Neon provides **extra-login.html** and **extra-register.html** with a login-form-fall animation, progress bar, and a two-column logo/form split. SUC-RMS draws conceptual inspiration but delivers a visually distinct, glassmorphism-styled design.

Component	Status	Description / Customization	Notes
Login Page Container	REPLACED	Neon: <i>div.login-container</i> > <i>div.login-header</i> + <i>div.login-form</i> with fall animation. SUC-RMS: full-viewport centered card with blurred background overlay. Different structure and style.	Glassmorphism design
Email / Password Input Group	CUSTOMIZED	Both use Bootstrap input-group with prepended icon + input field. Neon uses Entypo icons and light background; SUC-RMS uses BI icons and dark navy (<i>#1e3a8a</i>) fill.	Same pattern, dark theme
Password Visibility Toggle	NEW / ADDED	Not in Neon. SUC-RMS adds a show/hide password button with <i>togglePassword()</i> JS.	Added for UX
Login Progress Bar	REPLACED	Neon has an animated <i>div.login-progressbar</i> shown during AJAX login. SUC-RMS submits a plain form with <i>onsubmit</i> redirect — no progress bar needed.	AJAX removed
Register Form	CUSTOMIZED	Both have Full Name, Email, Password, Confirm Password fields. SUC-RMS adds Employee ID, College/Department select, and Faculty Rank select — domain-specific extensions.	Fields extended
Register Info Alert	NEW / ADDED	SUC-RMS adds a blue info box: 'Self-registration creates a Faculty account.' Not in Neon.	Role-awareness UX
Background Image + Blur Overlay	NEW / ADDED	SUC-RMS uses <i>background.jpg</i> with <i>backdrop-filter: blur(6px)</i> overlay. Neon login pages use a flat dark background.	Custom visual design
Logo Display	CUSTOMIZED	Neon shows a rectangular logo image. SUC-RMS displays the logo in a circular frame with border and box-shadow, placed above the form card.	Restyled presentation

3. Dashboard Pages (Faculty & Admin)

Neon's dashboard pages (*dashboard-2.html*, *dashboard-3.html*) use panels, stat tiles, Flot/Morris charts, and task lists. SUC-RMS borrows the **stat card + chart grid** concept but redesigns every visual element.

Component	Status	Description / Customization	Notes
Stat / KPI Cards (row of 4)	CUSTOMIZED	Neon: <i>col-md-3</i> tiles with icon + number + label. SUC-RMS: same 4-card grid using custom <i>div.card-box stat-card</i> with icon, value, label and Bootstrap 5 progress bar underneath each KRA card.	Concept kept, restyled
Chart.js Bar Chart	REPLACED	Neon bundles Flot (jQuery) and Morris.js charts. SUC-RMS replaces these entirely with Chart.js 4.4 rendered on <i>canvas#kraBarChart</i> .	Chart library swapped
Chart.js Pie / Doughnut	REPLACED	Neon uses Flot pie plugin. SUC-RMS uses Chart.js <i>canvas#statusPieChart</i> for Application Status breakdown.	Chart library swapped
Card-Box Panel	CUSTOMIZED	Neon panels use <i>div.panel panel-default</i> (Bootstrap 3). SUC-RMS uses a custom <i>div.card-box</i> class (white bg, border-radius, box-shadow) as the universal container — similar visual role.	BS3 panel → custom class
Active Cycle Banner	NEW / ADDED	A banner showing the current reclassification cycle name and date range. Not in Neon.	Domain-specific
KRA Quick-Link Cards (Faculty)	NEW / ADDED	Four cards (Instruction, Research, Extension, Prof Dev) each showing current score and an Edit link. Entirely domain-specific, no Neon equivalent.	Domain-specific
Submit Application Panel	NEW / ADDED	CTA panel for faculty to submit their application after KRA entry. No Neon equivalent.	Domain-specific
Admin KRA Average Cards	NEW / ADDED	Admin dashboard shows per-KRA average score + progress bar for all faculty. Not in Neon.	Domain-specific

4. Tables & Data Views

Component	Status	Description / Customization	Notes
Responsive HTML Table	KEPT AS-IS	Both Neon (tables-main.html) and SUC-RMS use <i>div.table-responsive > table.table.table-hover.table-sm</i> . The markup pattern is the same; SUC-RMS simply populates with domain data.	Pattern identical
Table Header Styling	KEPT AS-IS	Both use <i>thead > tr > th</i> with Bootstrap table classes. Column widths and sorting behavior differ by page.	Minor differences
Badge Cells (Login, Register, etc.)	CUSTOMIZED	Neon uses Bootstrap 3 <i>span.label</i> . SUC-RMS uses Bootstrap 5 <i>span.badge bg-primary</i> . Same concept, different BS version.	BS3→5 badge class
Pagination Component	KEPT AS-IS	SUC-RMS audit.html uses <i>ul.pagination.pagination-sm</i> with prev/next and page numbers — matches Neon's ui-pagination.html pattern exactly.	Pattern identical
Empty-State Row	NEW / ADDED	application-status.html shows a colspan row 'No KRA submissions yet.' Neon tables do not include empty states.	UX addition

5. Forms & Input Controls

Component	Status	Description / Customization	Notes
Form Control (.form-control)	KEPT AS-IS	Both use Bootstrap's <i>input.form-control</i> / <i>select.form-select</i> . Styling adapts to BS version (3 vs 5) but markup intent is identical.	BS version difference
Input Group with Icon Addon	KEPT AS-IS	Both use <i>div.input-group > span.input-group-text + input</i> . Neon: <i>input-group-addon</i> (BS3). SUC-RMS: <i>input-group-text</i> (BS5).	Class name only
File Upload Input	KEPT AS-IS	profile.html uses standard <i>input[type=file]</i> with Bootstrap styling. Neon's forms-file-upload.html uses the same native input pattern.	Native HTML5
Form Labels	KEPT AS-IS	Both use <i>label.form-label</i> above each control with Bootstrap form layout.	Identical pattern
Select / Dropdown	KEPT AS-IS	Both use <i>select.form-select</i> (native) with <i>option</i> elements. No custom dropdown plugin used in SUC-RMS.	Native HTML5
Form Validation (client-side)	REPLACED	Neon uses jQuery Validate plugin (forms-validation.html). SUC-RMS uses HTML5 <i>required</i> attributes and <i>onsubmit</i> JS only. No plugin dependency.	Simplified
KRA Entry Tabs / Multi-section Form	NEW / ADDED	apply.html contains a tabbed form for Instruction, Research, Extension, and ProfDev KRAs. This is a fully domain-specific form not found in Neon.	Domain-specific

6. Profile & Settings Page

Component	Status	Description / Customization	Notes
Two-Column Profile Layout	CUSTOMIZED	Neon extra-settings.html uses a tabbed settings panel. SUC-RMS splits into two side-by-side <i>col-md-6</i> cards: Profile Info (left) + Change Password (right). Simpler and more direct.	Tabs removed
Avatar / Profile Picture	CUSTOMIZED	Neon shows a circular <i>img.img-circle</i> . SUC-RMS shows a placeholder icon div (no photo yet) with a file input for upload.	Placeholder added
Disabled Fields (Email, ID)	NEW / ADDED	Email and Employee ID fields are rendered read-only with muted styling to prevent tampering. Not a pattern in Neon.	Security UX
College / Rank Selects	NEW / ADDED	Domain-specific dropdowns for College/Department and Faculty Rank. Not in Neon.	Domain-specific
Change Password Section	CUSTOMIZED	Neon has a settings page with password fields. SUC-RMS reuses the same 3-field pattern (current, new, confirm) in a dedicated card.	Minor restructure
Toast Notification (showToast)	NEW / ADDED	SUC-RMS calls <i>showToast()</i> from app.js on save. Neon has notification dropdowns but no inline toast utility.	Custom JS utility

7. Audit / Activity Log Page

Component	Status	Description / Customization	Notes
Activity Log Table	CUSTOMIZED	Neon has no dedicated audit log page. The table structure follows Neon's <i>tables-main.html</i> pattern (responsive table, hover rows, badges).	Tables pattern reused
Search Bar + Button	CUSTOMIZED	Neon has a global search in the topbar. SUC-RMS adds an inline search <i>input + button</i> directly above the log table for filtering.	Repositioned
IP Address Column	NEW / ADDED	Tracks the client IP for each action. Fully domain-specific.	Security feature
Record Count Label	NEW / ADDED	'4 total records' / 'Showing 1–4 of 4' footer text. Not in Neon.	UX addition

8. Application Status Page

Component	Status	Description / Customization	Notes
Application Status Card	NEW / ADDED	Shows current cycle, status badge, total score, and KRA submission table. Entirely domain-specific with no Neon equivalent.	Domain-specific
Status Badge (Draft / Pending)	CUSTOMIZED	Neon uses Bootstrap 3 <i>span.label</i> . SUC-RMS uses Bootstrap 5 <i>span.badge bg-secondary</i> . Same concept, adapted class.	BS3→5
KRA Submission Table	CUSTOMIZED	Reuses Neon's basic table pattern but with domain columns: KRA, Points, Remarks, Evidence, Verified, Date.	Domain columns added

9. Summary Scorecard

Status	Count	% of Components	Key Components
KEPT AS-IS	9	23%	Responsive table, input-group, pagination, form-control, file input, form labels, select, table header, badge cells
CUSTOMIZED	17	44%	Sidebar, topbar, page layout, login form, register form, stat cards, card-box panels, charts concept, profile form, badge classes, activity table
CONCEPT ONLY	6	15%	CSS framework (BS3→5), icon library (Entypo→BI), login container, register step-form, chart libraries (Flot→Chart.js), form validation (jQuery→HTML5)
NEW / ADDED	14	36%	KRA cards, cycle banner, submit panel, admin KRA averages, info alert, role badges, password toggle, empty state, IP column, disabled fields, toast, activity log page, app-status page, KRA entry form
TOTAL	46	100%	

Key Takeaway: The SUC-RMS prototype uses Neon as a *structural reference* — the sidebar-topbar-content skeleton and Bootstrap table/form patterns are directly inspired. However, the visual theme (Bootstrap 5, dark navy palette, glassmorphism auth pages) and all domain-specific components (KRA forms, cycle management, role badges, audit log) were built from scratch.