SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

USA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	18.02.2025	195257	Date of first issue: 18.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : USA

Product code : 195257

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fragrance mix

1.3 Details of the supplier of the safety data sheet

Company : Symrise AG
Mühlenfeldstrasse 1
37603 Holzminden

Telephone : +495531900

Telefax : +495531901649

E-mail address of person responsible for the SDS : sds@symrise.com

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number)
GBK/Infotrac ID 101844: +49(6132)9829021

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :

Signal word : Danger

Hazard statements :
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :
Prevention:
P261 Avoid breathing mist or vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/ doctor.
P391 Collect spillage.

Hazardous components which must be listed on the label:
Linalyl acetate
benzyl salicylate
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one
Octahydro-2H-1-benzopyran-2-one
1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool
1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one
Coumarin
1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one
geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate
3-(4-tert-Butylphenyl)propionaldehyde
Citronellol
1H-Indene-ar-propanal, 2,3-dihydro-1,1-dimethyl-
Vetiverol
2,3-Dihydro-2,2,6-trimethylbenzaldehyde
isoeugenol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate	259823-90-0 236391-76-7 431-700-8 607-600-00-7 01-0000017792-64-0002	Aquatic Chronic 2; H411	>= 2,5 - < 10
Linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
benzyl salicylate	118-58-1 204-262-9 607-754-00-5	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 2,5 - < 10
2,6-Dimethyloct-7-en-2-ol	18479-58-8 242-362-4 01-2119457274-37-0003	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336 (Central nervous system)	>= 1 - < 10
7-Methoxy-3,7-dimethyloctan-2-ol	41890-92-0 255-574-7 01-2120763501-60	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	54464-57-2 259-174-3	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 2,5 - < 10

		M-Factor (Chronic aquatic toxicity): 1	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6 603-101-00-3 01-2119455547-30-0004	Eye Irrit. 2; H319	>= 1 - < 10
α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol	65113-99-7 265-453-0	Eye Irrit. 2; H319 Aquatic Chronic 2; H411	>= 2,5 - < 10
Octahydro-2H-1-benzopyran-2-one	4430-31-3 224-623-4 01-2120746527-47	Eye Dam. 1; H318	>= 1 - < 3
1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone	144020-22-4 482-330-9 01-2119430466-41 01-2119445289-30 01-2119445291-45 01-2119894913-22	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	78-70-6 201-134-4 603-235-00-2	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	106185-75-5 28219-61-6 248-908-8 01-2119529224-45 01-2119529224-45	Eye Irrit. 2; H319 Aquatic Chronic 2; H411	>= 1 - < 2,5
1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 268-978-3	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 1 - < 2,5

		M-Factor (Chronic aquatic toxicity): 1	
Coumarin	91-64-5 202-086-7 01-2119949300-45	Acute Tox. 4; H302 Skin Sens. 1B; H317 --- Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 1 - < 10
(Z)-3-Hexenyl salicylate	65405-77-8 265-745-8 01-2119987320-37-0001, 01-2119987320-37-0009, 01-2119987320-37-0009	Aquatic Acute 1; H400 --- M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5
Oxacycloheptadec-10-en-2-one	28645-51-4 249-120-7 01-2120103324-74	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 --- M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 1 - < 2,5
1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-67-9 268-979-9	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 --- M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5
3-Ethoxy-4-hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit. 2; H319	>= 1 - < 10
geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol	106-24-1 203-377-1 603-241-00-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 1 - < 3
4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-	211299-54-6	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10

2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-	427-580-1 01-0000017394-68-0000, 01-0000017394-68-0007		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 0,25 - < 1
Methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36 01-2120762759-36 01-2120762759-36 01-2120762759-36 01-2120762759-36-0007	Skin Sens. 1B; H317	>= 0,1 - < 1
3-(4-tert-Butylphenyl)propionaldehyde	18127-01-0 242-016-2 01-2119983533-30 01-2119983533-30	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Repr. 2; H361 STOT RE 2; H373 Aquatic Chronic 3; H412	>= 0,1 - < 0,25
Citronellol	106-22-9 203-375-0	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
1H-Indene-ar-propanal, 2,3-dihydro-1,1-dimethyl-	300371-33-9	Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 0,1 - < 0,25
Vetiverol	68129-81-7 268-578-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 0,1 - < 1

Allyl (cyclohexyloxy)acetate	68901-15-5 272-657-3 01-2120770514-54-0000	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 --- M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 --- Acute toxicity estimate Acute oral toxicity: 620,42 mg/kg	>= 0,1 - < 0,25
2,3-Dihydro-2,2,6-trimethylbenzaldehyde	116-26-7 204-133-7	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 2; H411 --- Acute toxicity estimate Acute oral toxicity: 300,03 mg/kg	>= 0,025 - < 0,1
[3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	469-61-4 207-418-4	Skin Irrit. 2; H315 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 --- M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 0,025 - < 0,1
isoeugenol	97-54-1 202-590-7 604-094-00-X	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 STOT SE 3; H335 (Respiratory system) --- specific concentration limit Skin Sens. 1A; H317	>= 0,01 - < 0,1

		>= 0,01 % Skin Sens. 1A; H317 >= 0,01 % Acute toxicity estimate Acute oral toxicity: 1.560 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	:	No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	General industrial hygiene practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No special restrictions on storage with other products.
Further information on storage stability	:	No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s)	:	Fragrance mix

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2,6-Dimethyloct-7-en-2-ol	Workers	Inhalation	Long-term systemic effects	24,7 mg/m3
	Workers	Skin contact	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,35 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,5 mg/kg bw/day
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Workers	Inhalation	Long-term systemic effects	44,1 mg/m3
	Workers	Skin contact	Long-term systemic effects	41,7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	13 mg/m3
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	7,5 mg/kg bw/day
(Z)-3-Hexenyl salicylate	Workers	Inhalation	Long-term systemic effects	1,59 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,9 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,39 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,45 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,23 mg/kg bw/day
(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate	Workers	Inhalation	Long-term systemic effects	32,44 mg/m3
	Workers	Skin contact	Long-term systemic effects	9,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	4,87 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3,29 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,29 mg/kg bw/day
Allyl (cyclohexyloxy)acetate	Workers	Inhalation	Long-term systemic effects	3,16 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,448 mg/kg bw/day

	Consumers	Inhalation	Long-term systemic effects	0,557 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,16 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,16 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,6-Dimethyloct-7-en-2-ol	Fresh water	0,0278 mg/l
	Fresh water sediment	0,594 mg/kg dry weight (d.w.)
	Marine water	0,00278 mg/l
	Marine sediment	0,059 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,103 mg/kg dry weight (d.w.)
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Fresh water	0,094 mg/l
	Fresh water sediment	0,412 mg/kg dry weight (d.w.)
	Marine water	0,0094 mg/l
	Marine sediment	0,0412 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,09 mg/kg dry weight (d.w.)
(Z)-3-Hexenyl salicylate	Fresh water	0,00061 mg/l
	Fresh water sediment	0,11 mg/kg dry weight (d.w.)
	Marine water	0,000061 mg/l
	Marine sediment	0,011 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,022 mg/kg dry weight (d.w.)
(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate	Fresh water	0,014 mg/l
	Fresh water sediment	15,45 mg/kg dry weight (d.w.)
	Marine water	0,0014 mg/l
	Marine sediment	1,55 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	3,08 mg/kg dry weight (d.w.)
Allyl (cyclohexyloxy)acetate	Fresh water	0,00205 mg/l
	Fresh water sediment	0,0387 mg/kg dry weight (d.w.)

	Marine water	0,000205 mg/l
	Marine sediment	0,00387 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,3 mg/l
	Soil	0,375 mg/kg dry weight (d.w.)
[1R-(1α,4β,4aα,6β,8aα)]-Octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol	Fresh water	0,001 mg/l
	Fresh water sediment	0,43 mg/kg dry weight (d.w.)
	Marine water	0,0001 mg/l
	Marine sediment	0,043 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,085 mg/kg dry weight (d.w.)
Azulene, 1,2,3,4,5,6,7,8-octahydro-1,4-dimethyl-7-(1-methylethenyl)-, (1S,4S,7R)-	Fresh water	0,00485 mg/l
	Fresh water sediment	20,65 mg/kg dry weight (d.w.)
	Marine water	0,00485 mg/l
	Marine sediment	20,65 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,866 mg/kg dry weight (d.w.)
delta-Guaiene	Fresh water	0,00605 mg/l
	Fresh water sediment	22,95 mg/kg dry weight (d.w.)
	Marine water	0,00605 mg/l
	Marine sediment	22,95 mg/kg dry weight (d.w.)
	Sewage treatment plant	10 mg/l
	Soil	0,475 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). As the product is a mixture of several substances, the durability of the glove materials cannot be calculated in

		advance and has to be tested before use. Wear chemicals-resistant gloves, e.g. safety gloves of nitril (thickness 0.4mm) or of butyl rubber (thickness 0.7mm). The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Respiratory protection	:	Not required; except in case of aerosol formation.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	clear liquid
Colour	:	colorless to yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flammability (liquids)	:	not determined
Upper explosion limit / Upper flammability limit	:	Vapours may form explosive mixtures with air.
Lower explosion limit / Lower flammability limit	:	Vapours may form explosive mixtures with air.
Flash point	:	> 100 °C
Decomposition temperature	:	not determined
pH	:	not determined

Viscosity		
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Solubility(ies)		
Water solubility	:	immiscible
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	< 1 kPa (50 °C) calculated
Relative density	:	not determined
Bulk density	:	Not applicable
Relative vapour density	:	not determined

9.2 Other information

Explosives	:	Due to its structural properties, the product is not classified as explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Self-ignition	:	The substance or mixture is not classified as self heating.
Evaporation rate	:	Not applicable
Molecular weight	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : Not applicable

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2.000 mg/kg
Method: OECD 423
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Linalyl acetate:

Acute oral toxicity : LD50 (Rat, male and female): > 9.000 mg/kg
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
GLP: no

Acute toxicity (other routes of administration) : LD50 (Mouse): 721 mg/kg
Method: Intraperitoneal toxicity

benzyl salicylate:

Acute oral toxicity : LD50 Oral (Rat): 2.227 mg/kg

2,6-Dimethyloct-7-en-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 3.600 mg/kg

7-Methoxy-3,7-dimethyloctan-2-ol:

Acute oral toxicity : LD50 Oral (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: no

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: no

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Acute oral toxicity : LD50 Oral (Rat): 6.700 mg/kg

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Octahydro-2H-1-benzopyran-2-one:

Acute oral toxicity : LD50 Oral (Rat): 3.900 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.500 mg/kg
Method: OECD Test Guideline 402
GLP: no

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Acute oral toxicity : LD50 (Rat, male and female): 2.790 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: Weight of Evidence

Acute dermal toxicity : LD50 (Rabbit): 5.610 mg/kg
Method: OECD Test Guideline 402
GLP: no

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 5 ml/kg
Method: OECD Test Guideline 402
GLP: yes

Coumarin:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

(Z)-3-Hexenyl salicylate:

Acute oral toxicity : LD50 Oral (Rat, male and female): 3.185 mg/kg
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2.000 mg/kg
Method: Regulation (EC) No. 440/2008, Annex, B.3
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

Oxacycloheptadec-10-en-2-one:

Acute oral toxicity : (Rat, female): > 2.000 mg/kg
Method: OECD 423
GLP: yes

Acute dermal toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

3-Ethoxy-4-hydroxybenzaldehyde:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): > 3.160 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal toxicity	:	LD50 Dermal (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): 3.600 mg/kg GLP: No information available.
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg GLP: no

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Acute oral toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	:	LD50 Dermal (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: no

3-(4-tert-Butylphenyl)propionaldehyde:

Acute oral toxicity	:	LD50 Oral (Rat, male and female): > 2.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit, female): > 5.000 mg/kg

1H-Indene-ar-propanal, 2,3-dihydro-1,1-dimethyl-:

Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg

Vetiverol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Allyl (cyclohexyloxy)acetate:

Acute oral toxicity : LD50 (Rat, male and female): 620,42 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Acute oral toxicity : LD50 Oral (Rat, female): > 300 - < 2.000 mg/kg
Method: OECD 423
GLP: yes

isoeugenol:

Acute oral toxicity : LD50 (Rat): 1.560 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Dose : 0,5 ml
Concentration : 100 %

Linalyl acetate:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Skin irritation
GLP : No information available.
Concentration : 100 %

benzyl salicylate:

Species : Humans
Result : No skin irritation
Concentration : 30 %

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Concentration : 100 %

7-Methoxy-3,7-dimethyloctan-2-ol:

Species : reconstructed human epidermis (RhE)
Exposure time : 42 min
Method : OECD Test Guideline 439
Result : Skin irritation
GLP : yes
Concentration : 100 %

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : reconstructed human epidermis (RhE)
Exposure time : 0,25 h
Method : OECD 439
Result : Skin irritation
GLP : yes
Concentration : 100 %

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Mild skin irritation
GLP : yes
Dose : 0,5 ml
Concentration : 100 %

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Species : Rabbit
Exposure time : 4 h
Result : Mild skin irritation
Concentration : 100 %

Octahydro-2H-1-benzopyran-2-one:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Mild skin irritation
GLP : no
Dose : 0,5 ml
Concentration : 100 %

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
GLP	:	yes
Concentration	:	100 %

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation
GLP	:	yes
Concentration	:	10 %
solvents	:	Vaseline

Coumarin:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	Regulation (EC) No. 440/2008, Annex, B.4
Result	:	No skin irritation
GLP	:	yes
Dose	:	0,2 g

Oxacycloheptadec-10-en-2-one:

Species	:	Humans
Result	:	No skin irritation
Concentration	:	6 %

Species	:	Rat
Exposure time	:	24 h
Result	:	No skin irritation
GLP	:	yes
Concentration	:	100 %

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD 439
Result	:	No skin irritation
GLP	:	yes
Concentration	:	100 %

3-Ethoxy-4-hydroxybenzaldehyde:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Dose	:	500 mg
Concentration	:	100 %

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
GLP	:	yes
Concentration	:	100 %

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
GLP	:	yes
Dose	:	0,5 ml
Concentration	:	100 %

Species	:	Humans
Exposure time	:	48 h
Method	:	Closed patch test
Result	:	No skin irritation
Concentration	:	10 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Species	:	Rabbit
Exposure time	:	24 h
Result	:	Mild skin irritation
Concentration	:	100 %

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD 439
Result	:	No skin irritation
GLP	:	yes
Dose	:	0,025 ml
Concentration	:	100 %

3-(4-tert-Butylphenyl)propionaldehyde:

Species	:	Rabbit
Exposure time	:	72 h
Result	:	Severe skin irritation
Dose	:	0,2 ml
Concentration	:	100 %

Citronellol:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	Skin irritation
GLP	:	yes
Dose	:	0.5 ml
Concentration	:	100 %

Vetiverol:

Species	:	Humans
Result	:	No skin irritation
Concentration	:	8 %

Species	:	Rabbit
Exposure time	:	24 h
Result	:	Moderate irritation of skin
Concentration	:	100 %

Allyl (cyclohexyloxy)acetate:

Species	:	Rabbit
Exposure time	:	4 h
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Concentration	:	100 %

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Species	:	reconstructed human epidermis (RhE)
Method	:	OECD Test Guideline 439
Result	:	Skin irritation
GLP	:	yes
Concentration	:	100 %

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation
GLP	:	yes
Dose	:	0,1 ML
Concentration	:	100 %

Linalyl acetate:

Species	:	Rabbit

Result : Eye irritation
GLP : no
Concentration : 100 %

benzyl salicylate:

Species : Rabbit
Method : Draize Test
Result : Eye irritation
GLP : no
Dose : 0,1 ML

2,6-Dimethyloct-7-en-2-ol:

Species : Rabbit
Result : Eye irritation
GLP : yes
Dose : 0,1 ML
Concentration : 100 %

7-Methoxy-3,7-dimethyloctan-2-ol:

Species : chicken
Method : OECD Test Guideline 438
Result : Eye irritation
GLP : yes
Concentration : 100 %

Species : Human EpiOcular Eye Model Test
Method : OECD Test Guideline 492
Result : Eye irritation
GLP : yes
Concentration : 100 %

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rabbit
Method : Draize Test
Result : No eye irritation
Dose : 0,1 ML
Concentration : 2,5 %
solvents : Ethyl alcohol

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritating to eyes.
GLP : yes
Dose : 0,1 ML
Concentration : 100 %

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation
GLP	:	yes
Concentration	:	100 %

Octahydro-2H-1-benzopyran-2-one:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Corrosive
GLP	:	no
Dose	:	0,1 ML
Concentration	:	100 %

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Species	:	Rabbit
Exposure time	:	24 h
Result	:	No eye irritation
GLP	:	yes
Dose	:	0,1
Concentration	:	100 %

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation
GLP	:	no
Concentration	:	100 %
Remarks	:	Weight of Evidence

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Eye irritation
GLP	:	no
Concentration	:	100 %

Coumarin:

Species	:	Rabbit
Exposure time	:	96 h
Method	:	EPA OPP 81-4
Result	:	No eye irritation
GLP	:	yes
Dose	:	50 MG
Concentration	:	100 %

(Z)-3-Hexenyl salicylate:

Result : No eye irritation
Remarks : Information given is based on data obtained from similar substances.

Oxacycloheptadec-10-en-2-one:

Species : Rabbit
Method : Draize Test
Result : Mild eye irritation
GLP : No information available.
Dose : 0,1 ML
Concentration : 0,5 %

Species : Human EpiOcular Eye Model Test
Method : OECD Test Guideline 492
Result : No eye irritation
GLP : yes
Concentration : 100 %

3-Ethoxy-4-hydroxybenzaldehyde:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Mild eye irritation
GLP : yes
Concentration : 100 %

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Corrosive
GLP : yes
Concentration : 100 %

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation
GLP : yes
Dose : 0,1 ML
Concentration : 100 %

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Species : Rabbit
Result : Mild eye irritation
GLP : No information available.
Dose : 0,1 ML
Concentration : 100 %

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Mild eye irritation
GLP	:	no
Concentration	:	100 %

3-(4-tert-Butylphenyl)propionaldehyde:

Species	:	Rabbit
Result	:	Mild eye irritation
Dose	:	0,2 ML
Concentration	:	100 %

Citronellol:

Species	:	Rabbit
Method	:	Draize Test
Result	:	Eye irritation
GLP	:	No information available.
Dose	:	0.1 ML
Concentration	:	100 %

Vetiverol:

Result	:	Eye irritation

Allyl (cyclohexyloxy)acetate:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Result	:	No eye irritation
GLP	:	yes
Dose	:	0,75 ML
Concentration	:	100 %

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Species	:	Chicken eye
Method	:	OECD Test Guideline 438
Result	:	Eye irritation
GLP	:	yes
Concentration	:	100 %

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	75 %
solvents	:	Peanut oil

benzyl salicylate:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	2,9 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

2,6-Dimethyloct-7-en-2-ol:

Species	:	Humans
Result	:	No sensitizing effect.
Rate of positive effects	:	0/25
Concentration	:	4 %

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

7-Methoxy-3,7-dimethyloctan-2-ol:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD Test Guideline 442B
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	6,07 %
solvents	:	Diethylphthalate/Ethyl alcohol (1:1)

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	25 %

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	35,5 %
solvents	:	N,N-Dimethylformamide

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

Coumarin:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	No information available.
Concentration	:	2,4 - 3,7 %

(Z)-3-Hexenyl salicylate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

Oxacycloheptadec-10-en-2-one:

Species	:	Humans
Result	:	No sensitizing effect.
GLP	:	No information available.
Rate of positive effects	:	0/54
Concentration	:	6 %

Species	:	Humans

Result	:	No sensitizing effect.
GLP	:	No information available.
Rate of positive effects	:	0/422
Concentration	:	5 %
solvents	:	Petrolatum

3-Ethoxy-4-hydroxybenzaldehyde:

Species	:	Humans
Result	:	No sensitizing effect.
Concentration	:	2 %

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	50 %
solvents	:	Acetone/Olive oil (4:1)

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	No information available.
Concentration	:	11,4 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	No information available.
Concentration	:	21,8 %

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429

Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	19 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

3-(4-tert-Butylphenyl)propionaldehyde:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	4,3 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

Citronellol:

Test Type	:	Local Lymph Node Assay
Species	:	Mouse
Method	:	OECD 429
Result	:	Sensitizing effect.
GLP	:	yes
Concentration	:	43,5 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

Test Type	:	HRIPT
Species	:	Humans
Result	:	No sensitizing effect.
Concentration	:	25 %
solvents	:	Diethylphthalate/Ethyl alcohol (3:1)

Vetiverol:

Species	:	Humans
Result	:	No sensitizing effect.
Concentration	:	8 %

Result	:	Sensitizing effect.

Allyl (cyclohexyloxy)acetate:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	No sensitizing effect.
GLP	:	yes
Concentration	:	100 %

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Method	:	Maximisation Test
Result	:	Sensitizing effect.
GLP	:	yes

Rate of positive effects : 20/20
Concentration : 3 %
solvents : Ethyl alcohol

Germ cell mutagenicity

Not classified based on available information.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: Chinese hamster cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Linalyl acetate:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian Erythrocyte Micronucleus Test

Species: Mouse (male and female)
Strain: CD1
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

benzyl salicylate:

Genotoxicity in vitro : Test Type: Ames test
Test system: Mammal cells
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative

2,6-Dimethyloct-7-en-2-ol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative
GLP: yes

7-Methoxy-3,7-dimethyloctan-2-ol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: In Vitro Mammalian Cell Micronucleus Test

Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: V79 cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Mammalian Erythrocyte Micronucleus Test
Species: Mouse (male and female)
Strain: CD1
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474

Result: negative
GLP: yes

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Octahydro-2H-1-benzopyran-2-one:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: Micronucleus test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 487
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian Erythrocyte Micronucleus Test
Species: Mouse (male and female)
Strain: CD1
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Coumarin:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: No information available.

Test Type: In vitro Mammalian Chromosome Aberration Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: Positive results were obtained in some in vitro tests.
GLP: No information available.

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: No information available.

Test Type: sister chromatid exchange assay

		Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479 Result: negative GLP: No information available.
Genotoxicity in vivo	:	Test Type: Mammalian Erythrocyte Micronucleus Test Species: Mouse (male and female) Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: No information available.

(Z)-3-Hexenyl salicylate:

Genotoxicity in vitro	:	Test Type: In vitro Mammalian Cell Gene Mutation Test Test system: V79 cells Metabolic activation: with and without metabolic activation Method: OECD 476 Result: negative GLP: yes Remarks: Information given is based on data obtained from similar substances.
		Test Type: In vitro Mammalian Chromosome Aberration Test Test system: V79 cells Metabolic activation: with and without metabolic activation Method: OECD 473 Result: negative GLP: yes Remarks: Information given is based on data obtained from similar substances.
		Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD 471 Result: negative GLP: yes
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse (male and female) Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes Remarks: Information given is based on data obtained from similar substances.

Oxacycloheptadec-10-en-2-one:

Genotoxicity in vitro	:	Test Type: Ames test Test system: TA98

Metabolic activation: with and without metabolic activation
Method: OECD 471

Test Type: Ames test
Test system: TA100
Metabolic activation: with and without metabolic activation
Method: OECD 471

Test Type: Ames test
Test system: TA102
Metabolic activation: with and without metabolic activation
Method: OECD 471

Test Type: Ames test
Test system: TA1535
Metabolic activation: with and without metabolic activation
Method: OECD 471

Test Type: Ames test
Test system: TA1537
Metabolic activation: with and without metabolic activation
Method: OECD 471

3-Ethoxy-4-hydroxybenzaldehyde:

Genotoxicity in vitro : Test Type: Ames test
Test system: TA98
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: TA100
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: TA1535
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: TA1537
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: WP2 uvrA
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 490
Result: positive
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male)
Strain: B6C3F1
Cell type: Bone marrow
Application Route: intratracheal
Result: negative
GLP: No information available.

Test Type: Mammalian Erythrocyte Micronucleus Test
Species: Mouse (male and female)
Strain: NMRI
Cell type: Bone marrow
Application Route: intratracheal
Method: OECD Test Guideline 474
Result: negative
GLP: No information available.

Test Type: Mammalian Erythrocyte Micronucleus Test
Species: Mouse (female)
Cell type: Bone marrow
Application Route: Oral
Method: Regulation (EC) No. 440/2008, Annex, B.12
Result: negative
GLP: no

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Genotoxicity in vitro : Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
GLP: No information available.

		Test Type: In vitro Mammalian Chromosome Aberration Test Result: equivocal GLP: No information available. Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative GLP: No information available.
Genotoxicity in vivo	:	Test Type: Mammalian Erythrocyte Micronucleus Test Species: Mouse (male) Cell type: Bone marrow Application Route: Oral Method: OECD Test Guideline 474 Result: negative GLP: yes

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD 471 Result: negative GLP: yes Test Type: In vitro Mammalian Chromosome Aberration Test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD 473 Result: negative GLP: yes

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD 471 Result: negative GLP: yes Test Type: In vitro Mammalian Chromosome Aberration Test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD 473 Result: positive GLP: yes
Genotoxicity in vivo	:	Test Type: Mammalian Erythrocyte Micronucleus Test Species: Mouse (male and female) Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative GLP: yes

3-(4-tert-Butylphenyl)propionaldehyde:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative

Citronellol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian Erythrocyte Micronucleus Test
Species: Mouse (male) Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Allyl (cyclohexyloxy)acetate:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: V79 cells
Metabolic activation: with and without metabolic activation
Method: OECD 476
Result: negative
GLP: yes

Test Type: In Vitro Mammalian Cell Micronucleus Test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 487
Result: negative
GLP: yes

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD 471
Result: negative
GLP: yes

Test Type: In Vitro Mammalian Cell Micronucleus Test
Test system: human lymphoblastoid cells
Metabolic activation: with and without metabolic activation
Method: OECD 487
Result: negative
GLP: yes

Test Type: In vitro Mammalian Cell Gene Mutation Test
Test system: mouse lymphoma L5178Y cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 490
Result: negative
GLP: yes

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

3-Ethoxy-4-hydroxybenzaldehyde:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Strain: wistar
Application Route: Oral
Dose: 1000 milligram per kilogram
General Toxicity - Parent: NOAEL: 500 mg/kg body weight
General Toxicity F1: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Strain: wistar
Application Route: Oral
Dose: 500
Duration of Single Treatment: 30 d
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 500 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Species	:	Rat, male and female
NOAEL	:	917 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Method	:	OECD Test Guideline 407

Linalyl acetate:

Species	:	Rat, male and female
NOAEL	:	160 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Number of exposures	:	daily
Method	:	OECD Test Guideline 407
GLP	:	yes

Species	:	Rat, male and female
NOAEL	:	250 mg/kg
Application Route	:	Dermal
Exposure time	:	91 d
Number of exposures	:	daily
Method	:	OECD Test Guideline 411
GLP	:	yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species	:	Rat, male and female
NOAEL	:	120 mg/kg bw/day
Application Route	:	Oral
Exposure time	:	2.184 h
Control Group	:	yes
Method	:	OECD Test Guideline 408
GLP	:	yes
Target Organs	:	Liver, spleen

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Species	:	Rat, male
NOAEL	:	>= 497,9 mg/kg
Application Route	:	Oral
Exposure time	:	96 d
Method	:	OECD Test Guideline 408
GLP	:	yes

Species	:	Rat, male and female
NOAEL	:	250 mg/kg

Application Route	:	Dermal
Exposure time	:	91 d
Number of exposures	:	daily
Method	:	OECD Test Guideline 411
GLP	:	yes

(Z)-3-Hexenyl salicylate:

Species	:	Rat, male and female
NOAEL	:	200 mg/kg
Application Route	:	Oral
Number of exposures	:	daily
Method	:	OECD Test Guideline 422
GLP	:	yes

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Species	:	Rat, male and female
NOAEL	:	200 mg/kg bw/day
Application Route	:	Oral
Method	:	OECD Test Guideline 407
GLP	:	yes

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Species	:	Rat, male and female
NOAEL	:	125 mg/kg bw/day
Application Route	:	Oral
Method	:	OECD 422
GLP	:	yes

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

<u>Product:</u>

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

<u>Components:</u>

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Coumarin:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Remarks : No data available

2,6-Dimethyloct-7-en-2-ol:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

7-Methoxy-3,7-dimethyloctan-2-ol:

Remarks : No data available

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Remarks : No data available

Octahydro-2H-1-benzopyran-2-one:

Remarks : No data available

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Remarks : No data available

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Remarks : No data available

Coumarin:

Remarks : No data available

(Z)-3-Hexenyl salicylate:

Remarks : No data available

Oxacycloheptadec-10-en-2-one:

Remarks : No data available

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Remarks : No data available

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Remarks : No data available

3-(4-tert-Butylphenyl)propionaldehyde:

Remarks : No data available

Allyl (cyclohexyloxy)acetate:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 3,16 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 3,73 mg/l
End point: Growth rate
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

		NOEC (Desmodesmus subspicatus (green algae)): > 3,73 mg/l End point: Growth rate Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	:	NOEC (Activated sludge): > 100 mg/l End point: Respiration inhibition Exposure time: 3 h Test Type: static test Analytical monitoring: no Method: OECD 209 GLP: yes
		EC50 (Activated sludge): > 100 mg/l End point: Respiration inhibition Exposure time: 3 h Test Type: static test Analytical monitoring: no Method: OECD 209 GLP: yes

Linalyl acetate:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 11 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 59 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC10 (Desmodesmus subspicatus (green algae)): 54,3 mg/l End point: Growth rate Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: DIN 38412 (part 9) GLP: no
		EC50 (Desmodesmus subspicatus (green algae)): 156,7 mg/l

		End point: Growth rate Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: DIN 38412 (part 9) GLP: no
Toxicity to microorganisms	:	EC20 (Activated sludge): > 1.000 mg/l End point: Respiration inhibition Exposure time: 0,5 h Test Type: static test Analytical monitoring: no Method: ISO 8192 GLP: no

benzyl salicylate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 1,03 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: Directive 67/548/EEC, Annex V, C.1. GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 1,16 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 1,29 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes NOEC (Pseudokirchneriella subcapitata (green algae)): 0,502 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to soil dwelling organisms	:	LC50: > 1.000 mg/kg Exposure time: 14 d End point: mortality Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 GLP:yes

2,6-Dimethyloct-7-en-2-ol:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 38 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 80 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

NOEC (Desmodesmus subspicatus (green algae)): 25 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

7-Methoxy-3,7-dimethyloctan-2-ol:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to microorganisms : EC50 (Activated sludge): >= 1.000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,3 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,38 mg/l

aquatic invertebrates		End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 2,6 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes NOEC (Desmodesmus subspicatus (green algae)): >= 2,6 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	:	NOEC (Activated sludge): > 100 mg/l Exposure time: 42 d Test Type: static test Method: OECD 301F GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,16 mg/l End point: mortality Exposure time: 30 d Species: Danio rerio (zebra fish) Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,028 mg/l End point: Reproduction rate Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: flow-through test Analytical monitoring: yes Method: OECD 211 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	1

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 354 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): ca. 320 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	:	EC50 (Activated sludge): > 1.000 mg/l End point: Respiration inhibition Exposure time: 3 h Test Type: static test Method: OECD 209 GLP: yes

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2,3 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,1 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 17 mg/l End point: Growth rate Exposure time: 72 h

Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,54 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Octahydro-2H-1-benzopyran-2-one:

Toxicity to microorganisms : EC50 (Activated sludge): > 1.000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD 209
GLP: yes

NOEC (Activated sludge): 320 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD 209
GLP: yes

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27,8 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 59 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 156,7 mg/l
End point: Growth rate
Exposure time: 96 h
Test Type: static test

		Analytical monitoring: no Method: DIN 38412 (part 9) GLP: no
		EC10 (Desmodesmus subspicatus (green algae)): 54,3 mg/l End point: Growth rate Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: DIN 38412 (part 9) GLP: no
Toxicity to microorganisms	:	EC50 (Activated sludge): > 100 mg/l End point: Respiration inhibition Exposure time: 3 h Test Type: static test Analytical monitoring: yes Method: OECD 209 GLP: yes

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,1 mg/l End point: mortality Exposure time: 96 h Test Type: flow-through test Analytical monitoring: yes GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 1,34 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 2,5 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OPPTS 850.5400 GLP: yes
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,44 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OPPTS 850.5400 GLP: yes

Toxicity to microorganisms : EC50 (Activated sludge): ca. 225 mg/l
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: OECD 209
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0,589 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD 211
GLP: yes

Coumarin:

Toxicity to microorganisms : IC50 (Activated sludge): 640 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Test Type: static test
Method: ISO 8192
GLP: No information available.

(Z)-3-Hexenyl salicylate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,65 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: No effect in the area of water solubility of the substance

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 0,6 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

EC10 (Desmodesmus subspicatus (green algae)): 0,19 mg/l
End point: Growth rate

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

Oxacycloheptadec-10-en-2-one:

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

3-Ethoxy-4-hydroxybenzaldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 87,6 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: No information available.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 26,2 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

NOEC (Raphidocelis subcapitata (freshwater green alga)): 21,2 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201

		GLP: yes
Toxicity to microorganisms	:	IC50 (Tetrahymena pyriformis): 158,7 mg/l End point: Growth inhibition Exposure time: 40 h Test Type: static test

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): ca. 22 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 10,8 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes Remarks: Information given is based on data obtained from similar substances.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 13,1 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: Information given is based on data obtained from similar substances. EC10 (Desmodesmus subspicatus (green algae)): 3,77 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: Information given is based on data obtained from similar substances.
Toxicity to microorganisms	:	EC50 (Activated sludge): 144 mg/l Exposure time: 96 h Method: ISO 8192 GLP: yes

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 2,77 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes Remarks: No effect in the area of water solubility of the substance
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 3,12 mg/l End point: Immobilization Exposure time: 48 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes Remarks: No effect in the area of water solubility of the substance
Toxicity to algae/aquatic plants	:	ErC50 (scenedesmus subspica): > 4,3 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: No effect in the area of water solubility of the substance EC10 (scenedesmus subspica): > 4,3 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: No effect in the area of water solubility of the substance
Toxicity to microorganisms	:	EC50 (Activated sludge): > 4,3 mg/l Exposure time: 3 h Test Type: static test Method: OECD 209 GLP: yes Remarks: No effect in the area of water solubility of the substance

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 10,9 mg/l

		Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 4,7 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic plants	:	(Desmodesmus subspicatus (green algae)): > 20 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: no

3-(4-tert-Butylphenyl)propionaldehyde:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,8 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to microorganisms	:	EC50 (Activated sludge): 80 mg/l Exposure time: 3 h Test Type: static test Method: OECD 209 GLP: yes

Citronellol:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 14,66 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: DIN 38412 (Part 15) GLP: no
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 17,48 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: 79/831/ECC GLP: no
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 10.000 mg/l End point: Respiration inhibition Exposure time: 0,5 h Test Type: static test Analytical monitoring: no

		Method: DIN 38412 (part 27) GLP: no

Allyl (cyclohexyloxy)acetate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,205 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 11,3 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 69,2 mg/l End point: Growth rate Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes EC10 (Pseudokirchneriella subcapitata (green algae)): 30,2 mg/l End point: Growth rate Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 3,2 mg/l End point: Reproduction rate Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: flow-through test Method: OECD Test Guideline 211 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	1

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 4,3 mg/l

		Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 22,73 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 15,5 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes EC10 (Pseudokirchneriella subcapitata (green algae)): 3,88 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes

[3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 0,044 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	:	10
M-Factor (Chronic aquatic toxicity)	:	10

isoeugenol:

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 7,5 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes

12.2 Persistence and degradability

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Biodegradability : Test Type: Closed Bottle test
Result: Readily biodegradable.
Biodegradation: 68 %
Exposure time: 28 d
Method: OECD 301D
GLP: yes

Linalyl acetate:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 76 %
Exposure time: 28 d
Method: OECD 301F
GLP: no

benzyl salicylate:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

2,6-Dimethyloct-7-en-2-ol:

Biodegradability : Test Type: CO2 Evolution Test
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301B
GLP: yes

7-Methoxy-3,7-dimethyloctan-2-ol:

Biodegradability : Test Type: Manometric respiration test
Result: Inherently biodegradable.
Biodegradation: 77 %
Exposure time: 56 d
Method: OECD 301F
GLP: yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Test Type: MITI Test II
Result: Not inherently biodegradable.
Biodegradation: 0 %
Exposure time: 28 d

Method: OECD 302C
GLP: yes

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Biodegradability : Test Type: Closed Bottle test
Result: Inherently biodegradable.
Biodegradation: 64,8 %
Exposure time: 60 d
Method: OECD 301D
GLP: no
Remarks: Weight of Evidence

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 78 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

Octahydro-2H-1-benzopyran-2-one:

Biodegradability : Test Type: Closed Bottle test
Result: Readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD 301D
GLP: yes

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Biodegradability : Test Type: Headspace Test
Result: Not readily biodegradable.
Biodegradation: 2,6 %
Exposure time: 14 d
Method: OECD 310
GLP: yes

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Biodegradability : Test Type: Closed Bottle test
Result: Readily biodegradable.
Biodegradation: 64,2 %
Exposure time: 28 d
Method: OECD 301D
GLP: yes

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Biodegradability : Test Type: Closed Bottle test
Result: Not readily biodegradable.
Biodegradation: 5 %

Exposure time: 28 d
Method: OECD 301D
GLP: yes

Test Type: Closed Bottle test
Result: Inherently biodegradable.
Biodegradation: 69,5 %
Exposure time: 60 d
Method: OECD 301D
GLP: no

Coumarin:

Biodegradability : Test Type: Manometric respiration test
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 90 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

(Z)-3-Hexenyl salicylate:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 89 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

Oxacycloheptadec-10-en-2-one:

Biodegradability : Test Type: MITI Test I
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: OECD 301C
GLP: yes

3-Ethoxy-4-hydroxybenzaldehyde:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Biodegradability : Test Type: Closed bottle test, OECD 301-D, (BOD[28]/COD):
Result: Readily biodegradable.
Biodegradation: 82 %
Exposure time: 28 d

Method: OECD 301D
GLP: yes

Test Type: Manometric Respirometry Test
Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD 301
GLP: yes

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Biodegradability : Test Type: Closed Bottle test
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD 301D
GLP: yes

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Biodegradability : Test Type: Closed Bottle test
Result: Readily biodegradable.
Biodegradation: 42,51 %
Exposure time: 28 d
Method: OECD 301D
GLP: no

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Biodegradability : Test Type: Manometric respiration test
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 63 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

3-(4-tert-Butylphenyl)propionaldehyde:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 65 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

Citronellol:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 80 - 90 %

Exposure time: 28 d
GLP: no

Vetiverol:

Biodegradability : Remarks: No data available

Allyl (cyclohexyloxy)acetate:

Biodegradability : Test Type: Closed Bottle test
Result: Not readily biodegradable.
Biodegradation: 24 %
Exposure time: 28 d
Method: OECD 301D
GLP: yes

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Biodegradability : Test Type: Manometric respiration test
Result: Inherently biodegradable.
Biodegradation: 73 %
Exposure time: 60 d
Method: OECD 301F
GLP: yes

[3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 78 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

isoeugenol:

Biodegradability : Test Type: Manometric respiration test
Result: Readily biodegradable.
Biodegradation: 79 %
Exposure time: 28 d
Method: OECD 301F
GLP: yes

12.3 Bioaccumulative potential

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Partition coefficient: n-octanol/water : log Pow: 4,46 (25 °C)
pH: 7,3
Method: OECD Test Guideline 123
GLP: yes

Linalyl acetate:

Partition coefficient: n-octanol/water : log Pow: 3,9 (25 °C)
Method: OECD Test Guideline 107
GLP: yes

benzyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 4,0 (35 °C)
Method: OECD 117
GLP: yes

2,6-Dimethyloct-7-en-2-ol:

Partition coefficient: n-octanol/water : log Pow: 3,25 (40 °C)
pH: 7
Method: OECD 117
GLP: yes

7-Methoxy-3,7-dimethyloctan-2-ol:

Partition coefficient: n-octanol/water : log Pow: ca. 2,3 (35 °C)
pH: 7
Method: OECD Test Guideline 117
GLP: yes

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 600
Method: OECD Test Guideline 305
GLP: yes

Partition coefficient: n-octanol/water : log Pow: 5,65 (30 °C)
Method: OECD 117
GLP: yes

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Partition coefficient: n-octanol/water : log Pow: ca. 1,65 (23 °C)
pH: > 6,09 - < 6,74
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes

α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol:

Partition coefficient: n-octanol/water : log Pow: 4,6 - 4,8

Octahydro-2H-1-benzopyran-2-one:

Partition coefficient: n-octanol/water : log Pow: 1,4 (25 °C)
Method: OECD 117
GLP: no

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Partition coefficient: n-octanol/water : log Pow: 5,3 - 5,8
Remarks: calculated

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool:

Partition coefficient: n-octanol/water : log Pow: 2,84 (25 °C)
Method: OECD Test Guideline 107
GLP: no

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Partition coefficient: n-octanol/water : log Pow: 4,4 (35 °C)
Method: OECD Test Guideline 117
GLP: yes

1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Partition coefficient: n-octanol/water : log Pow: 4,71
Remarks: calculated

Coumarin:

Partition coefficient: n-octanol/water : log Pow: 1,39

(Z)-3-Hexenyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 4,8 (25 °C)
pH: 7
Method: OECD Test Guideline 117
GLP: yes

Oxacycloheptadec-10-en-2-one:

Partition coefficient: n-octanol/water : log Pow: 6,7 (23 °C)
Method: OECD 117
GLP: yes

1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Partition coefficient: n-octanol/water : log Pow: 4,71

3-Ethoxy-4-hydroxybenzaldehyde:

Partition coefficient: n-octanol/water : log Pow: 1,58 (25 °C)
Method: OECD Test Guideline 107
GLP: No information available.

geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol:

Partition coefficient: n- : log Pow: 2,6 (25 °C)

octanol/water		Method: OECD 117 GLP: yes

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Partition coefficient: n-octanol/water	:	log Pow: 4,84 (22 °C) pH: 7 Method: OECD Test Guideline 107 GLP: yes

3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one:

Partition coefficient: n-octanol/water	:	log Pow: 4,288 (25 °C) pH: 4,7 Method: OECD 117 GLP: no

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Partition coefficient: n-octanol/water	:	log Pow: 2,6 (20 °C) Method: OECD 117 GLP: no

3-(4-tert-Butylphenyl)propionaldehyde:

Partition coefficient: n-octanol/water	:	log Pow: 3,2 Method: OECD 117 GLP: yes log Pow: 3,2 Method: OECD 117 GLP: yes

Citronellol:

Partition coefficient: n-octanol/water	:	log Pow: 3,41 (25 °C) Method: Regulation (EC) No. 440/2008, Annex, A.8 GLP: no

Vetiverol:

Partition coefficient: n-octanol/water	:	log Pow: 4,78 Remarks: calculated

Allyl (cyclohexyloxy)acetate:

Partition coefficient: n-octanol/water	:	log Pow: 2,8 (24,7 °C) Method: OECD Test Guideline 117 GLP: yes

2,3-Dihydro-2,2,6-trimethylbenzaldehyde:

Partition coefficient: n-octanol/water	:	Pow: 2,7 (35 °C) pH: 7

Method: OECD 117
GLP: yes

[3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene:

Partition coefficient: n-octanol/water : log Pow: 6,09
Remarks: calculated

isoeugenol:

Partition coefficient: n-octanol/water : log Pow: 2,55

12.4 Mobility in soil

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
Koc: 11000, log Koc: 4
Method: OECD 121

benzyl salicylate:

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
log Koc: 3,75
Method: OECD 121

2,6-Dimethyloct-7-en-2-ol:

Distribution among environmental compartments : Medium: Soil
Koc: 177,83, log Koc: 2,25
Method: OECD 121

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
Koc: ca. 25, log Koc: ca. 1,4
Method: OECD 121

Oxacycloheptadec-10-en-2-one:

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
Koc: 2,209
Method: OECD 121

3-Ethoxy-4-hydroxybenzaldehyde:

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil

log Koc: 3,092
Method: OECD Test Guideline 106

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Coumarin:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Coumarin:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Components:

(1S, 1'R)-[1-(3', 3'-dimethyl-1'-cyclohexyl)ethoxycarbonyl]methyl propanoate**:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

2,6-Dimethyloct-7-en-2-ol:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

7-Methoxy-3,7-dimethyloctan-2-ol:

Additional ecological information : No data available

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Additional ecological information : No data available

Octahydro-2H-1-benzopyran-2-one:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol:

Additional ecological : An environmental hazard cannot be excluded in the event of

information — unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

Coumarin:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

(Z)-3-Hexenyl salicylate:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.

Oxacycloheptadec-10-en-2-one:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

4H-4a,9-Methanoazuleno[5,6-d]-1,3-dioxole, octahydro-2,2,5,8,8,9a-hexamethyl-, (4aR,5R,7aS,9R)-:

Additional ecological information : No data available

Methyl 2,4-dihydroxy-3,6-dimethylbenzoate:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

3-(4-tert-Butylphenyl)propionaldehyde:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

Allyl (cyclohexyloxy)acetate:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

		Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OCTAHYDRO-TETRAMETHYL-NAPHTHALENYL-ETHANONE)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OCTAHYDRO-TETRAMETHYL-NAPHTHALENYL-ETHANONE)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OCTAHYDRO-TETRAMETHYL-NAPHTHALENYL-ETHANONE)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (OCTAHYDRO-TETRAMETHYL-NAPHTHALENYL-ETHANONE)

14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	9	
RID	:	9	
IMDG	:	9	
IATA	:	9	

14.4 Packing group

ADR

Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90

Labels	:	9
Tunnel restriction code	:	(-)

RID

Packing group	:	III
Classification Code	:	M6
Hazard Identification Number	:	90
Labels	:	9

IMDG

Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous	:	yes

RID

Environmentally hazardous	:	yes

IMDG

Marine pollutant	:	yes

IATA (Cargo)

Environmentally hazardous	:	yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Conditions of restriction for the

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	following entries should be considered: Number on list 3 (+)-Isomenthone (Number on list 3) Citronellyl butyrate (Number on list 3) Pin-2(10)-ene (Number on list 40, 3) Pin-2(3)-ene (Number on list 40, 3) p-Menth-1-en-4-ol (Number on list 3) α,β,2,2,3-Pentamethylcyclopent-3-ene-1-butanol (Number on list 3) p-Menth-1-en-8-ol (Number on list 3) 7-Methyl-3-methyleneocta-1,6-diene (Number on list 40, 3) DL-menthol (Number on list 3) trans-Menthone (Number on list 3) Caryophyllene (Number on list 3) 3,7-Dimethylocta-1,3,6-triene (Number on list 40, 3) Geranyl acetate (Number on list 3) [3R-(3α,3aβ,7β,8aα)]-2,3,4,7,8,8a-Hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (Number on list 3) Oct-1-ene-3-ol (Number on list 3) Linalool oxide (Number on list 3) Citronellyl acetate (Number on list 3) Oct-1-en-3-yl acetate (Number on list 3) 1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one (Number on list 3) 1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)pent-1-en-3-one (Number on list 3) 3-Methyl-4-(2,6,6-trimethyl-1-cyclohexen-1-yl)-3-buten-2-one (Number on list 3) (R*,R*)-α,4-Dimethyl-α-(4-methyl-3-pentenyl)cyclohex-3-ene-1-methanol (Number on list 3) Vetiverol (Number on list 3) (1S-Endo)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ol (Number on list 40) 1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Number on list 3) 1-(1,2,3,4,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Number on

list 3)
1H-Indene-ar-propanal, 2,3-dihydro-1,1-dimethyl- (Number on list 3)
3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol (Number on list 3)
(-)-Pin-2-ene-10-ol (Number on list 3)
(E)-7,11-Dimethyl-3-methylenedodeca-1,6,10-triene (Number on list 3)
DL-borneol (Number on list 40)
Neryl acetate (Number on list 3)
3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)pent-4-en-2-ol (Number on list 3)
8-Isopropyl-1,3-dimethyltricyclo[4.4.0.02,7]dec-3-ene (Number on list 40, 3)
METHOXYAMBROCENIDE (Number on list 3)
3-Methyl-5-phenylpentanol (Number on list 3)
2,6-Dimethyloct-7-en-2-ol (Number on list 3)
α,α-Dimethylphenethyl butyrate (Number on list 3)
Ethyl 2-methylvalerate (Number on list 40, 3)
Octan-4-olide (Number on list 3)
Octahydro-2H-1-benzopyran-2-one (Number on list 3)
3-(4-tert-Butylphenyl)propionaldehyde (Number on list 3)
(E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (Number on list 3)
1-(2,5,10-trimethylcyclododeca-2,5,9-trien-1-yl)ethanone (Number on list 3)
Oxacycloheptadec-10-en-2-one (Number on list 3)
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol (Number on list 3)
3,6-dimethyl-3H-1-benzofuran-2-one (Number on list 3)
(Z)-3-Hexenyl salicylate (Number on list 3)
Allyl (cyclohexyloxy)acetate (Number on list 3)
2(3H)-Furanone, dihydro-5-octyl-

(Number on list 3)
7-Methoxy-3,7-dimethyloctan-2-ol (Number on list 3)
2,3-Dihydro-2,2,6-trimethylbenzaldehyde (Number on list 3)
Geranyl butyrate (Number on list 3)
Citronellyl formate (Number on list 3)
3,7-Dimethyl-6-octenyl 2-methylcrotonate (Number on list 3)
Tetrahydro-4-methyl-2-(2-methylprop-1-enyl)pyran (Number on list 3)
[1R-(1α,7β,8α)]-1,2,3,5,6,7,8,8a-Octahydro-1,8a-dimethyl-7-(1-methylvinyl)naphthalene (Number on list 3)
methanol (Number on list 69, 40, 3, 200-659-6)
cis-Hex-3-en-1-ol (Number on list 40, 3)
Nerol (Number on list 3)
Linalyl acetate (Number on list 3)
Cineole (Number on list 40, 3)
Citronellol (Number on list 3)
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (Number on list 3)
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Number on list 3)
Bornan-2-one (Number on list 40)
Geranyl formate (Number on list 3)
Decan-5-olide (Number on list 3)
3-Isopropenyl-1,2-dimethylcyclopentan-1-ol (Number on list 3)
Azulene, 1,2,3,4,5,6,7,8-octahydro-1,4-dimethyl-7-(1-methylethenyl)-, (1S,4S,7R)- (Number on list 3)
p-Mentha-1,4(8)-diene (Number on list 3)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great Britain)

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 19,16 %

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H361	: Suspected of damaging fertility or the unborn child.

H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		**Classification procedure:**
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Chronic 2	H411	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN