

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	CLASS BLEU
UFI	:	W7KP-N0YX-C00F-C3KU
Sales Number	:	5491822
Cust. Material	:	CLASS BLEU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture	:	Fragrance for consumer product
-------------------------------	---	--------------------------------

1.3 Details of the supplier of the safety data sheet

Company	:	IFF (NEDERLAND) BV ZEVENHEUVELENWEG 60 5048 AN TILBURG
Telephone	:	+31134642211
Telefax	:	+31134636032
E-mail address of person responsible for the SDS	:	sds@iff.com

1.4 Emergency telephone number

ORFILA (INRS): + 33 (0)1 45 42 59 59

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements	:	H315 Causes skin irritation.
	:	H317 May cause an allergic skin reaction.
	:	H319 Causes serious eye irritation.
	:	H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

Precautionary statements :

Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

68155-66-8,	Tetramethyl Acetyloctahydronaphthalenes
54464-57-2,	
68155-67-9,	
54464-59-4	
32388-55-9	cedr-8-enyl methyl ketone
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
91-64-5	COUMARIN
33704-61-9	Dihydro pentamethylindanone
8046-19-3,	Liquidambar Styraciflua Oil
8024-01-9	
82356-51-2,	Methylcyclopentadecenone
63314-79-4	
5533-03-9	2-methoxy-4-(methoxymethyl)phenol
476332-65-7	Heptamethyl Decahydroindenofuran
115-95-7	linalyl acetate
87-44-5	Beta-Caryophyllene
57378-68-4,	Delta-Damascone
71048-82-3	
104-55-2	CINNAMAL

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.		Concentration
---------------	---------	--	---------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version
1.0

Revision Date:
07.09.2021

SDS Number:
300000448906

Date of last issue: -
Date of first issue: 07.09.2021

	EC-No. Index-No. Registration number		(% w/w)
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 20 - < 25
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9 603-212-00-7 01-2119488227-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 2,5 - < 10
[3R-(3 α ,3a,7,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3 01-2119969651-28	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 1 - < 10
coumarin	91-64-5 202-086-7 01-2119943756-26	Acute Tox. 4; H302 Skin Sens. 1B; H317	>= 1 - < 10
vanillin	121-33-5 204-465-2 01-2119516040-60	Eye Irrit. 2; H319	>= 1 - < 10
2-ethyl-3-hydroxy-4-pyrone	4940-11-8 225-582-5 01-2120758795-36	Acute Tox. 4; H302	>= 1 - < 10
(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol	107898-54-4 411-580-3 603-150-00-0 01-0000015895-58	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
isopentyl salicylate	2050-08-0 218-080-2 01-2119969444-27	Aquatic Chronic 1; H410 Acute Tox. 4; H302 Aquatic Acute 1; H400	>= 1 - < 2,5
octahydro-2H-1-benzopyran-2-one	4430-31-3 224-623-4	Eye Dam. 1; H318	>= 1 - < 3
3-ethoxy-4-hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit. 2; H319	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version 1.0 Revision Date: 07.09.2021 SDS Number: 300000448906 Date of last issue: -
Date of first issue: 07.09.2021

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	$\geq 1 - < 2,5$
[1R-(1,4,4a,6,8a)]-octahydro-4,8a,9,9-tetramethyl-1,6-methano-1(2H)-naphthol	5986-55-0 227-807-2 01-2120754357-48	Aquatic Chronic 2; H411	$\geq 1 - < 2,5$
Storax (balsam)	8046-19-3 232-458-4 01-2120756706-45	Skin Sens. 1; H317	$\geq 0,1 - < 1$
3-methyl-5-Cyclopentadecen-1-one	82356-51-2 429-900-5 01-0000017618-62	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 0,25 - < 1$
2-methoxy-4-(methoxymethyl)phenol	5533-03-9 226-882-9 01-2120735659-41	Acute Tox. 4; H302 Skin Sens. 1B; H317	$\geq 0,1 - < 1$
decahydro heptamethyl indenofuran	476332-65-7 449-360-4 01-0000018977-51	Skin Sens. 1B; H317 Aquatic Chronic 1; H410	$\geq 0,25 - < 1$
cyclopentadecanone	502-72-7 207-951-2 01-2120766374-48	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	$\geq 0,25 - < 1$
linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319	$\geq 0,1 - < 1$
caryophyllene	87-44-5 201-746-1	Asp. Tox. 1; H304 Skin Sens. 1B; H317	$\geq 0,1 - < 1$
benzyl benzoate	120-51-4 204-402-9 607-085-00-9 01-2119976371-33	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Aquatic Acute 1; H400	$\geq 0,1 - < 0,25$
[1(E),2]-1-(2,6,6-trimethylcyclohex-3-en-1-yl)but-2-en-1-one	57378-68-4 275-156-8 01-2119535122-53	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	$\geq 0,025 - < 0,1$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version 1.0 Revision Date: 07.09.2021 SDS Number: 300000448906 Date of last issue: -
Date of first issue: 07.09.2021

cinnamaldehyde	104-55-2 203-213-9 01-2119935242-45-	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Aquatic Chronic 3; H412	$\geq 0,025 - < 0,1$
----------------	--	--	----------------------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Carbondioxide, dry chemical, foam.
- Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Water may be ineffective.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

5.3 Advice for firefighters

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version 1.0 Revision Date: 07.09.2021 SDS Number: 300000448906 Date of last issue: -
Date of first issue: 07.09.2021

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

			Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm ²
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m ³
Remarks:	Exposure time: 8 h			
octahydro-2H-1-benzopyran-2-one	Workers	Inhalation	Long-term systemic effects	6,3 mg/m ³
Remarks:	REACH data			
	Workers	Dermal	Long-term systemic effects	1,8 mg/kg
Remarks:	REACH data			
	General population	Oral	Long-term systemic effects	1,1 mg/kg
Remarks:	REACH data			
	General population	Inhalation	Long-term systemic effects	1,9 mg/m ³
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	1,1 mg/kg
Remarks:	REACH data			
3-ethoxy-4-hydroxybenzaldehyde	Workers	Inhalation	Long-term systemic effects	49 mg/m ³
	Workers	Inhalation	Acute systemic effects	98 mg/m ³
	Workers	Dermal	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic	8,75 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version 1.0 Revision Date: 07.09.2021 SDS Number: 300000448906 Date of last issue: -
Date of first issue: 07.09.2021

			effects	
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Fresh water	0,0028 mg/l
	Marine water	0,00028 mg/l
	Fresh water sediment	3,73 mg/kg dry weight (d.w.)
	Marine sediment	0,75 mg/kg dry weight (d.w.)
	Soil	0,705 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.

If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 60 min
Glove thickness : 0,38 mm

Material : Nitrile rubber
Break through time : > 10 min
Glove thickness : 0,1 mm

Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version 1.0	Revision Date: 07.09.2021	SDS Number: 300000448906	Date of last issue: - Date of first issue: 07.09.2021
----------------	------------------------------	-----------------------------	--

gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
c) if normal operational workplace vapor concentration in the air is increased due to heat ;
d) during emergencies; or
e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.
To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

Colour	:	dark orange to red
Odour	:	conforms to standard
pH	:	not determined
Melting point	:	not determined
Boiling point	:	not determined
Flash point	:	98,00 °C Method: closed cup
Flammability (solid, gas)	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	0,01 hPa Calculated
Relative vapour density	:	not determined
Relative density	:	0,9820 - 0,9920
Density	:	not determined
Water solubility	:	not determined
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	not determined
Decomposition temperature	:	not determined
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Oxidizing properties	:	not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Direct sources of heat.
---------------------	---	-------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Causes skin irritation.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : human
Method : OECD 439
Result : Skin irritation

(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol:

Species : human
Method : repeated insult patch test
Result : No skin irritation

Species : Rabbit
Result : irritating

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species : human
Exposure time : 0,25 h
Method : EPISKIN Human Skin Model Test
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

octahydro-2H-1-benzopyran-2-one:

Species : Rabbit

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

Assessment : Causes serious eye damage.
Method : OECD Test Guideline 405
Result : Severe eye irritation
Remarks : REACH data

vanillin:

Remarks : No data available

3-ethoxy-4-hydroxybenzaldehyde:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation
Remarks : Supplier

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type : LLNA
Species : Mouse
Method : OECD 429
Result : Causes sensitisation.

(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol:

Species : human
Result : Causes sensitisation.
Test substance : 10% in diethyl phthalate

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Test Type : LLNA
Species : Mouse
Method : OECD 429
Result : Skin sensitization

Test Type : repeated insult patch test
Species : Humans
Result : Does not cause skin sensitisation.
Test substance : 10.% in ethanol/DEP (75:25)

Result : Does not cause respiratory sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version 1.0	Revision Date: 07.09.2021	SDS Number: 300000448906	Date of last issue: - Date of first issue: 07.09.2021
----------------	------------------------------	-----------------------------	--

Germ cell mutagenicity

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Mouse (male)
Method: Mutagenicity (micronucleus test)
Result: negative

Test Type: in vivo assay
Species: Rat
Method: Mutagenicity (micronucleus test)
Result: negative

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Method: OECD 473
Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

Repeated dose toxicity

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species	: Rat, male and female
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 28-day
Number of exposures	: 1x /day
Method	: OECD Test Guideline 407
Target Organs	: Digestive organs, Liver
Remarks	: Repeated dose (28 days) toxicity (oral)

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Species	: Rat, male and female
NOAEL	: >= 150 mg/kg
Application Route	: Oral
Exposure time	: 90-day
Number of exposures	: 1x /day
Method	: OECD 408

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,3 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,38 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202 Remarks: IFF
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 2,6 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version 1.0	Revision Date: 07.09.2021	SDS Number: 300000448906	Date of last issue: - Date of first issue: 07.09.2021
----------------	------------------------------	-----------------------------	--

Toxicity to microorganisms	: NOEC : > 100 mg/l Exposure time: 42 h Test Type: static test Method: OECD 301 F
Toxicity to fish (Chronic toxicity)	: NOEC: 0,16 mg/l Exposure time: 30 d Species: Danio rerio (zebra fish) Test Type: semi-static test Method: OECD 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,028 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD 211

12.2 Persistence and degradability

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Concentration: 100 mg/l
Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD Test Guideline 302C

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d
Method: Modified Sturm Test

Test Type: aerobic
Inoculum: activated sludge
Concentration: 10 mg/l
Result: Primary biodegradation
Biodegradation: 33,8 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

Test Type: aerobic
Inoculum: activated sludge, adapted
Concentration: 10,97 mg/l
Result: Primary biodegradation
Biodegradation: 28,3 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

[3R-(3 α ,3 α ,7,8 $\alpha\alpha$)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 36 %
Method: Directive 67/548/EEC Annex V, C.4.C.

12.3 Bioaccumulative potential

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD 305
GLP: yes

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): 1.584
Method: OECD 305

Partition coefficient: n-octanol/water : log Pow: 5,3 (25 °C)
GLP: no
Remarks: REACH data

log Pow: 5,9 (25 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Distribution among environmental compartments : Koc: 24547, log Koc: 4,39

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Octahydro Tetramethyl Naphthalenyl Ethanone)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Octahydro Tetramethyl Naphthalenyl Ethanone)

IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Octahydro Tetramethyl Naphthalenyl Ethanone)

14.3 Transport hazard class(es)

ADR : 9

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

IMDG : 9

IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA_P (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes (Octahydro Tetramethyl Naphthalenyl Ethanone)

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standard-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

CLASS BLEU



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

ardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].

In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



CLASS BLEU

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07.09.2021	300000448906	Date of first issue: 07.09.2021

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

FR / EN