

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GRANADA

Sales Number : 6041551

Cust. Material : GRANADA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person responsible for the SDS : sds@iff.com

1.4 Emergency telephone number

+31 13 4642 211

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 2 H361: Suspected of damaging fertility or the unborn child.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA

Version 1.0	Revision Date: 08.12.2025	SDS Number: 300001008731	Date of last issue: - Date of first issue: 08.12.2025
----------------	------------------------------	-----------------------------	--

Hazard pictograms :



Signal word : Warning

Hazard statements :
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

118-58-1	benzyl salicylate
65405-77-8	CIS-3-HEXENYL SALICYLATE
33704-61-9	Dihydro pentamethylindanone
120-57-0	piperonal
63286-42-0	OXACYCLOHEPTADEC-10-EN-2-ONE
68155-66-8,	Tetramethyl Acetyloctahydronaphthalenes
54464-57-2,	
68155-67-9,	
54464-59-4	
10339-55-6	Ethyl Linalool
19870-74-7	OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE
144020-22-4	Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene
127-51-5	Alpha-Isomethyl Ionone
5462-06-6	METHOXYHYDRATROPALDEHYDE
1205-17-0	α -methyl-1,3-benzodioxole-5-propionaldehyde
78-70-6	linalool
91-64-5	Coumarin
106-22-9,	Citronellol
7540-51-4	
5989-27-5	(R)-p-mentha-1,8-diene
105-87-3	Geranyl acetate
80-56-8, 7785-26-4	pin-2(3)-ene
106-24-1	geraniol

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

25152-85-6	CIS-3-HEXENYL BENZOATE
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
33885-51-7	HOMONOPAL
13466-78-9	3,7,7-trimethylbicyclo[4.1.0]hept-3-ene
23696-85-7	ROSE KETONE-4

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6 603-101-00-3 01-0000015458-64, 01-2119455547-30	Eye Irrit. 2; H319	>= 10 - < 20
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9 603-212-00-7 01-2119488227-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 2,5 - < 10
benzyl salicylate	118-58-1 204-262-9 607-754-00-5 01-2119969442-31	Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Irrit. 2; H319 M-Factor (Acute aquatic toxicity): 1	>= 2,5 - < 10
1,4-dioxacycloheptadecane-5,17-dione	105-95-3 203-347-8 01-2119976314-33	Aquatic Chronic 3; H412	>= 2,5 - < 10
3-ethoxy-4-hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit. 2; H319	>= 1 - < 10
(Z)-3-hexenyl salicylate	65405-77-8 265-745-8 01-2119987320-37	Aquatic Acute 1; H400 Aquatic Chronic 2;	>= 3 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version
1.0

Revision Date:
08.12.2025

SDS Number:
300001008731

Date of last issue: -
Date of first issue: 08.12.2025

		H411 Repr. 2; H361	
		M-Factor (Acute aquatic toxicity): 1	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 2,5 - < 10
piperonal	120-57-0 204-409-7 01-2119983608-21	Skin Sens. 1B; H317 Repr. 2; H361fd	>= 1 - < 3
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 2,5 - < 10
(10E)-1-oxacycloheptadec-10-en-2-one	63286-42-0 814-308-5 01-2120768557-38	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 1 - < 2,5
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 1 - < 2,5
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 1 - < 10
[3R-(3 α ,3 α ,6 β ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	19870-74-7 267-510-5 01-2120228335-61	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
α , β ,2,2,3-pentamethylcyclopent-3-ene-1-butanol	65113-99-7 265-453-0 01-2119975588-15	Aquatic Chronic 2; H411 Eye Irrit. 2; H319	>= 1 - < 2,5
Reaction products of acetic anhydride and 1,5,10-trimethyl-1,5,9-cyclodecatriene	144020-22-4 482-330-9 01-2119430466-41, 01-2119445291-45, 01-2119445289-30, 01-2119894913-22	Skin Sens. 1B; H317 Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 1 - < 2,5
		M-Factor (Acute aquatic toxicity): 1	
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Aquatic Chronic 2; H411 Skin Sens. 1B; H317	>= 1 - < 2,5
		M-Factor (Acute aquatic toxicity): 1	
3-(p-methoxyphenyl)-2-methylpropionaldehyde	5462-06-6 226-749-5 01-2120769416-45, 01-2120629103-67	Skin Sens. 1B; H317	>= 1 - < 10
		M-Factor (Acute aquatic toxicity): 1	
vanillin	121-33-5	Eye Irrit. 2; H319	>= 1 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version
1.0

Revision Date:
08.12.2025

SDS Number:
300001008731

Date of last issue: -
Date of first issue: 08.12.2025

	204-465-2 01-2119516040-60		
methyl anthranilate	134-20-3 205-132-4	Eye Irrit. 2; H319	$\geq 1 - < 10$
α -methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0 214-881-6 605-042-00-9	Skin Sens. 1B; H317 Aquatic Chronic 2; H411 Repr. 2; H361 M-Factor (Acute aquatic toxicity): 1	$\geq 0,25 - < 1$
linalool	78-70-6 201-134-4 603-235-00-2 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	$\geq 0,1 - < 1$
coumarin	91-64-5 202-086-7 01-2119943756-26, 01-2119949300-45	Skin Sens. 1B; H317 Acute Tox. 4; H302	$\geq 0,1 - < 1$
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	$\geq 0,1 - < 1$
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 601-096-00-2 01-2119529223-47	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	$\geq 0,25 - < 1$
geranyl acetate	105-87-3 203-341-5 01-2119973480-35	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Skin Irrit. 2; H315	$\geq 0,25 - < 1$
pin-2(3)-ene	80-56-8 201-291-9 01-2119519223-49	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 4; H302 M-Factor (Acute aquatic toxicity): 1	$\geq 0,25 - < 1$
geraniol	106-24-1 203-377-1 603-241-00-5 01-2119552430-49	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	$\geq 0,1 - < 1$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version 1.0 Revision Date: 08.12.2025 SDS Number: 300001008731 Date of last issue: -
Date of first issue: 08.12.2025

cyclopentadecanone	502-72-7 207-951-2 01-2120766374-48	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,25 - < 1
3-methylcyclopentadecan-1-one	541-91-3 208-795-8	Aquatic Chronic 1; H410	>= 0,1 - < 0,25
(Z)-hex-3-enyl benzoate	25152-85-6 246-669-4 01-2120525150-73	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 0,1 - < 0,25
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 0,1 - < 1
6,6-dimethylbicyclo[3.1.1]hept-2-ene-2-propionaldehyde	33885-51-7 251-717-2 01-2120739476-45	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 4; H332 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Repr. 2; H361f Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 Acute toxicity estimate Acute inhalation toxicity: 1,651 mg/l Acute dermal toxicity: 632 mg/kg	>= 0,1 - < 0,25
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,1 - < 0,25
3,7,7-trimethylbicyclo[4.1.0]hept-3-ene	13466-78-9 207-856-6	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1; H317 Acute Tox. 4; H332	>= 0,1 - < 0,25

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version 1.0 Revision Date: 08.12.2025 SDS Number: 300001008731 Date of last issue: -
Date of first issue: 08.12.2025

		Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 1,5 mg/l	
indole	120-72-9 204-420-7	Acute Tox. 3; H311 Acute Tox. 4; H302 Eye Dam. 1; H318	$\geq 0,1 - < 1$
1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7 245-833-2	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Acute Tox. 4; H332	$\geq 0,025 - < 0,1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm ²
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m ³
Remarks:	Exposure time: 8 h			
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	Workers	Inhalation	Long-term systemic effects	44,1 mg/m ³
Remarks:	REACH data			
	Workers	Dermal	Long-term systemic effects	41,7 mg/kg bw/day
Remarks:	REACH data			
	Workers	Eye contact	Local effects	
Remarks:	Available hazard data do not enable the derivation of a DNEL for eye irri-			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version
1.0

Revision Date:
08.12.2025

SDS Number:
300001008731

Date of last issue: -
Date of first issue: 08.12.2025

	tant effects.			
	General population	Inhalation	Long-term systemic effects	13 mg/m3
Remarks:	REACH data			
	General population	Dermal	Long-term systemic effects	25
Remarks:	REACH data			
	General population	Oral	Long-term systemic effects	7,5 mg/kg bw/day
Remarks:	REACH data			
3-ethoxy-4-hydroxybenzaldehyde	Workers	Inhalation	Long-term systemic effects	49 mg/m3
	Workers	Inhalation	Acute systemic effects	98 mg/m3
	Workers	Dermal	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,75 mg/m3
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
	Consumers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Fresh water	0,0044 mg/l
	Marine water	0,00044 mg/l
	Fresh water sediment	2 mg/kg dry weight (d.w.)
	Marine sediment	0,394 mg/kg dry weight (d.w.)
	Soil	0,31 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166

Hand protection
Material : Nitrile rubber
Break through time : > 60 min

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version 1.0	Revision Date: 08.12.2025	SDS Number: 300001008731	Date of last issue: - Date of first issue: 08.12.2025
----------------	------------------------------	-----------------------------	--

Glove thickness : 0,38 mm

Material : Nitrile rubber

Break through time : > 10 min

Glove thickness : 0,1 mm

Remarks : Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.
No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: pale yellow to yellow
Odour	: conforms to standard
Odour Threshold	: not determined
Melting point	: not determined
Boiling point	: not determined
Flammability	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Flash point	: 101,00 °C Method: closed cup
Auto-ignition temperature	: not determined
Decomposition temperature	: not determined
pH	: not determined
Viscosity, dynamic	: not determined
Viscosity, kinematic	: not determined
Water solubility	: not determined
Solubility in other solvents	: not determined
Partition coefficient: n-octanol/water	: not determined
Vapour pressure	: 0,03 hPa (20 °C) Calculated
Relative density	: 1,0050 - 1,0150
Density	: not determined

9.2 Other information

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Presents no significant reactivity hazard, by itself or in contact with water.

10.4 Conditions to avoid

Conditions to avoid : Direct sources of heat.

10.5 Incompatible materials

Materials to avoid : Avoid contact with strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products

Carbon monoxide and unidentified organic compounds may be formed during combustion.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Components:

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Species	: Human
Exposure time	: 0,25 h
Assessment	: Causes skin irritation.
Method	: OECD Test Guideline 439
Result	: irritating
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

Species	: Human
Exposure time	: 1 h
Method	: OECD Test Guideline 431
Result	: Not corrosive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

GLP : yes
Test substance : (undiluted)
Remarks : REACH data

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : reconstructed human epidermis (RhE)
Assessment : Causes skin irritation.
Method : OECD Test Guideline 439
Result : irritating
GLP : yes
Test substance : (undiluted)
Remarks : REACH data

3,7-dimethylnona-1,6-dien-3-ol:

Assessment : Causes mild skin irritation.
Method : OECD Test Guideline 439
Result : Skin irritation
GLP : yes
Remarks : REACH data

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species : Rabbit
Assessment : Causes serious eye irritation.
Method : OECD Test Guideline 405
Result : Eye irritation
GLP : yes
Test substance : (undiluted)
Remarks : REACH data

benzyl salicylate:

Species : Rabbit
Assessment : Causes serious eye irritation.
Method : OECD Test Guideline 405
Result : Eye irritation
GLP : no
Remarks : REACH data

3-ethoxy-4-hydroxybenzaldehyde:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Eye irritation
Remarks : Supplier

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Assessment	: The product is a skin sensitiser, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: positive
GLP	: yes

Remarks : REACH data

Test Type	: repeated insult patch test
Species	: Humans
Result	: Does not cause skin sensitisation.
Test substance	: 10.% in ethanol/DEP (75:25)
Remarks	: REACH data

Species	: Not tested on animals
Result	: Does not cause respiratory sensitisation.
Remarks	: REACH data

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Assessment	: The product is a skin sensitiser, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: Causes sensitisation.
GLP	: yes

Remarks : REACH data

3,7-dimethylnona-1,6-dien-3-ol:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Assessment	: The product is a skin sensitiser, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: Skin Sensitizer
GLP	: yes

Remarks : REACH data

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster fibroblasts
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: REACH data

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Method: OECD 473

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version 1.0	Revision Date: 08.12.2025	SDS Number: 300001008731	Date of last issue: - Date of first issue: 08.12.2025
----------------	------------------------------	-----------------------------	--

Result: negative

benzyl salicylate:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
Remarks: REACH data

Test Type: Micronucleus test
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo

: Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes
Remarks: Based on data from similar materials
REACH data

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Effects on fertility : Species: Rat, male and female

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version 1.0	Revision Date: 08.12.2025	SDS Number: 300001008731	Date of last issue: - Date of first issue: 08.12.2025
----------------	------------------------------	-----------------------------	--

Application Route: Ingestion
General Toxicity - Parent: NOAEL: 4.000 mg/kg food
Fertility: NOAEL: 12.500 mg/kg food
Method: OECD Test Guideline 443
GLP: yes
Remarks: REACH data

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Dermal
Duration of Single Treatment: 14 h
General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: REACH data

benzyl salicylate:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 158 mg/kg body weight
General Toxicity F1: NOAEL: 158 mg/kg body weight
Fertility: NOAEL: 158 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes
Remarks: REACH data

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat, female
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 158 mg/kg body weight
Developmental Toxicity: NOAEL: 158 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes
Remarks: REACH data

Test Type: Pre-natal
Species: Rat, female
General Toxicity Maternal: NOAEL: 214 mg/kg body weight
Developmental Toxicity: NOAEL: 214 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Repeated dose toxicity

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Species	: Rat, male and female
NOAEL	: 125 mg/kg
Application Route	: Oral
Exposure time	: 28-day
Method	: OECD Test Guideline 407
GLP	: yes
Remarks	: REACH data

Species	: Rat, male and female
NOAEL	: 1.000 mg/kg
Application Route	: Dermal
Exposure time	: 90-day
Method	: OECD Test Guideline 411
GLP	: yes
Remarks	: REACH data

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Species	: Rat, male and female
NOAEL	: >= 150 mg/kg
Application Route	: Oral
Exposure time	: 90-day
Number of exposures	: 1x /day
Method	: OECD 408

benzyl salicylate:

Species	: Rat, male
NOEL	: 177 mg/kg
NOAEL	: 177 mg/kg
Application Route	: Ingestion
Exposure time	: 90-day
Method	: OECD Test Guideline 408
GLP	: yes
Remarks	: REACH data

Species	: Rat, female
NOEL	: 204 mg/kg
NOAEL	: 204 mg/kg
Application Route	: Ingestion
Exposure time	: 90-day
Method	: OECD Test Guideline 408
GLP	: yes
Remarks	: REACH data

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Components:

(R)-p-mentha-1,8-diene:

May be fatal if swallowed and enters airways.

pin-2(3)-ene:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,452 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 204
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,9 mg/l
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,854 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

EbC50 (Pseudokirchneriella subcapitata (green algae)): 0,723 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC: 0,068 mg/l
Exposure time: 36 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Species: Pimephales promelas (fathead minnow)
Test Type: flow-through test
Method: OECD 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,111 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD 211

12.2 Persistence and degradability

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 30 mg/l
Result: Inherently biodegradable.
Biodegradation: 64,8 %
Related to: Biochemical oxygen demand
Exposure time: 60 d
Method: OECD Test Guideline 301D
GLP: no
Remarks: REACH data

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 2 %
Exposure time: 28 d
Method: Modified Sturm Test

Test Type: aerobic
Inoculum: activated sludge
Concentration: 10 mg/l
Result: Primary biodegradation
Biodegradation: 33,8 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

Test Type: aerobic
Inoculum: activated sludge, adapted
Concentration: 10,97 mg/l
Result: Primary biodegradation
Biodegradation: 28,3 %
Exposure time: 28 d
Method: OECD 301 B
Remarks: see user defined free text

benzyl salicylate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 100 mg/l
Result: Readily biodegradable.
Biodegradation: 93 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes
Remarks: REACH data

12.3 Bioaccumulative potential

Components:

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans):

Partition coefficient: n-octanol/water : log Pow: 1,65 (23 °C)
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes
Remarks: REACH data

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 d
Bioconcentration factor (BCF): 1.584
Method: OECD 305

Partition coefficient: n-octanol/water : log Pow: 5,3 (25 °C)
GLP: no
Remarks: REACH data

log Pow: 5,9 (25 °C)
Method: OECD Test Guideline 117
GLP: yes
Remarks: REACH data

benzyl salicylate:

Bioaccumulation : Bioconcentration factor (BCF): 311
Method: see user defined free text
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Distribution among environmental compartments : Koc: 24547, log Koc: 4,39

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

IATA : N.O.S.
(Hexamethylindanopyran)
: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Hexamethylindanopyran)

14.3 Transport hazard class(es)

ADR : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

IATA_P (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

IMDG
Marine pollutant : yes (Hexamethylindanopyran)

IATA (Passenger)
Environmentally hazardous : yes

IATA (Cargo)
Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) benzyl salicylate linalool (R)-p-mentha-1,8-diene geraniol citral p-mentha-1,3-diene benzyl alcohol (S)-2-Methyl-5-(1-methylvinyl)cyclohex-2-en-1-one benzyl 4-hydroxybenzoate
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



GRANADA

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

H311	: Toxic in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H361	: Suspected of damaging fertility or the unborn child.
H361f	: Suspected of damaging fertility.
H361fd	: Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

GRANADA



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.12.2025	300001008731	Date of first issue: 08.12.2025

Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports. The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN