

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : 6416081 LUXURY BARON

Sales Number : 6416081

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fragrance for consumer product

1.3 Details of the supplier of the safety data sheet

Company : IFF (NEDERLAND) BV
ZEVENHEUVELENWEG 60
5048 AN TILBURG

Telephone : +31134642211

Telefax : +31134636032

E-mail address of person responsible for the SDS : sds@iff.com

1.4 Emergency telephone number

+31 13 4642 211

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

Hazard pictograms :



Signal word : Warning

Hazard statements :

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing mist or vapours.
- P264 Wash skin thoroughly after handling.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
- P391 Collect spillage.

Hazardous components which must be listed on the label:

68155-66-8,	Tetramethyl Acetyloctahydronaphthalenes
54464-57-2,	
68155-67-9,	
54464-59-4	
19870-74-7	OCTAHYDRO-METHOXY-TETRAMETHYL-METHANOAZULENE
476332-65-7	Heptamethyl Decahydroindenofuran
253454-23-8	TRIMETHYL-PROPYLCYCLOHEXANEPROPANOL
106-22-9,	Citronellol
7540-51-4	
32388-55-9	cedr-8-enyl methyl ketone
118-58-1	benzyl salicylate
33704-61-9	Dihydro pentamethylindanone
10339-55-6	Ethyl Linalool
78-70-6	linalool
97-53-0	Eugenol
91-64-5	Coumarin
1205-17-0	α -methyl-1,3-benzodioxole-5-propionaldehyde
106-24-1	geraniol
115-95-7	linalyl acetate
127-51-5	Alpha-Isomethyl Ionone
4707-47-5	METHYL DIHYDROXY-DIMETHYLBENZOATE
5462-06-6	METHOXYHYDRATROPALDEHYDE
104-55-2	cinnamaldehyde
23696-85-7	ROSE KETONE-4
116-26-7	2,3-dihydro-2,2,6-trimethylbenzaldehyde

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

2.3 Other hazards

None reasonably foreseeable.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number		Concentration (% w/w)
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8 915-730-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 1; H410	>= 10 - < 20
vanillin	121-33-5 204-465-2 01-2119516040-60	Eye Irrit. 2; H319	>= 10 - < 20
1,4-dioxacycloheptadecane-5,17-dione	105-95-3 203-347-8 01-2119976314-33	Aquatic Chronic 3; H412	>= 2,5 - < 10
3-ethoxy-4-hydroxybenzaldehyde	121-32-4 204-464-7	Eye Irrit. 2; H319	>= 1 - < 10
2-phenylethanol	60-12-8 200-456-2 01-2119963921-31	Eye Irrit. 2; H319 Acute Tox. 4; H302	>= 1 - < 10
2-ethyl-3-hydroxy-4-pyrone	4940-11-8 225-582-5 01-2120758795-36	Acute Tox. 4; H302	>= 1 - < 10
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1222-05-5 214-946-9 603-212-00-7 01-2119488227-29	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 1 - < 2,5
1,4-dioxacyclohexadecane-5,16-dione	54982-83-1 259-423-6 01-2119524000-64	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 1 - < 2,5
[3R-(3 α ,3 α β ,6 β ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-	19870-74-7 267-510-5 01-2120228335-61	Skin Sens. 1B; H317 Aquatic Acute 1; H400	>= 1 - < 2,5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

methanoazulene		Aquatic Chronic 1; H410	
(2E)-2-ethyl-4-(2,2,3-trimethylcyclopent-3-en-1-yl)but-2-en-1-ol	106185-75-5 701-122-3 01-2119529224-45	Eye Irrit. 2; H319 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
α,β,2,2,3-pentamethylcyclopent-3-ene-1-butanol	65113-99-7 265-453-0 01-2119975588-15	Aquatic Chronic 2; H411 Eye Irrit. 2; H319	>= 1 - < 2,5
decahydro-2,2,6,6,7,8,8-heptamethyl-2H-Indeno[4,5-b]furan	476332-65-7 449-360-4 01-0000018977-51	Skin Sens. 1B; H317 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5
(Z)-3-hexenyl salicylate	65405-77-8 265-745-8 01-2119987320-37	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Repr. 2; H361 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
rel-1-[(1R,6S)-2,2,6-trimethylcyclohexyl]hexan-3-ol	253454-23-8 814-113-5 01-2120766836-38, 01-2120768938-30	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
citronellol	106-22-9 203-375-0 01-2119453995-23	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 1 - < 10
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one	21145-77-7 216-133-4 01-2119539433-40	Acute Tox. 4; H302 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 M-Factor (Acute aquatic toxicity): 1	>= 1 - < 2,5
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0 405-040-6 603-101-00-3 01-0000015458-64, 01-2119455547-30	Eye Irrit. 2; H319	>= 1 - < 10
[3R-(3α,3a,7,8α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3 01-2119969651-28	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

		M-Factor (Acute aquatic toxicity): 1	
benzyl salicylate	118-58-1 204-262-9 607-754-00-5 01-2119969442-31	Skin Sens. 1B; H317 Aquatic Chronic 3; H412 Eye Irrit. 2; H319	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 1	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	33704-61-9 251-649-3 01-2119977131-40	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 0,25 - < 1
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6 233-732-6 01-2119969272-32	Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9 222-294-1	Aquatic Chronic 2; H411 Aquatic Acute 1; H400 Repr. 2; H361	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 1	
linalool	78-70-6 201-134-4 603-235-00-2 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
eugenol	97-53-0 202-589-1 01-2119971802-33	Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0,1 - < 1
		M-Factor (Acute aquatic toxicity): 1	
		Acute toxicity estimate	
		Acute oral toxicity: 2.500 mg/kg	
coumarin	91-64-5 202-086-7 01-2119943756-26, 01-2119949300-45	Skin Sens. 1B; H317 Acute Tox. 4; H302	>= 0,1 - < 1
(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol	107898-54-4 411-580-3 603-150-00-0 01-0000015895-58, 01-2119956812-31, 01-0000000316-81	Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
		M-Factor (Acute aquatic toxicity): 1	
α-methyl-1,3-benzodioxole-5-	1205-17-0	Skin Sens. 1B; H317	>= 0,25 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

propionaldehyde	214-881-6 605-042-00-9	Aquatic Chronic 2; H411 Repr. 2; H361 M-Factor (Acute aquatic toxicity): 1	
geraniol	106-24-1 203-377-1 603-241-00-5 01-2119552430-49	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 0,1 - < 1
linalyl acetate	115-95-7 204-116-4	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	>= 0,1 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119565113-46, 01-2119555270-46	Aquatic Chronic 1; H410 Aquatic Acute 1; H400	>= 0,1 - < 0,25
anisaldehyde	123-11-5 204-602-6 01-2119977101-43-	Repr. 2; H361fd Aquatic Chronic 3; H412	>= 0,1 - < 0,25
Cyclopropanemethanol, 1-methyl-2-[(1,2,2-trimethylbicyclo[3.1.0]hex-3-yl)methyl]-	198404-98-7 427-900-1 01-0000017424-73	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25
3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	127-51-5 204-846-3	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 0,25
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5 225-193-0 01-2120762759-36	Skin Sens. 1B; H317	>= 0,1 - < 1
3-(p-methoxyphenyl)-2-methylpropionaldehyde	5462-06-6 226-749-5 01-2120769416-45, 01-2120629103-67	Skin Sens. 1B; H317 M-Factor (Acute aquatic toxicity): 1	>= 0,1 - < 1
benzyl benzoate	120-51-4 204-402-9 607-085-00-9 01-2119976371-33	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Aquatic Acute 1; H400	>= 0,1 - < 0,25
cinnamaldehyde	104-55-2 203-213-9 606-155-00-6 01-2119935242-45-	Acute Tox. 4; H312 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Eye Irrit. 2; H319 Aquatic Chronic 3; H412 specific concentration limit Skin Sens. 1; H317 >= 0,01 %	>= 0,025 - < 0,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one	23696-85-7 245-833-2	Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Acute Tox. 4; H332	$\geq 0,025 - < 0,1$
2,3-dihydro-2,2,6-trimethylbenzaldehyde	116-26-7 204-133-7 01-2120116439-56-	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Acute Tox. 4; H302 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	$\geq 0,0025 - < 0,025$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take Hazard and Precautionary phrases (section 2) into account.
- If inhaled : Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
- In case of skin contact : Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.
- In case of eye contact : Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
- If swallowed : Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbondioxide, dry chemical, foam.

Unsuitable extinguishing media : Do not use a direct waterjet on burning material.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Water may be ineffective.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Environmental precautions : Keep away from drains, surface- and groundwater and soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees.

Keep all heated processes at the lowest necessary temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection against fire and explosion : Keep away from ignition sources and naked flame.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a cool, dry, ventilated area away from heat sources.
Keep containers upright and tightly closed when not in use.

7.3 Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Workers	Skin contact	Long-term local effects	0,1011 mg/cm ²
Remarks:	Exposure time: 8 h			
	Workers	Skin contact	Long-term systemic effects	1,73 mg/kg bw/day
Remarks:	Exposure time: 8 h			
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m ³
Remarks:	Exposure time: 8 h			
3-ethoxy-4-hydroxybenzaldehyde	Workers	Inhalation	Long-term systemic effects	49 mg/m ³
	Workers	Inhalation	Acute systemic effects	98 mg/m ³
	Workers	Dermal	Long-term systemic effects	7 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,75 mg/m ³
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0 Revision Date: 15.12.2025 SDS Number: 300001276056 Date of last issue: -
Date of first issue: 15.12.2025

	Consumers	Dermal	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	2,5 mg/kg bw/day
2-phenylethanol	Workers	Inhalation	Long-term systemic effects	59,9 mg/m3
	Workers	Dermal	Long-term systemic effects	21,2 mg/kg
	Workers	Eye contact	Local effects	
	General population	Inhalation	Long-term systemic effects	17,7 mg/m3
	General population	Dermal	Long-term systemic effects	12,7 mg/kg
	General population	Oral	Long-term systemic effects	5,1 mg/kg
	General population	Oral	Acute systemic effects	5,1 mg/kg
	General population	Eye contact	Local effects	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Fresh water	0,0028 mg/l
	Marine water	0,00028 mg/l
	Fresh water sediment	3,73 mg/kg dry weight (d.w.)
	Marine sediment	0,75 mg/kg dry weight (d.w.)
	Soil	0,705 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Where appropriate, use closed systems to transfer and process this material.
If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant.

Personal protective equipment

Eye protection : Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 60 min
Glove thickness : 0,38 mm

Material : Nitrile rubber
Break through time : > 10 min
Glove thickness : 0,1 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

Remarks : Avoid skin contact. Use chemically resistant gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Please observe the instructions regarding permeability and break-through time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures.

No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

- a) while engineering controls and appropriate safe work practices and/or procedures are being implemented; or
- b) during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or
- c) if normal operational workplace vapor concentration in the air is increased due to heat ;
- d) during emergencies; or
- e) if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an established occupational exposure limit.

Protective measures : To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of symptoms and spirometry testing of lung function for workers who are regularly exposed to this material.

To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine poten-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

tial exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	orange to dark orange
Odour	:	conforms to standard
Odour Threshold	:	not determined
Melting point	:	not determined
Boiling point	:	not determined
Flammability	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	53,00 °C Method: closed cup
Auto-ignition temperature	:	not determined
Decomposition temperature	:	not determined
pH	:	not determined
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Water solubility	:	not determined
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	not determined
Vapour pressure	:	0,01 hPa (20 °C) Calculated
Relative density	:	1,0250 - 1,0350
Density	:	not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

tial exposures and to ensure the continuing effectiveness of engineering controls and operational practices to minimize exposure.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	orange to dark orange
Odour	:	conforms to standard
Odour Threshold	:	not determined
Melting point	:	not determined
Boiling point	:	not determined
Flammability	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	53,00 °C Method: closed cup
Auto-ignition temperature	:	not determined
Decomposition temperature	:	not determined
pH	:	not determined
Viscosity, dynamic	:	not determined
Viscosity, kinematic	:	not determined
Water solubility	:	not determined
Solubility in other solvents	:	not determined
Partition coefficient: n-octanol/water	:	not determined
Vapour pressure	:	0,01 hPa (20 °C) Calculated
Relative density	:	1,0250 - 1,0350
Density	:	not determined

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

Exposure time	: 1 h
Assessment	: No skin irritation
Method	: OECD Test Guideline 439
Result	: No skin irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

vanillin:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: OECD Test Guideline 405
Result	: Eye irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

3-ethoxy-4-hydroxybenzaldehyde:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation
Remarks	: Supplier

2-phenylethanol:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Result	: Eye irritation
GLP	: no
Remarks	: REACH data

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Assessment	: The product is a skin sensitiser, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: Causes sensitisation.
GLP	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

Exposure time	: 1 h
Assessment	: No skin irritation
Method	: OECD Test Guideline 439
Result	: No skin irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

vanillin:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Method	: OECD Test Guideline 405
Result	: Eye irritation
GLP	: yes
Test substance	: (undiluted)
Remarks	: REACH data

3-ethoxy-4-hydroxybenzaldehyde:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation
Remarks	: Supplier

2-phenylethanol:

Species	: Rabbit
Assessment	: Causes serious eye irritation.
Result	: Eye irritation
GLP	: no
Remarks	: REACH data

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Assessment	: The product is a skin sensitizer, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: Causes sensitisation.
GLP	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Dermal
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Test Type: In vivo micronucleus test
Species: Rat (male and female)
Application Route: Dermal
Method: OECD Test Guideline 474
Result: negative
GLP: yes

vanillin:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test)
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: Regulation (EC) No. 440/2008, Annex, B.10
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (female)
Application Route: Oral
Method: Mutagenicity (micronucleus test)
Result: negative
GLP: no
Remarks: REACH data

1,4-dioxacycloheptadecane-5,17-dione:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: Microbial mutagenesis assay (Ames test)
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: REACH data

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: REACH data

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: REACH data

Carcinogenicity

Not classified based on available information.

Components:

vanillin:

Species : Mouse, male and female
NOAEL : 750 mg/kg bw/day
Result : negative
Remarks : REACH data

Reproductive toxicity

Not classified based on available information.

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Strain: wistar
Application Route: Oral
General Toxicity - Parent: NOAEL: ≥ 300 mg/kg body weight
Fertility: NOAEL: ≥ 300 mg/kg body weight
Method: OECD Test Guideline 443

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

GLP: yes
Remarks: REACH data

Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Strain: wistar
Application Route: Oral
General Toxicity - Parent: NOAEL: 120 mg/kg body weight
Fertility: NOAEL: $\geq$ 500 mg/kg body weight
Target Organs: Kidney, Liver, spleen
Method: OECD Test Guideline 421
GLP: yes
Remarks: REACH data

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Duration of Single Treatment: 21 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 240 mg/kg body weight
Developmental Toxicity: NOAEL: $\geq$ 480 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: REACH data

Test Type: Pre-natal
Species: Rabbit, female
Application Route: Oral
Duration of Single Treatment: 23 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 200 mg/kg body weight
Developmental Toxicity: NOAEL: $\geq$ 500 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: REACH data

vanillin:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 250 mg/kg body weight
Developmental Toxicity: NOAEL: 500 mg/kg body weight
Remarks: REACH data

1,4-dioxacycloheptadecane-5,17-dione:

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Application Route: Oral
Duration of Single Treatment: 15 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1.000 mg/kg body weight
Developmental Toxicity: NOAEL: 1.000 mg/kg body weight
Method: OECD Test Guideline 414

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 28-day
Number of exposures : 1x /day
Method : OECD Test Guideline 407
GLP : yes
Remarks : REACH data

Species : Rat, male and female
NOAEL : 120 mg/kg
Application Route : Oral
Exposure time : 90-day
Number of exposures : 1x /day
Method : OECD Test Guideline 408
GLP : yes
Target Organs : spleen, Liver, Kidney
Remarks : REACH data

Species : Rat, male and female
NOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

Species : Mouse, male and female
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

vanillin:

Species : Rat, male

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 28-day
Number of exposures : 1x /day
Method : OECD Test Guideline 407
GLP : yes
Remarks : REACH data

Species : Rat, male and female
NOAEL : 120 mg/kg
Application Route : Oral
Exposure time : 90-day
Number of exposures : 1x /day
Method : OECD Test Guideline 408
GLP : yes
Target Organs : spleen, Liver, Kidney
Remarks : REACH data

Species : Rat, male and female
NOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

Species : Mouse, male and female
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

vanillin:

Species : Rat, male

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

GLP: yes
Remarks: REACH data

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Species : Rat, male and female
NOAEL : 150 mg/kg
Application Route : Oral
Exposure time : 28-day
Number of exposures : 1x /day
Method : OECD Test Guideline 407
GLP : yes
Remarks : REACH data

Species : Rat, male and female
NOAEL : 120 mg/kg
Application Route : Oral
Exposure time : 90-day
Number of exposures : 1x /day
Method : OECD Test Guideline 408
GLP : yes
Target Organs : spleen, Liver, Kidney
Remarks : REACH data

Species : Rat, male and female
NOAEL : 250 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

Species : Mouse, male and female
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90-day
Method : OECD Test Guideline 411
GLP : yes
Target Organs : Skin, Liver
Remarks : REACH data

vanillin:

Species : Rat, male

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

GLP: yes
Remarks: REACH data

Toxicity to fish (Chronic toxicity) : NOEC: 0,16 mg/l
Exposure time: 30 d
Species: Danio rerio (zebra fish)
Analytical monitoring: yes
Method: OECD Test Guideline 210
GLP: yes
Remarks: REACH data

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,028 mg/l
End point: Reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

NOEC: 0,448 mg/l
End point: mortality
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

EC10: 0,044 mg/l
End point: Reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Concentration: 100 mg/l
Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD 301 C

vanillin:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

GLP: yes
Remarks: REACH data

Toxicity to fish (Chronic toxicity) : NOEC: 0,16 mg/l
Exposure time: 30 d
Species: Danio rerio (zebra fish)
Analytical monitoring: yes
Method: OECD Test Guideline 210
GLP: yes
Remarks: REACH data

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,028 mg/l
End point: Reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

NOEC: 0,448 mg/l
End point: mortality
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

EC10: 0,044 mg/l
End point: Reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Analytical monitoring: yes
Method: OECD Test Guideline 211
GLP: yes
Remarks: REACH data

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Biodegradability : Concentration: 100 mg/l
Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD 301 C

vanillin:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 100 mg/l
Result: Readily biodegradable.
Biodegradation: 97 - 100 %
Exposure time: 14 d
Method: OECD Test Guideline 301C
Remarks: REACH data

1,4-dioxacycloheptadecane-5,17-dione:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 12 mg/l
Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 29 d
Method: OECD Test Guideline 301B
GLP: yes
Remarks: REACH data

12.3 Bioaccumulative potential

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 21 d
Bioconcentration factor (BCF): 391
Method: OECD Test Guideline 305
GLP: yes
Remarks: REACH data

1,4-dioxacycloheptadecane-5,17-dione:

Bioaccumulation : Bioconcentration factor (BCF): 319,3
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
REACH data

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Components:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one:

Distribution among environmental compartments : Adsorption/Soil
Koc: 12598, log Koc: 4,1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

14.3 Transport hazard class(es)

ADR	:	3
IMDG	:	3
IATA	:	3

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids
IATA_P (Passenger)	
Packing instruction (passenger aircraft)	: 355
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids

14.5 Environmental hazards

ADR	
Environmentally hazardous	: yes
IMDG	
Marine pollutant	: yes (Octahydro Tetramethyl Naphthalenyl Ethanone)

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

14.3 Transport hazard class(es)

ADR	:	3
IMDG	:	3
IATA	:	3

14.4 Packing group

ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids
IATA_P (Passenger)	
Packing instruction (passenger aircraft)	: 355
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids

14.5 Environmental hazards

ADR	
Environmentally hazardous	: yes
IMDG	
Marine pollutant	: yes (Octahydro Tetramethyl Naphthalenyl Ethanone)

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version 1.0	Revision Date: 15.12.2025	SDS Number: 300001276056	Date of last issue: - Date of first issue: 15.12.2025
----------------	------------------------------	-----------------------------	--

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 75, 30, 3, 28

safrole (Number on list 28)

bis(2-ethylhexyl) phthalate (Number on list 51a, 30)

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) benzyl salicylate
linalool
(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1-yl)pent-4-en-2-ol α -methyl-1,3-benzodioxole-5-propionaldehyde
geraniol
cinnamaldehyde (R)-p-mentha-1,8-diene
benzoic acid
citral
benzyl alcohol 6,10-dimethylundeca-3,5,9-trien-2-one
safrole (Number on list 28)
benzyl 4-hydroxybenzoate

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

E1 ENVIRONMENTAL HAZARDS

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



6416081 LUXURY BARON

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.12.2025	300001276056	Date of first issue: 15.12.2025

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110].
In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled "Respiratory Safety in the Flavor Manufacturing Workplace". Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these reports are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these reports.
The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration $\geq 1.0\%$ due to an intentional addition by IFF, the chemical(s) will be identified in this safety data sheet.

According to Regulation (EC) No. 1907/2006 the information in this safety data sheet is based on the properties of the material known to IFF at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment International Flavors & Fragrances holds no responsibility. This document is not intended for quality assurance purposes.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN